

# VK Leading Light

2024 2025

DECORATIVE

INDOOR + OUTDOOR



# VK Leading Light

Since 1978

**Decorative**

Indoor & Outdoor

**BEWVA**

**THE**

A  
Short  
Photographic


# ARE OF

## VIEWS

### A light chronicle

Beware of the views. You think you know light,  
we think we know light; but light never ceases to amaze us in every way possible.  
The works seen inside this edition demonstrate this, by transforming and sculpting everything into  
whimsical landscapes, into memorable scenes,  
and into unassailable goddesses. So, beware of the views

Story of  
Light  
by VK Leading Light





A short journey of observation and meditation, highlighting the deeper essence of things. The hitherto, remote

Everything on display here are aware of their temporary

Until they all disappear and become light again. The trip to





acquaintance with light, finds its true meaning here. Where light and time are born, reflected, and diffused together.  
nature and have certainly benefited from the lessons of Time.

Sarakiniko, deep and lethargic, a short journey to the ocean of our desires

## The trip to Sarakiniko





# VK Leading Light

Since 1978

**A:** 8 Aristotelous St, Tavros, 177 78 Athens, Greece  
**T:** +30 210 99 69 610-11, +30 210 34 58 072, +30 210 34 58 075  
**F:** +30 210 99 58 374  
**E:** [info@vkleadinglight.gr](mailto:info@vkleadinglight.gr)  
**W:** [vkleadinglight.gr](http://vkleadinglight.gr)

## Working Hours


Monday - Friday 8:00 - 18:00

Saturday 9:00 - 14:00



index


# INDEX



## Architectural Decorative Lights

Pages 032-059

042



VK/04491/PE

046



VK/03217/CE  
VK/03218/CE

048



VK/03217/CHB



VK/03217/PS75




VK/03218/PS150

050




VK/03217/FL

054



VK/04270

058











































VK/04619/PE




Pendant Lights

Pendant Lights

Pages 060-217

<b>062</b>  VK/04582/ PE/NW/W/130	 VK/04582/ PE/NW/W/150	 VK/04582/ PE/NW/W/180	<b>064</b>  VK/04581/ PE/.../W/120	 VK/04581/ PE/.../W/150	 VK/04581/ PE/.../W/180	<b>066</b>  VK/04569/ PE/D/W/118	 VK/04569/ PE/D/W/150	<b>068</b>  VK/04579/ PE/.../W/42	 VK/04579/ PE/.../W/51
 VK/04579/ PE/.../W/61	<b>070</b>  VK/04570/ PE/.../W/40	 VK/04570/ PE/.../W/60-80	 VK/04415PE	<b>072</b>  VK/04131PE VK/04132PE	<b>074</b>  VK/04243PE	<b>076</b>  VK/04242PE	<b>078</b>  VK/04568/ PE/.../W/120	<b>080</b>  VK/04568/ PE/.../W/150	<b>082</b>  VK/04251PE
<b>084</b>  VK/04252PE	<b>086</b>  VK/04404PE/.../53	<b>088</b>  VK/04405PE/.../66	<b>090</b>  VK/04406PE/.../92	<b>092</b>  VK/04407PE/.../3C	<b>094</b>  VK/04434/ PE/.../W	<b>096</b>  VK/04305PE/ B/W/60	<b>098</b>  VK/04305PE/ W/W/40	<b>098</b>  VK/04620/PE	<b>100</b>  VK/04454/PE
<b>102-103</b>  VK/04413PE	<b>104</b>  VK/04016	<b>108</b>  VK/04390/PE VK/04389/PE	<b>110</b>  VK/04388/PE	<b>112</b>  VK/04254PE	<b>114</b>  VK/04255WA	<b>116</b>  VK/04400	<b>118</b>  VK/04401	<b>120</b>  VK/04414PE	<b>124</b>  VK/04392/PE

# INDEX

<b>126</b>  VK/04393/PE	<b>128</b>  VK/04391/PE	<b>130</b>  VK/03153/PE	<b>132</b>  VK/04256PE	 VK/04257PE	<b>134</b>  VK/03166/BR	 VK/03167/BR	<b>136</b>  VK/03166/G	 VK/03167/G	<b>138</b>  VK/03320/PE
<b>140</b>  VK/03314/PE/G	<b>142</b>  VK/09066	 VK/09063	<b>143</b>  VK/09067/W	 VK/09067/AN	<b>144</b>  VK/03088/20	 VK/03088/24	<b>145</b>  VK/03092/50	 VK/03080/30	<b>146</b>  VK/03079/35
 VK/03079/55	<b>148</b>  VK/03329/PE/.../33	 VK/03329/PE/.../45	 VK/03329/PE/.../61	<b>150</b>  VK/03330/PE/NW	<b>152</b>  VK/03325/PE	<b>154</b>  VK/03324/PE	<b>156</b>  VK/03326/PE/NW/30	 VK/03326/PE/NW/20	<b>158</b>  VK/03327/PE/NW
 VK/03328/PE/NW	<b>160</b>  VK/03068/PE	 VK/03069/PE	<b>162</b>  VK/03117/PE	<b>164</b>  VK/04387/CE/B	<b>166</b>  VK/03099PE	 VK/03100PE	<b>168</b>  VK/03319/PE/40	 VK/03319/PE/30	<b>170</b>  VK/03317/PE/BMB/50
 VK/03317/PE/BMB/35	<b>172</b>  VK/03321/PE	<b>174</b>  VK/03322/PE/.../50	 VK/03322/PE/.../35	<b>176</b>  VK/03318/PE/BMB/50	<b>178</b>  VK/03323/PE/.../50	<b>180</b>  VK/03125PE/30	 VK/03125PE/35	<b>181</b>  VK/03126PE/30	 VK/03126PE/45
<b>182</b>  VK/03123PE/35	 VK/03123PE/55	 VK/03124PE/70	<b>184</b>  VK/03146PE/35	 VK/03146PE/60	<b>185</b>  VK/03146PE/80	<b>186</b>  VK/03148PE/73	<b>188</b>  VK/03147PE/78	<b>190</b>  VK/03173/PE	<b>192</b>  VK/03177/PE
 VK/03175/PE	<b>194</b>  VK/03172/PE	 VK/03176/PE	<b>196</b>  VK/03171/PE	<b>198</b>  VK/03170/PE	<b>200</b>  VK/03182PE	<b>202</b>  VK/03181PE	<b>204</b>  VK/03118PE	<b>205</b>  VK/03119PE	<b>206</b>  VK/03120PE
<b>207</b>  VK/03121PE	<b>208</b>  VK/03180PE	<b>210</b>  VK/03122PE	<b>212</b>  VK/03105PE	 VK/03105PE/2	<b>213</b>  VK/03105PE/3	<b>214</b>  VK/03087/PE/20	 VK/03087/PE/30	<b>215</b>  VK/03087/PE/50	<b>216</b>  VK/03163






Plafó & Ceiling Lights

**Plafó & Ceiling Lights**

Pages 218-257

<b>220</b>  VK/04580/ CE/.../W/27	 VK/04580/ CE/.../W/33	 VK/04580/ CE/.../W/42	<b>222</b>  VK/04580/ CE/.../W/51	 VK/04580/ CE/.../W/61	<b>224</b>  VK/04565/ CE/.../W/40	 VK/04565/ CE/.../W/60	 VK/04565/ CE/.../W/80	<b>226</b>  VK/04416CE	<b>228</b>  VK/04566/ CE/.../W/60
 VK/04566/ CE/.../W/80	<b>230</b>  VK/04567/ CE/.../W/60	 VK/04567/ CE/.../W/80	<b>232</b>  VK/04129CE VK/04130CE	<b>234</b>  VK/04243CE	<b>236</b>  VK/04242CE	<b>238</b>  VK/04418CE	<b>240</b>  VK/04253CE	<b>242</b>  VK/03316/CE	<b>244</b>  VK/03315/CE
<b>246</b>  VK/04578/ CE/GD/W	<b>248</b>  VK/04577/ CE/.../W	<b>250</b>  VK/03151/CE/50 VK/03152/CE/30	<b>252</b>  VK/04134CE VK/04133CE	<b>253</b>  VK/03098CE	<b>254</b>  VK/03001	<b>256</b>  VK/03002			

# INDEX



**Ceiling Fans**

## Ceiling fans

Pages 258-261

260






**Reading Lights**

Pages 262-303

264  VK/04575/WA	266  VK/04573/WA	268  VK/04576/WA	270  VK/04574/WA	272  VK/04236	274  VK/04233	276  VK/04229	278  VK/04110	 VK/04110NS	280  VK/04231/40/L
 VK/04231/40/R	282  VK/04230/30/L	 VK/04230/60/L	283  VK/04230/30/R	 VK/04230/60/R	284  VK/04178/WA	285  VK/04155/WA	286  VK/04177/WA	 VK/04175/WA	287  VK/04154/WA
288  VK/04151/WA	 VK/04153/WA	289  VK/04152/WA	290  VK/04176/WA	291  VK/04232	292  VK/04224	293  VK/04225	294  VK/04245	 VK/04244	 VK/04246
296  VK/04034	297  VK/04032	 VK/04033	298  VK/03312/WA	300  VK/04023	301  VK/04031/SPIRAL	 VK/04031/CREE	 VK/04031/LENS	 VK/04031/DRIVER	302  VK/SW1/1
 VK/SW1/2	 VK/SW2/1								

# INDEX



Step Lights Led

## Step Lights Led

Pages 304-311

306




308



310





Wall Decorative Lights

Pages 312-381

<b>314</b>  VK/04458	<b>316</b>  VK/04455/WA	<b>318</b>  VK/04386/WA/B	<b>320</b>  VK/03174/WA	<b>322</b>  VK/03330/WA/NW	<b>324</b>  VK/03296/CE	<b>325</b>  VK/03295/CE/2	<b>326</b>  VK/03295/CE/3	<b>327</b>  VK/03297/CE/2	<b>328</b>  VK/03078CE	<b>329</b>  VK/03078CE/2	<b>330</b>  VK/03106CE	<b>332</b>  VK/03106CE/2	<b>333</b>  VK/03096WA	<b>334</b>  VK/03161/WA	<b>334</b>  VK/03310/WA
<b>336</b>  VK/03311/WA	<b>338</b>  VK/03077WA	<b>340</b>  VK/03072WA	<b>342</b>  VK/03073WA	<b>344</b>  VK/03074WA	<b>346</b>  VK/03075WA	<b>348</b>  VK/03076WA	<b>350</b>  VK/03128WA	<b>352</b>  VK/03127WA	<b>352</b>  VK/04223/W/15						
<b>354</b>  VK/04223/W/25	<b>356</b>  VK/04223/W/35	<b>354</b>  VK/04133WA	<b>356</b>  VK/04180/WA	<b>358</b>  VK/03069/WA	<b>360</b>  VK/03069/2/WA	<b>360</b>  VK/04009	<b>361</b>  VK/04010	<b>361</b>  VK/04008	<b>362</b>  VK/09017						
<b>363</b>  VK/09015	<b>363</b>  VK/09016	<b>363</b>  VK/09010	<b>364</b>  VK/09068	<b>364</b>  VK/09069	<b>366</b>  VK/09043	<b>366</b>  VK/09044	<b>367</b>  VK/09018	<b>367</b>  VK/09019	<b>368</b>  VK/09013						
<b>369</b>  VK/09011	<b>370</b>  VK/09014	<b>371</b>  VK/09040	<b>372</b>  VK/09026	<b>372</b>  VK/09027	<b>373</b>  VK/09028	<b>373</b>  VK/09024	<b>374</b>  VK/09025	<b>374</b>  VK/09012	<b>375</b>  VK/09064						
<b>376</b>  VK/09045	<b>377</b>  VK/09065	<b>378</b>  VK/09070	<b>378</b>  VK/09071	<b>379</b>  VK/09021	<b>379</b>  VK/09020	<b>380</b>  VK/09023	<b>380</b>  VK/09022	<b>381</b>  VK/09042	<b>381</b>  VK/04227						






















# INDEX



Floor & Table Lights

## Floor & Table Lights

Pages 382-407

<b>384</b>  VK/03248	<b>386</b>  VK/03313	<b>388</b>  VK/04385/B	<b>390</b>  VK/04258	<b>392</b>  VK/04456	<b>394</b>  VK/04457	<b>394</b>  VK/03158/WD	<b>394</b>  VK/03157/WD	<b>395</b>  VK/03159	<b>396</b>  VK/03131
<b>397</b>  VK/03169	<b>397</b>  VK/03168	<b>398</b>  VK/04238	<b>399</b>  VK/04239	<b>400</b>  VK/03096	<b>401</b>  VK/04234	<b>402</b>  VK/04240	<b>403</b>  VK/04237	<b>404</b>  VK/03242	<b>404</b>  VK/03243
<b>406</b>  VK/04459									



**Cabinet Lights**

Pages 408-413

**411**



**412**



**413**



**Mirror Wall Lights**

Pages 414-425


**416**



**418**



**419**



**420**




**422**



**424**



**425**



# INDEX




## Outdoor Decorative Lights

### Outdoor Decorative Lights

Pages 426-461

<b>428</b>  VK/01119/FL	<b>430</b>  VK/01119/TL	<b>432</b>  VK/01119/PE	<b>434</b>  VK/01126/ PE/B/40	 VK/01126/ PE/B/30	 VK/01127/ PE/B/40	<b>436</b>  VK/01125/ TL/B	 VK/01126/ TL/B/30	 VK/01127/ TL/B/40	<b>438</b>  VK/01123/PE
<b>440</b>  VK/01124/PE	<b>442</b>  VK/01122/PE	 VK/01122/WA	<b>442</b>  VK/01118/ PE/.../60	 VK/01118/ PE/.../45	<b>444</b>  VK/03203/100	 VK/03203	<b>446</b>  VK/03203/PE	 VK/03203/WA	<b>448</b>  VK/03066/80
 VK/03066/60	<b>449</b>  VK/03066/28	 VK/03066/PE	 VK/03066/WA	<b>450</b>  VK/03067/80	 VK/03067/35	<b>451</b>  VK/03067/PE	 VK/03067/WA	<b>452</b>  VK/03204	<b>453</b>  VK/03204/PE
 VK/03204/WA	<b>454</b>  VK/01093	 VK/01092	<b>456</b>  VK/01046	 VK/01045	<b>458</b>  VK/01094	 VK/01048	<b>459</b>  VK/01047	 VK/01047/SPIKE	<b>460</b>  VK/01075
 VK/01074									





**Led Lamps**













Pages 462-477

<b>464</b>		<b>465</b>				<b>466</b>				<b>467</b>	
		<b>468</b>								<b>469</b>	
				<b>472</b>		<b>473</b>					
				<b>475</b>		<b>476</b>					
<b>477</b>											



notes

## Symbols

<b>IP20</b>	IP protection class (indoor)		maximum height		on front side radiant lamp
<b>IP44</b>	IP protection class (outdoor)		adjustable downward radiating luminaire		on both sides radiant lamp (top & bottom)
<b>IP45</b>	IP protection class (outdoor)		gypsum lamps paintable		wall lamp with light beam down
<b>IP54</b>	IP protection class (outdoor)		luminaire type - LED either halogen useable		ceiling downward radiant luminaire
<b>IP65</b>	IP protection class (outdoor)		indicates temperature		upward radiant luminaire
<b>IP68</b>	IP protection class (outdoor)		indicates energy efficiency Class		pendant radiant lamp

## IP Rate

### Αναλυτική επεξήγηση του βαθμού στεγανότητας IPXX

Σίγουρα έχετε δει σε διάφορα φωτιστικά να αναφέρεται κάποιος βαθμός προστασίας IP, όπως IP54, IPX8 κ.λπ. Οι αριθμοί αυτοί υποδηλώνουν μια συγκεκριμένη πιστοποίηση για το φωτιστικό, στο κατά πόσον αυτό είναι αδιάβροχο και προστατευμένο. Για παράδειγμα, ένα φωτιστικό μπορεί να είναι αδιάβροχο όταν ψιχαλίζει, αλλά να μην είναι αδιάβροχο όταν αυτό πέσει/βυθιστεί στο νερό.

Με την κατάλληλη πιστοποίηση, ο καταναλωτής είναι σε θέση να γνωρίζει ακριβώς τον βαθμό αδιαβροχοποίησης του φωτιστικού που αγοράζει και όχι εάν είναι αδιάβροχο, γενικά και αόριστα.

Ο έλεγχος της πιστοποίησης πραγματοποιείται σε εργαστήρια, σύμφωνα με συγκεκριμένες διαδικασίες, οι οποίες ακολουθούν το πρότυπο IEC 60529, ώστε να είναι πάντα οι ίδιες, ανεξαρτήτως του προϊόντος ή του κατασκευαστή. Η κωδικοποίηση IPXX, που ακολουθείται πιο συχνά, έχει 2 ψηφία, τα οποία παίρνουν συγκεκριμένες τιμές και ενημερώνουν τον καταναλωτή για την πιστοποίηση που φέρει το προϊόν.

## Συγκεκριμένα

A. Το πρώτο X πιστοποιεί την προστασία που διαθέτει το προϊόν από την είσοδο στερεών σωματιδίων. Παίρνει τιμές από 0-6, όπως αναλύεται παρακάτω:

0 = Καμία προστασία.

1 = Προστασία από την είσοδο στερεών σωματιδίων με διάμετρο πάχους άνω των 50,00 χιλιοστών.

2 = Προστασία από την είσοδο στερεών σωματιδίων με διάμετρο πάχους άνω των 12,00 χιλιοστών.

3 = Προστασία από την είσοδο στερεών σωματιδίων με διάμετρο πάχους άνω των 2,50 χιλιοστών.

4 = Προστασία από την είσοδο στερεών σωματιδίων με διάμετρο πάχους άνω του 1,00 χιλιοστού.

5 = Προστασία από την ποσότητα της σκόνης όπου θα ήταν ικανή να επηρεάσει τη φυσιολογική λειτουργία της συσκευής.

6 = Δεν μπαίνει καθόλου σκόνη.

B. Το δεύτερο X πιστοποιεί την προστασία που διαθέτει το προϊόν από την είσοδο νερού. Παίρνει τιμές από 0-8, όπως αναλύεται παρακάτω.

0 = Καμία προστασία.

1 = Προστασία από σταγόνες νερού που πέφτουν κατακόρυφα.

2 = Προστασία από απευθείας ψεκαζόμενες σταγόνες νερού, με κλίση έως 15 μοίρες ως προς την κατακόρυφο.

3 = Προστασία από απευθείας ψεκαζόμενες σταγόνες νερού, με κλίση έως 60 μοίρες ως προς την κατακόρυφο.

















4 = Προστασία από νερό που ψεκάζεται από πάσα κατεύθυνση.

5 = Προστασία από πίδακες νερού που πέφτουν υπό χαμηλή πίεση, από πάσα κατεύθυνση.

6 = Προστασία από πίδακες νερού που πέφτουν υπό υψηλή πίεση.

7 = Προστασία από το νερό, σε βύθισμα βάθους από 15 εκατοστά έως ένα μέτρο, έως και 30 λεπτά.

8 = Προστασία από το νερό, σε βύθισμα για μεγάλες χρονικές περιόδους, υπό δοσμένη πίεση.

	dimmable		guaranty		neckline of article
	no dimmable		beam angle		neckline of article
	average service life in hours		grounding		indicates the installation depth
	average service life in clicks		incl. motion sensor		WiFi control
<b>COB</b> 1016	chip on board				indicates rechargeable battery
<b>MAX</b> 50w	max. load on the article				adaptor

## IP Rate

### Analytical explanation of IPXX protection degree

You have certainly seen in some luminaires the reference to some degree of IP protection, such as IPX54, IPX8 etc. These numbers imply a specific certification for the luminaire, whether it is waterproof and protected. For example, a luminaire may be waterproof when it is under drizzling rain, but may not be when dropped/sunk into the water.

With the proper certification, the consumer is able to know the exact degree of water resistance of the luminaire he is buying, not only if it's water resistant, in general.

The certification testing is carried out in laboratories, followed by specific procedures, according to the International Standard IEC 60529, which (procedures) are always the same, regardless of the product or the manufacturer. The most frequently followed IPXX encoding has 2 digits, which get specific values and inform the consumer of the certification that the product carries.

### More specifically

A. The first digit (X) of the IP code indicates the degree of protection of the product against solid particles intruding into an enclosure. It takes values from 0-6, as analyzed below:

0 = No special protection.

1 = Protection from entry by solid particles with a diameter of thickness greater than 50,00mm.

2 = Protection from entry by solid particles with a diameter of thickness greater than 12,00mm.

3 = Protection from entry by solid particles with a diameter of thickness greater than 2,50mm.

4 = Protection from entry by solid particles with a diameter of thickness greater than 1,00mm.

5 = Protection from the amount of dust that would interfere with the operation of the equipment.

6 = Dust tight.

B. The second digit (X) of the IP code indicates the degree of protection of the product inside an enclosure against the harmful entry of various forms of moisture. It takes values from 0-8, as analyzed below:

0 = No special protection.

1 = Protection against vertically falling drops of water.

2 = Protection against direct sprays of water up to 15 degrees from vertical angle.

3 = Protection against direct sprays of water up to 60 degrees from vertical angle.

4 = Protection against water splashed from all directions.

5 = Protection against low pressure jets of water from all directions.

6 = Protection against powerful jets of water.

7 = Protection against the effect of immersion between 15,00cm and 1,00m for up to 30 minutes.

8 = Protection against long periods of immersion under pressure.

## Κλάση I & II

### Κλάση I

Αυτές οι συσκευές πρέπει να έχουν το σασί τους συνδεδεμένο με ηλεκτρική γείωση (ΗΠΑ: γείωση) με ξεχωριστό καλώδιο γείωσης (χρώματος πράσινου/κίτρινου στις περισσότερες χώρες, πράσινου στις ΗΠΑ, τον Καναδά και την Ιαπωνία). Η σύνδεση γείωσης επιτυγχάνεται με ένα καλώδιο τριών αγωγών, το οποίο τυπικά τελειώνει με υποδοχή εναλλασσόμενου ρεύματος (AC) τριών (3) ακίδων, που συνδέεται σε αντίστοιχη έξοδο εναλλασσόμενου ρεύματος. Η βασική απαίτηση είναι ότι καμία απλή αστοχία δεν μπορεί να οδηγήσει σε έκθεση σε επικίνδυνη τάση, ώστε να προκληθεί ηλεκτροπληξία και ότι σε περίπτωση βλάβης, η τροφοδοσία θα αφαιρεθεί αυτόματα [μερικές φορές αναφέρεται ως αυτόματη αποσύνδεση τροφοδοσίας (ADS)].

Ένα σφάλμα στη συσκευή που προκαλεί την επαφή ενός ενεργού αγωγού με το περίβλημα, θα προκαλέσει τη ροή ρεύματος στον αγωγό γείωσης. Εάν είναι αρκετά μεγάλο, αυτό το ρεύμα θα σβήσει μία συσκευή υπερβολικής τάσης ρεύματος [ασφάλεια ή διακόπτης κυκλώματος (CB)] και θα αποσυνδέσει την παροχή. Ο χρόνος αποσύνδεσης πρέπει να είναι αρκετά γρήγορος ώστε να μην επιτρέπεται η έναρξη της μαρμαρυγής εάν ένα άτομο έρχεται σε επαφή με το περίβλημα τη δεδομένη στιγμή. Αυτή τη φορά και η τρέχουσα διαβάθμιση με τη σειρά της επιτρέπει τη μέγιστη αντίσταση γείωσης. Για να παρέχεται συμπληρωματική προστασία έναντι σφαλμάτων υψηλής σύνθεσης αντίστασης, είναι σύνθετες να συνιστούμε μία συσκευή υπολειπόμενου ρεύματος (RCD), γνωστή και ως διακόπτης προστασίας υπολειπόμενου ρεύματος (RCCB), διακόπτης κυκλώματος βλάβης γείωσης (GFCI), ή διακόπτης προστασίας από υπολειμματικό ρεύμα με ενσωματωμένη προστασία υπέρτασης ρεύματος (RCBO), ο οποίος θα διακόψει την παροχή ηλεκτρικού ρεύματος στη συσκευή εάν τα ρεύματα στους δύο πόλους της παροχής δεν είναι ίσα και αντίθετα.

### Κλάση II

Μια ηλεκτρική συσκευή "Κλάσης II" ή με διπλή μόνωση, είναι εκείνη που έχει σχεδιαστεί κατά τέτοιο τρόπο, ώστε να μην απαιτεί τη σύνδεση ασφαλείας σε ηλεκτρική γείωση.


Η βασική απαίτηση είναι ότι καμία απλή αστοχία δεν μπορεί να οδηγήσει στην έκθεση σε επικίνδυνη τάση ώστε να προκληθεί ηλεκτροπληξία και ότι αυτό θα πρέπει να επιτυγχάνεται δίχως να στηρίζεται σε γεωμένο μεταλλικό περίβλημα. Αυτό συνήθως επιτυγχάνεται τουλάχιστον εν μέρει με την ύπαρξη τουλάχιστον δύο στρώσεων μονωτικού υλικού μεταξύ των ενεργών τμημάτων και του χρήστη, ή με τη χρήση ενισχυμένης μόνωσης.

Στην Ευρώπη, μία συσκευή με διπλή μόνωση πρέπει να φέρει την ετικέτα "Κλάση II" (Class II) ή "διπλής μόνωσης" ή να φέρει το σύμβολο διπλής μόνωσης ( ένα τετράγωνο μέσα σε ένα άλλο τετράγωνο).


Τα μονωμένα τροφοδοτικά εναλλασσόμενου ρεύματος (όπως φορτιστές κινητού τηλεφώνου), τυπικά χαρακτηρίζονται ως "Κλάση II", πράγμα που σημαίνει ότι τα καλώδια εξόδου συνεχούς ρεύματος (DC) απομονώνονται από την είσοδο εναλλασσόμενου ρεύματος. Η ονομασία "Κλάση II" δεν πρέπει να συγχέεται με την ονομασία "Κλάση 2", καθώς η τελευταία δεν σχετίζεται με τη μόνωση (προέρχεται από το πρότυπο UL 1310, καθορίζοντας τα όρια μέγιστης τάσης/ρεύματος/ισχύος).

### Colour Codes

### Decoding our colours



ABS  
Bronze



ACOP  
Antique  
Copper



PCOP  
Pink  
Copper




BBS  
Brushed  
Brass



BS  
Brass



MC  
Brushed  
Chrome



NB  
Natural  
Brass



BR  
Rust  
Brown



AL  
Aluminium



C  
Chrome



G  
Grey



GD  
Gold



COP  
Copper



AN  
Anthracite



TC  
Terracotta



GB  
Golden  
Black



R  
Red



GR  
Green



BL  
Blue



Y  
Yellow



B  
Black



W  
White

## Class I & II

### Class I

These appliances must have their chassis connected to electrical earth (US: ground) by a separate earth conductor (colored green/ yellow in most countries, green in the US, Canada and Japan). The earth connection is achieved with a 3-conductor mains cable, typically ending with 3-prong AC connector which plugs into corresponding AC outlet. The basic requirement is that no single failure can result in dangerous voltage becoming exposed so that it might cause an electric shock and that if a fault occurs the supply will be removed automatically (this is sometimes referred to as ADS = Automatic Disconnection of Supply).

A fault in the appliance which causes a live conductor to contact the casing will cause a current to flow in the earth conductor. If large enough, this current will trip an over current device [fuse or circuit breaker (CB)] and disconnect the supply. The disconnection time has to be fast enough not to allow fibrillation to start if a person is in contact with the casing at the time. This time and the current rating in turn sets a maximum earth resistance permissible. To provide supplementary protection against high-impedance faults, it is common to recommend a residual current operated circuit-breaker with integral over-current protection (RCBO), which will cut off the supply of electricity to the appliance if the currents in the two poles of the supply are not equal and opposite.

### Class II

A Class II or double insulated electrical appliance, is one which has been designed in such a way that it does not require a safety connection to electrical earth (ground).

The basic requirement is that no single failure can result in dangerous voltage becoming exposed so that it might cause an electric shock and that is achieved without relying on an earthed metal casing. This is usually achieved at least in part by having at least two layers of insulating material between live parts and the user, or by using reinforced insulation.

In Europe, a double insulated appliance must be labelled "Class II" or double insulated or bear the double insulation symbol (a square inside another square).

Insulated AC/DC power supplies (such as cell-phone chargers), are typically designated as "Class II", meaning that the DC output wires are isolated from the AC input. The designation "Class II" should not be confused with the designation of "Class 2", as the latter is unrelated to insulation (it originates from standard UL 1310, setting limits on maximum output voltage/ current/ power).

Graphic Department

*Graphic Designer - Photo Editing* Litsa Brami, Frosso Notara

*Photographer* Anita Szlachta

*Cover* UnitedGrey





# Categories

Architectural Decorative Lights

Pendant Lights

Plafo & Ceiling Lights

Ceiling Fans

Reading Lights

Step Lights Led

Wall Decorative Lights

Floor & Table Lights

Cabinet Lights

Mirror Wall Lights

Outdoor Decorative Lights


Led Lamps

# Acrovatis






Architectural  
Decorative  
Lights








# Acrovatis



" Watch me swing and swoop in all my glory  
and dance the dance that only I know... "



Acrovatis 15 W. 120° 5 W. 24°

/a.kro'va.tis/

The Greek word for Acrobat.

Design & Developed by VK Leading Light










# Ceiling led lights

## Acrovatis




VK/04491/PE/B


### VK/04491/PE

Code 71164-178721	Model VK/04491/PE/B/W ● Black sand. 3000K. 5W+15W. 350lm + 533lm. CRI>90	Box 1pc
71164-179721	VK/04491/PE/B/C ● Black sand. 4000K. 5W+15W. 425lm + 592lm. CRI>90	1pc

#### Details


AC220-240V 50/60Hz.  
LED spotlight + floodlight   
Driver Meanwell.  
Angle 24°+120°.  
No Dimmable.


Lifetime 20.000 hrs.  
Working temperature -20°C~45°C.  
Material Aluminium.  
Installation Surface-Mounted.

 5 years guarantee



IP20





# Bent



" I am stretching for wall to wall, from ceiling to floor...  
but my job is not finished yet...  
I will light you up very atmospheric... "

# Wall to wall suspension LED

## Bent



VK/03217/CE/B/6

### VK/03217/CE



### VK/03218/CE

Code	Model	Box
75169-048721	VK/03217/CE/B/6 ● Black. 6m (length). 10mm (Max width LED Strip)	1pc
75169-049721	VK/03218/CE/B/12 ● Black. 12m (length). 10mm (Max width LED Strip)	1pc

#### Details

DC 24V.  
Working temperature <45°C.  
Material Stainless steel+iron.  
Length 6m or 12m.

**Attention:** Max width of LED Strip cannot be over 10mm.  
The power supply put inside the ceiling!  
Guarantee 2 years.







# Wall to wall suspension LED

## Bent



VK/03217/CHB



VK/03217/PS75




VK/03218/PS150

### VK/03217/B/CHB

### VK/03217/B/PS75

### VK/03218/B/PS150

Code	Model	Box
78000-052721	<b>VK/03217/B/CHB</b> ● Black. Fix the cable.	50pcs
78000-050721	<b>VK/03217/B/PS75</b> ● Black. Power 75W.	20pcs
78000-051721	<b>VK/03218/B/PS150</b> ● Black. Power 150W.	8pcs



#### Details


#### Cable holder. (VK/03217/B/CHB)

Working temperature <45°C.

Material **Stainless steel+iron**. Fix the cable.

**Use environment:** Concrete/Cement ceiling or wall.

Guarantee 2 years.



#### Power boxes.

Voltage AC 100-240V, DC 24V.


Working temperature <45°C.

Hours 50.000hrs.

Material **Stainless steel+iron**.

**Use environment:** Concrete/Cement ceiling or wall.

Guarantee 2 years.



## IP20



# Floor to ceiling suspension LED

## Bent



VK/03217/FL/B/4

### VK/03217/FL

Code  
75169-054721

Model  
**VK/03217/FL/B/4**  
● Black. 4m (length). 10mm (Max width LED Strip)

Box  
**1pc**

#### Details


DC 24V.  
Working temperature <45°C.  
Material **Stainless steel+iron**.  
Length 4m.  
**Attention:** Max width of LED Strip cannot be over 10mm.  
Included driver 24V, 48W.  
Guarantee 2 years.

#### Included

Driver 24V-48W




IP20







# Thik




" Give me your art, give me your favorite portrait  
and believe me, you are already a star..."

# Pendant led lights

## Thik



VK/04270/B



### VK/04270

Code 75169-045721	Model <b>VK/04270/B/W</b> ● Black. 3000K. 1335lm. 9W. CRI>90	Box <b>6pcs</b>
75169-046721	<b>VK/04270/B/C</b> ● Black. 4000K. 1516m. 9W. CRI>90	<b>6pcs</b>


#### Details

Voltage **200-240V**.  
Diffuse lighting.  
Type of Led **bridge**.  
Dimmable **No**.

Lifetime **50.000hrs**.  
Working temperature **< 45°C**.  
Material **Aluminium**.  
Guarantee **2 years**.










# Apete



" I am dark, but my light is enough  
for you..."

# LED Pendant Linear Light

## Apete



VK/04619/PE/B-CB

### VK/04619/PE

Code	Model	Box
64174-043776	VK/04619/PE/W-W/W ○ White. 3000K. 5.756lm. 40W.	1pc
64174-044776	VK/04619/PE/B-CB/W ● Black+chrome black reflector. 3000K. 5.756lm. 40W.	1pc

#### Details


Voltage 220-240V.  
Material Aluminium, reflector.  
Beam Angle 38°.  
Type of Led **OSRAM** 3030.  
Lifetime 50.000 hrs.  
Working temperature < 45°C.


Dimmable **Boke Dali Driver**.  
Flicker free.  
Included 1m hanging accessories & screws.  
CRI>90

**5 years guarantee**



**IP20**









## Pendant Lights

# Pendant Lights Led

## Woody



VK/04582/PE/NW/W/130



VK/04582/PE/NW/W/150



VK/04582/PE/NW/W/180

Dimmable


### VK/04582/PE

Code	Model	Box
75169-023775	VK/04582/PE/NW/W/130 ● Natural wood. 3000K. 23W. 2830lm. 130cm	1pc
75169-024775	VK/04582/PE/NW/W/150 ● Natural wood. 3000K. 25W. 3200lm. 150cm	1pc
75169-025775	VK/04582/PE/NW/W/180 ● Natural wood. 3000K. 27W. 3650lm. 180cm	1pc

#### Details

Material **Beechwood, aluminium profile, ledstrips, 2m exposed transparency LED cable**  
 Type of Led **3A chips ledstrip**  
 Voltage **AC220-240V**  
 Location **Ceiling**

Beam angle **120°**  
 Working temperature **< 50°C**  
 Lifetime **25.000hrs**  
 Dimmable **Yes, Dali**  
 CRI **>80**  
 Guarantee **2 Years**



Natural wood



DALI



IP20





# Pendant Lights Led

## Woody



VK/04581/PE/NW/W/120



VK/04581/PE/DW/W/150




VK/04581/PE/NW/W/180

Dimmable

### VK/04581/PE

Code	Model	Box
75169-017775	VK/04581/PE/NW/W/120 ● Natural wood. 3000K. 23W. 2830lm. 120cm	1pc
75169-020775	VK/04581/PE/DW/W/120 ● Dark wood. 3000K. 23W. 2830lm. 120cm	1pc
75169-018775	VK/04581/PE/NW/W/150 ● Natural wood. 3000K. 25W. 3200lm. 150cm	1pc
75169-021775	VK/04581/PE/DW/W/150 ● Dark wood. 3000K. 25W. 3200lm. 150cm	1pc
75169-019775	VK/04581/PE/NW/W/180 ● Natural wood. 3000K. 27W. 3650lm. 180cm	1pc
75169-022775	VK/04581/PE/DW/W/180 ● Dark wood. 3000K. 27W. 3650lm. 180cm	1pc



### Details

Material **Ashwood/American Dark walnut wood, aluminium profile, ledstrips, 2m exposed transparency LED cable**  
 Type of Led **3A chips ledstrip**  
 Voltage **AC220-240V**  
 Location **Ceiling**


Beam angle **120°**  
 Working temperature **< 50°C**  
 Lifetime **25.000hrs**  
 Dimmable **Yes, Dali**  
 CRI **>80**  
 Guarantee **2 Years**



Natural wood



Dark wood




**IP20**




# Pendant Lights Led

## Orra



VK/04569/PE/WD/W/118



VK/04569/PE/WD/W/150

Dimmable

### VK/04569/PE/WD/W

Code 71164-058702	Model VK/04569/PE/WD/W/118 ● Wood. 3000K. 41W. 2.466lm. 118cm	Box 1pc
----------------------	---	------------

71164-059702	VK/04569/PE/WD/W/150 ● Wood. 3000K. 49W. 2.710lm. 150cm	1pc
--------------	--	-----


#### Details


Material **Aluminum+Silicone**  
Location **Ceiling**  
Type of LED **SMD 2835**  
CRI **Ra>80**

Hours **30.000**  
Beam angle **120°**  
Working temperature **-20°C ~ 60°C**  
**Updown**



**IP20**





# Pendant Lights Led

## Woody



VK/04579/PE/NW/W/42



VK/04579/PE/DW/W/51



VK/04579/PE/NW/W/61

Dimmable

### VK/04579/PE

Code	Model	Box
75169-001775	VK/04579/PE/NW/W/42 ● Natural wood. 3000K. 35W. 3900lm. CRI>90 ø42cm	1pc
75169-004775	VK/04579/PE/DW/W/42 ● Dark wood. 3000K. 35W. 3900lm. CRI>90 ø42cm	1pc
75169-002775	VK/04579/PE/NW/W/51 ● Natural wood. 3000K. 40W. 4805lm. CRI>90 ø51cm	1pc
75169-005775	VK/04579/PE/DW/W/51 ● Dark wood. 3000K. 40W. 4805lm. CRI>90 ø51cm	1pc
75169-003775	VK/04579/PE/NW/W/61 ● Natural wood. 3000K. 50W. 6000lm. CRI>90 ø61cm	1pc
75169-006775	VK/04579/PE/DW/W/61 ● Dark wood. 3000K. 50W. 6000lm. CRI>90 ø61cm	1pc


#### Details

Material **Oakwood/Darkwalnutwood, metal, fabric cord, acrylic diffuser**  
 Type of Led **OSRAM**  
 Voltage **AC220-240V**  
 Location **Ceiling**

Beam angle **120°**  
 Working temperature **< 50°C**  
 Lifetime **25.000hrs**  
 Dimmable **Triac**  
 Guarantee **2 Years**



IP20





# Pendant Lights Led

## Eleso



VK/04570/PE/W/W/40




VK/04570/PE/B/W/60

Dimmable

### VK/04570/PE

Code	Model	Box
71164-060702	VK/04570/PE/W/W/40 ○ White. 3000K. 38W. 2.630lm. ø40cm	1pc
71164-061702	VK/04570/PE/B/W/40 ● Black. 3000K. 38W. 2.630lm. ø40cm	1pc
71164-062702	VK/04570/PE/W/W/60 ○ White. 3000K. 72W. 5.620lm. ø60cm	1pc
71164-063702	VK/04570/PE/B/W/60 ● Black. 3000K. 72W. 5.620lm. ø60cm	1pc
71164-064702	VK/04570/PE/W/W/80 ○ White. 3000K. 92W. 5.665lm. ø80cm	1pc
71164-065702	VK/04570/PE/B/W/80 ● Black. 3000K. 92W. 5.665lm. ø80cm	1pc



### Details

Material **Aluminum+Metal+Acrylic**  
Location **Ceiling**  
Type of LED **SMD 2835**  
CRI **Ra>80**

Hours **30.000**  
Beam angle **120°**  
Working temperature **-20°C ~ 60°C**  
**Updown**



**IP20**





# Pendant Lights Led

## Alys



VK/04415PE/AN/W

Dimmable


### VK/04415PE

Code 71164-014755	Model VK/04415PE/W/W ○ White. 3000K. 4.350lm. 42W. CRI>80.	Box 1pc
71164-015755	VK/04415PE/AN/W ● Anthracite. 3000K. 2.940lm. 42W. CRI>80.	1pc

#### Details

Led Pendant Light 220V.  
Type of Led Epistar.  
Driver Eaglerise.  
Dimmable triac.

Lifetime 50.000hrs.  
Working temperature -20°C → 60°C.  
Material Aluminium+acrylic.  
Guarantee 3 years.



IP20



# Pendant Lights Led

## Bryn



VK/04131PE/AN/W


### VK/04131PE

### VK/04132PE


Code	Model	Box
71164-005702	<b>VK/04131PE/W/W</b> ○ White sanded. 3000K. 1.870lm. 29W. CRI>80. <b>Ø45.5cm.</b>	<b>1pc</b>
71164-007702	<b>VK/04131PE/AN/W</b> ● Anthracite. 3000K. 1.870lm. 29W. CRI>80. <b>Ø45.5cm.</b>	<b>1pc</b>
71164-006702	<b>VK/04132PE/W/W</b> ○ White sanded. 3000K. 2.100lm. 40W. CRI>80. <b>Ø60cm.</b>	<b>1pc</b>
71164-008702	<b>VK/04132PE/AN/W</b> ● Anthracite. 3000K. 2.100lm. 40W. CRI>80. <b>Ø60cm.</b>	<b>1pc</b>



Ø45.5cm



Ø60cm



#### Details

AC 220-240V Driver (Included).  
Beam Angle 120°.  
Type of Led SMD Epistar 2835.  
Dimmable No.

Working temperature -20°C ~ 60°C.  
Lifetime 50.000hrs.  
Material Aluminium, Acrylic.  
Guarantee 2 years.



**IP20**



# Pendant Lights Led




## Sino



VK/04243PE/AN/W/80

### VK/04243PE

Code	Model	Box
71164-017702	<b>VK/04243PE/W/W/60</b> ○ White sanded. 3000K. 3.824lm. 51W. CRI>80. Ø60cm.	1pc
71164-018702	<b>VK/04243PE/AN/W/60</b> ● Anthracite. 3000K. 3.824lm. 51W. CRI>80. Ø60cm.	1pc
71164-019702	<b>VK/04243PE/W/W/80</b> ○ White sanded. 3000K. 4.000lm. 80W. CRI>80. Ø80cm.	1pc
71164-020702	<b>VK/04243PE/AN/W/80</b> ● Anthracite. 3000K. 4.000lm. 80W. CRI>80. Ø80cm.	1pc



#### Details

AC 220-240V Driver (Included).  
Beam Angle 120°.  
Type of Led SMD Epistar 2835.  
Dimmable No.

Working temperature -20°C ~ 60°C.  
Lifetime 50.000hrs.  
Material Aluminium, Acrylic.  
Guarantee 2 years.



**IP20**



# Pendant Lights Led

## Cloud



VK/04242PE/W/W/45

### VK/04242PE

Code  
71164-011702

Model  
**VK/04242PE/W/W/45**  
○ White. 3000K. 1.900lm. 38W. CRI>80. **Ø45cm.**

Box  
**1pc**

71164-012702


**VK/04242PE/W/W/60**  
○ White. 3000K. 2.500lm. 50W. CRI>80. **Ø60cm.**

**1pc**



#### Details

AC 220-240V Driver (Included).  
Beam Angle 120°.  
Type of Led SMD Epistar 2835.  
Dimmable No.


Working temperature -20°C ~ 60°C.  
Lifetime 50.000hrs.  
Material PE.  
Guarantee 2 years.



Ø45cm



Ø60cm



**IP20**





# Pendant Lights Led

## Orra



VK/04568/PE/W/W/120




VK/04568/PE/B/W/150

Dimmable

### VK/04568/PE

Code	Model	Box
71164-054702	VK/04568/PE/W/W/120 ○ White. 3000K. 79W. 5.254lm. 120cm	1pc
71164-055702	VK/04568/PE/B/W/120 ● Black. 3000K. 79W. 5.254lm. 120cm	1pc
71164-056702	VK/04568/PE/W/W/150 ○ White. 3000K. 101W. 7.101lm. 150cm	1pc
71164-057702	VK/04568/PE/B/W/150 ● Black. 3000K. 101W. 7.101lm. 150cm	1pc



### Details

Material **Aluminum+Metal+Silicone**  
 Location **Ceiling**  
 Type of LED **SMD 2835**  
 CRI **Ra>80**

Hours **30.000**  
 Beam angle **120°**  
 Working temperature **-20°C ~ 60°C**  
**Updown**



**IP20**



# Pendant Lights Led


## Egis




VK/04251PE/CG/W/40

### VK/04251PE


Code	Model	Box
71164-021702	<b>VK/04251PE/W/W/40</b> ○ White sanded. 3000K. 1.856lm. 30W. Ø40cm.	1pc
71164-022702	<b>VK/04251PE/B/W/40</b> ● Black sanded. 3000K. 1.856lm. 30W. Ø40cm.	1pc
71164-023702	<b>VK/04251PE/CG/W/40</b> ● Champaign Gold. 3000K. 1.856lm. 30W. Ø40cm.	1pc
71164-024702	<b>VK/04251PE/W/W/60</b> ○ White sanded. 3000K. 2.808lm. 41W. Ø60cm.	1pc
71164-025702	<b>VK/04251PE/B/W/60</b> ● Black sanded. 3000K. 2.808lm. 41W. Ø60cm.	1pc
71164-026702	<b>VK/04251PE/CG/W/60</b> ● Champaign Gold. 3000K. 2.808lm. 41W. Ø60cm.	1pc
71164-027702	<b>VK/04251PE/W/W/80</b> ○ White sanded. 3000K. 4.424lm. 61W. Ø80cm.	1pc
71164-028702	<b>VK/04251PE/B/W/80</b> ● Black sanded. 3000K. 4.424lm. 61W. Ø80cm.	1pc
71164-029702	<b>VK/04251PE/CG/W/80</b> ● Champaign Gold. 3000K. 4.424lm. 61W. Ø80cm.	1pc




Ø40cm



Ø60cm



Ø80cm



120 cm

#### Details

AC 200-240V.  
Type of Led SMD 2835.  
Working temperature -20°C ~ 60°C.  
Dimmable No. CRI>80.

Lifetime 50.000hrs.  
Material Aluminium.  
Cable 1m + 12.5cm ceiling plate.  
Guarantee 2 years.



IP20



# Pendant Lights Led


## Epos



VK/04252PE/B/W/4060

### VK/04252PE

Code	Model	Box
71164-030702	VK/04252PE/W/W/4060 ○ White sanded. 3000K. 5.032lm. 74W. CRI>80	1pc
71164-031702	VK/04252PE/B/W/4060 ● Black sanded. 3000K. 4.308lm. 68W. CRI>80	1pc
71164-032702	VK/04252PE/CG/W/4060 ● Champaign Gold. 3000K. 4.588lm. 74W. CRI>80	1pc



### Details

AC 200-240V.  
Type of Led SMD 2835.  
Working temperature -20°C ~ 60°C.  
Dimmable No.

Lifetime 50.000hrs.  
Material Aluminium+Acrylic.  
Guarantee 2 years.



IP20



# Pendant Lights Led

## Glia



VK/04404PE/B/W/53

Dimmable


### VK/04404PE/.../53

Code 71164-001115	Model <b>VK/04404PE/B/W/53</b> ● <b>Black.</b> 3000K. 2.400lm. 24W. CRI>80.	Box <b>1pc</b>
71164-002115	<b>VK/04404PE/W/W/53</b> ○ <b>White.</b> 3000K. 2.400lm. 24W. CRI>80.	<b>1pc</b>

#### Details

Led Pendant Light 220-240V.  
Type of Led **OSRAM** 2835 with driver.  
Dimmable Triac.

Lifetime **20.000hrs.**  
Working temperature -20°C → 40°C.  
Material **Aluminium.**



**5** years guarantee



**IP20**





# Pendant Lights Led

## Hebi



VK/04405PE/B/W/66

Dimmable


### VK/04405PE/.../66

Code 71164-003115	Model <b>VK/04405PE/B/W/66</b> ● <b>Black.</b> 3000K. 3.000lm. 30W. CRI>80.	Box <b>1pc</b>
71164-004115	<b>VK/04405PE/W/W/66</b> ○ <b>White.</b> 3000K. 3.000lm. 30W. CRI>80.	<b>1pc</b>

#### Details

Led Pendant Light 220-240V.  
Type of Led **OSRAM** 2835 with driver.  
**Dimmable Triac.**

Lifetime **20.000hrs.**  
Working temperature **-20°C → 40°C.**  
Material **Aluminium.**



**5** years guarantee



**IP20**



# Pendant Lights Led

## Inon



VK/04406PE/B/W/92

Dimmable


### VK/04406PE/.../92

Code	Model	Box
71164-005115	<b>VK/04406PE/B/W/92</b> ● <b>Black.</b> 3000K. 4.200lm. 42W. CRI>80.	<b>1pc</b>
71164-006115	<b>VK/04406PE/W/W/92</b> ○ <b>White.</b> 3000K. 4.200lm. 42W. CRI>80.	<b>1pc</b>

#### Details

Led Pendant Light 220-240V.  
Type of Led **OSRAM** 2835 with driver.  
**Dimmable Triac.**

Lifetime **20.000hrs.**  
Working temperature **-20°C → 40°C.**  
Material **Aluminium.**



**5** years guarantee




**IP20**



# Pendant Lights Led

## Noet



VK/04407PE/B/W/3C

Dimmable


### VK/04407PE/.../3C

Code 71164-007115	Model <b>VK/04407PE/B/W/3C</b> ● <b>Black.</b> 3000K. 10.800lm. 108W. CRI>80.	Box <b>1pc</b>
71164-008115	<b>VK/04407PE/W/W/3C</b> ○ <b>White.</b> 3000K. 10.800lm. 108W. CRI>80.	<b>1pc</b>

#### Details

Led Pendant Light 220-240V.  
Type of Led **OSRAM** 2835 with driver.  
Dimmable Triac.

Lifetime **20.000hrs.**  
Working temperature -20°C → 40°C.  
Material **Aluminium.**



**5** years guarantee



**IP20**



# Pendant Lights Led

## Olpe



VK/04434/PE/W/W


### VK/04434/PE

Code <b>75169-127721</b>	Model <b>VK/04434/PE/B/W</b> ● <b>Black sand.</b> 3000K. 2W. 125lm. CRI>90	Box <b>20pcs</b>
<b>75169-128721</b>	<b>VK/04434/PE/W/W</b> ○ <b>White sand.</b> 3000K. 2W. 125lm. CRI>90	<b>20pcs</b>

#### Details

Input current **700mA**.  
Input Voltage **DC3V**.  
Type of Led **OSRAM SMD with driver**.  
Driver input **AC220-240V 50/60Hz**.  
Angle **24°**.  
**No Dimmable**.

Lifetime **20.000 hrs**.  
Working temperature **-20°C~45°C**.  
Material **Aluminium**.  
Installation **Surface-Mounted**.  
Cable **1.2m**.  
Guarantee **3 years**.



**IP20**





# Pendant Lights Led

## Phon



VK/04305PE/B/W/60



VK/04305PE/W/W/40

### VK/04305PE

Code  
64174-116721

Model  
**VK/04305PE/B/W/60**  
● Black sand. 3000K. 583lm. 4W. **bridgelux**. 20°. L60cm

Box  
20pcs

64174-115721

**VK/04305PE/W/W/40**  
○ White sand. 3000K. 583lm. 4W. **bridgelux**. 20°. L40cm

20pcs


#### Details

AC Driver **220-240V (Included)**.  
Type of Led **bridgelux 5050**.  
Dimmable **No**.  
Lifetime **50.000hrs**.  
Clicks **50.000hrs**.

Working temperature **-20°C → 45°C**.  
Material **Aluminium**.  
Guarantee **3 years**.  
CRI**>90**.



**IP20**





# Pendant Lights Led

## Baro



VK/04620/PE/T

### VK/04620/PE

Code	Model	Box
64174-045776	VK/04620/PE/W/W ○ White. 3000K. 620lm. 5W. 24° CRI>90	1pc
64174-046776	VK/04620/PE/B/W ● Black. 3000K. 620lm. 5W. 24° CRI>90	1pc
64174-047776	VK/04620/PE/GD/W ● Gold. 3000K. 620lm. 5W. 24° CRI>90	1pc
64174-048776	VK/04620/PE/T/W ● Titanium. 3000K. 620lm. 5W. 24° CRI>90	1pc



White




Black



Gold



Titanium



#### Details

Voltage 220-240V.  
Material Aluminium.  
Beam Angle 24°.  
Type of Led bridge. 5050.  
Lifetime 50.000 hrs.

Working temperature < 45°C.  
Dimmable No.  
Included 1m cable.

**5 years guarantee**




**IP20**



# Pendant Lights Led

## Rupi



VK/04454/PE/B/W

### VK/04454/PE

Code	Model	Box
75169-098721	<b>VK/04454/PE/B/W</b> ● <b>Black sand.</b> 3000K. 11W. 1243lm. CRI>90	20pcs
75169-099721	<b>VK/04454/PE/W/W</b> ○ <b>White sand.</b> 3000K. 11W. 1243lm. CRI>90	20pcs

#### Details

Input current <500mA.  
Input Voltage **DC24V**.  
Type of Led **bridgelux**. **SMD with driver**.  
Driver input **AC220-240V 50/60Hz** output **DC 16-25V 500mA**.  
Angle **120°**.  
**No Dimmable**.

Lifetime **20.000 hrs**.  
Working temperature **-20°C~45°C**.  
Material **Aluminium**.  
Cable **1.2m**.  
Installation **Surface-Mounted**.  
Guarantee 3 years.



**IP20**



# Pendant Lights Led

## Pia




VK/04413PE/G


Dimmable

### VK/04413PE

Code	Model	Box
71164-001755	<b>VK/04413PE/B/W/25</b> ● <b>Matt Black</b> . 3000K. 900lm. 8W. Canopy dø10cm. Dø25cm.	<b>1pc</b>
71164-002755	<b>VK/04413PE/GD/W/25</b> ● <b>Gold</b> . 3000K. 900lm. 8W. Canopy dø10cm. Dø25cm.	<b>1pc</b>
71164-003755	<b>VK/04413PE/OR/W/25</b> ● <b>Orange</b> . 3000K. 900lm. 8W. Canopy dø10cm. Dø25cm.	<b>1pc</b>
71164-004755	<b>VK/04413PE/G/W/25</b> ● <b>Grey</b> . 3000K. 900lm. 8W. Canopy dø10cm. Dø25cm.	<b>1pc</b>



Code	Model	Box
71164-005755	<b>VK/04413PE/B/W/35</b> ● <b>Matt Black</b> . 3000K. 1.350lm. 12W. Canopy dø15cm. Dø35cm.	<b>1pc</b>
71164-006755	<b>VK/04413PE/GD/W/35</b> ● <b>Gold</b> . 3000K. 1.350lm. 12W. Canopy dø15cm. Dø35cm.	<b>1pc</b>
71164-007755	<b>VK/04413PE/OR/W/35</b> ● <b>Orange</b> . 3000K. 1.350lm. 12W. Canopy dø15cm. Dø35cm.	<b>1pc</b>
71164-008755	<b>VK/04413PE/G/W/35</b> ● <b>Grey</b> . 3000K. 1.350lm. 12W. Canopy dø15cm. Dø35cm.	<b>1pc</b>







Code  
71164-009755

Model  
**VK/04413PE/B/W/45**  
● **Matt Black.** 3000K. 1.760lm. 16W. Canopy dø18cm. Dø45cm.

Box  
1pc

71164-010755

**VK/04413PE/GD/W/45**  
● **Gold.** 3000K. 1.760lm. 16W. Canopy dø18cm. Dø45cm.

1pc

71164-011755


**VK/04413PE/OR/W/45**  
● **Orange.** 3000K. 1.760lm. 16W. Canopy dø18cm. Dø45cm.

1pc

71164-012755

**VK/04413PE/G/W/45**  
● **Grey.** 3000K. 1.760lm. 16W. Canopy dø18cm. Dø45cm.

1pc



#### Details

AC 220V.  
Type of Led **Epistar.**  
Driver **Eaglerise.**  
Dimmable **triac.**  
Lifetime **50.000hrs.**

Working temperature **-20°C → 60°C.**  
Material **Steel+rasin+acrylic.**  
Cable **180cm.**  
CRI**>80.**  
Guarantee **3 years.**



**IP20**

# Pendant Lights Led


## Aiko



VK/04016/B

### VK/04016


Code	Model	Box
64173-039118	<b>VK/04016/W/W</b> ○ White. 3000K. 1.350lm. 120°. 18W. CRI>80	10pcs
64173-040118	<b>VK/04016/W/C</b> ○ White. 4000K. 1.400lm. 120°. 18W. CRI>80	10pcs
64173-037118	<b>VK/04016/OR/W</b> ● Orange. 3000K. 1.350lm. 120°. 18W CRI>80	10pcs
64173-038118	<b>VK/04016/OR/C</b> ● Orange. 4000K. 1.400lm. 120°. 18W. CRI>80	10pcs
64173-041118	<b>VK/04016/B/W</b> ● Black. 3000K. 1.350lm. 120°. 18W. CRI>80	10pcs
64173-042118	<b>VK/04016/B/C</b> ● Black. 4000K. 1.400lm. 120°. 18W CRI>80	10pcs




### Details


AC Driver **110-240V (Included)**.  
Type of Led **COB Edison**.  
Dimmable **No**.  
Lifetime **50.000hrs**.


Cable **1m + 12.5cm ceiling plate**.  
Working temperature **-20°C → 45°C**.  
Material **Aluminium**.  
Guarantee **2 years**.



**IP20**







# Pendant Lights Led

## Polla



VK/04390/PE/B



VK/04389/PE/B

### VK/04390/PE/.../W


### VK/04389/PE/.../W

Code	Model	Box
75169-015741	<b>VK/04390/PE/BS/W</b> ● Brass. 2700K. 700lm. 10W. CRI>80. ø60cm	1pc
75169-016741	<b>VK/04390/PE/B/W</b> ● Black. 2700K. 700lm. 10W. CRI>80. ø60cm	1pc
75169-013741	<b>VK/04389/PE/BS/W</b> ● Brass. 2700K. 700lm. 10W. CRI>80. ø50cm	1pc
75169-014741	<b>VK/04389/PE/B/W</b> ● Black. 2700K. 700lm. 10W. CRI>80. ø50cm	1pc

#### Details

Led Pendant Light 220-240V.  
Type of Led SMD with driver.  
Dimmable No.  
Lifetime 10.000hrs.

Working temperature -20°C → 45°C.  
Material Metal wires, black painting metal canopy, black textile cable.  
Guarantee 3 years.



IP20



# Pendant Lights Led

## Polla



VK/04388/PE/BS


### VK/04388/PE/.../W

Code 75169-011741	Model <b>VK/04388/PE/BS/W</b> ● Brass. 2700K. 350lm. 5W. CRI>80.	Box 1pc
75169-012741	<b>VK/04388/PE/B/W</b> ● Black. 2700K. 350lm. 5W. CRI>80.	1pc

#### Details

Led Pendant Light 220-240V.  
Type of Led SMD with driver.  
Dimmable No.  
Lifetime 10.000hrs.

Working temperature -20°C → 45°C.  
Material Metal wires, black painting metal canopy, black textile cable.  
Guarantee 3 years.



IP20





# Pendant Lights Led

## Polla



VK/04254PE/GD (like a cloud)



VK/04254PE/GD (like a flower)

### VK/04254PE

Code  
75169-001741

Model  
VK/04254PE/B/WW  
● Black. 2700K. 190lm. 8W.

Box  
1pc

75169-002741

VK/04254PE/GD/WW  
● Gold. 2700K. 190lm. 8W.

1pc

#### Details

AC 220-240V.  
Dimmable Yes.  
Cable Black textile.


Material Metal.  
Guarantee 2 years.




#### Side light + Down light

The wire can be assembled into 2 configurations, like the cloud or like the flower. Different configuration with different diameter.

#### like a cloud




#### like a flower



IP20



# Polla



VK/04255WA/B (like a cloud)



VK/04255WA/B (like a flower)

## VK/04255WA

Code 75169-003741	Model VK/04255WA/B/WW ● Black. 2700K. 8W.	Box 1pc
75169-004741	VK/04255WA/GD/WW ● Gold. 2700K. 8W.	1pc

### Details

AC 220-240V.  
Dimmable Yes.  
Cable Black textile

with dimmer switch.  
Material Metal.  
Guarantee 2 years.




### Side light + Front light

The wire can be assembled into 2 configurations, like the cloud or like the flower. Different configuration with different diameter.


like a cloud

ø61cm



like a flower

ø74cm




 IP20



# Pendant Lights Led

## Sada



VK/04400/B/W

Dimmable

### VK/04400

Code  
71164-017724


Model  
**VK/04400/B/W**  
● **Matt Black**, 3000K, 2.070lm, 19W, CRI>80

Box  
1pc

#### Details


Led Pendant Light **220-240V**.  
Type of Led **OSRAM 2835** with driver.  
**Dimmable** Euchip Triac.  
Lifetime **20.000hrs**.

Working temperature **-20°C → 40°C**.  
Material **Iron+aluminium+acrylic**.  
Cable **1.4m**.

 **5 years guarantee**




**IP20**





# Pendant Lights Led

## Sada



VK/04401/GD/W

Dimmable

### VK/04401

Code  
71164-018724


Model  
VK/04401/GD/W  
● Matt Gold. 3000K. 2.898lm. 28W. CRI>80

Box  
1pc

#### Details


Led Pendant Light 220-240V.  
Type of Led **OSRAM** 2835 with driver.  
Dimmable Euchip Triac.  
Lifetime 20.000hrs.

Working temperature -20°C → 40°C.  
Material Iron+aluminium+acrylic.  
Cable 1.4m.

 5 years guarantee



IP20








# Pendant Lights Led

## Nori



VK/04414PE/B/W

### **VK/04414PE**

Code  
71164-013755

Model  
**VK/04414PE/B/W**  
● **Matt Black.** 3000K. 7.000lm. 100W. CRI>80.


Box  
1pc

#### Details

Led Pendant Light **220V.**  
Type of Led **Epistar.**  
Driver **Mean well.**  
Dimmable **No.**

Lifetime **50.000hrs.**  
Working temperature **-20°C → 60°C.**  
Material **Aluminium+acrylic.**  
Guarantee **3 years.**

  **IP20**









# Pendant Lights


## Kimi



VK/04392/PE/GD

### VK/04392/PE

Code	Model	Box
75169-019741	<b>VK/04392/PE/B</b> ● Black shade + canopy. E27. Max 20W (LED).	1pc
75169-020741	<b>VK/04392/PE/BL</b> ● Blue shade + canopy. E27. Max 20W (LED).	1pc
75169-021741	<b>VK/04392/PE/G</b> ● Grey shade + canopy. E27. Max 20W (LED).	1pc
75169-022741	<b>VK/04392/PE/GD</b> ● Gold shade + canopy. E27. Max 20W (LED).	1pc



#### Details

Input voltage **AC220-240V**  
Lampholder **E27**  
Working temperature **-20°C → 45°C**.

Material **Metal shade, black textile cable, metal canopy.**





# Pendant Lights


## Kimi



VK/04393/PE/G

### VK/04393/PE

Code	Model	Box
75169-023741	VK/04393/PE/B ● Black shade + canopy. E27. Max 20W (LED)	1pc
75169-024741	VK/04393/PE/BL ● Blue shade + canopy. E27. Max 20W (LED)	1pc
75169-025741	VK/04393/PE/G ● Grey shade + canopy. E27. Max 20W (LED)	1pc
75169-026741	VK/04393/PE/GD ● Gold shade + canopy. E27. Max 20W (LED)	1pc



#### Details

Input voltage AC220-240V  
Lampholder E27  
Working temperature -20°C → 45°C.

Material Metal shade, black textile cable,  
metal canopy.







# Pendant Lights

## Nami



VK/04391/PE/GD

### VK/04391/PE


Code 75169-018741	Model <b>VK/04391/PE/GD</b> ● Gold shade + canopy. GU10. Max 12W (LED).	Box 1pc
75169-017741	<b>VK/04391/PE/B</b> ● Black shade + canopy. GU10. Max 12W (LED).	1pc

#### Details

Input voltage **AC220-240V**  
Lampholder **GU10**  
Working temperature **-20°C → 45°C**.  
Material **Metal shade, black textile cable,**

**metal canopy.**  
Included Led lamp **5W, 3000K, 435lm.**  
Guarantee **3 years.**


  **IP20**





# Pendant Lights

## Nobu



VK/03153/PE/50/B-GD



### VK/03153/PE

Code 71164-005724	Model <b>VK/03153/PE/50/B-GD</b> ● <b>Black-Gold.</b> E27. Max 20W (LED).	Box <b>1pc</b>
71164-006724	<b>VK/03153/PE/50/W-GD</b> ○ <b>White-Gold.</b> E27. Max 20W (LED).	<b>1pc</b>

#### Details

Input voltage **AC220-240V**  
Lampholder **E27**  
Working temperature **-20°C ~ 40°C.**

Cable **2m black or white cable + black or white ceiling plate.**  
Material **Metal.**



**IP20**



# Pendant Lights Led

## Kasa



VK/04256PE/GR



VK/04257PE/W

### VK/04256PE

### VK/04257PE

Code 75169-005741	Model VK/04256PE/GR ● Green+white. GU10. Max 12W (LED). Ø65cm.	Box 1pc
----------------------	--	------------


75169-006741	VK/04257PE/W ○ White. GU10. Max 12W (LED). Ø45cm.	1pc
--------------	--	-----



#### Details

Input voltage **AC220-240V**  
Lampholder **GU10**

Material **Metal.**





# Pendant Lights

## Aimi



VK/03166/BR



VK/03167/BR

### VK/03166/BR

### VK/03167/BR


Code 75169-018733 Model **VK/03166/BR** Box 1pc  
● Rust brown. E27. Max 20W (LED). Rust brown plate.

75169-020733 **VK/03167/BR** 1pc  
● Rust brown. E27. Max 20W (LED). Rust brown plate.


#### Details

Input voltage **AC220-240V**  
Lampholder **E27**  
Working temperature **-20°C ~ 40°C.**

Cable **1 m black cable + rust brown ceiling plate.**  
Material **Metal.**







# Pendant Lights

## Aimi



VK/03166/G



VK/03167/G

### VK/03166/G

### VK/03167/G

Code  
75169-019733

Model  
**VK/03166/G**  
● Dark grey. E27. Max 20W (LED). Dark grey plate.

Box  
1pc

75169-021733


**VK/03167/G**  
● Dark grey. E27. Max 20W (LED). Dark grey plate.


1pc

#### Details

Input voltage **AC220-240V**  
Lampholder **E27**  
Working temperature **-20°C ~ 40°C.**

Cable **1 m black cable + dark grey ceiling plate.**  
Material **Metal.**






# Pendant Lights

## Planto





VK/03320/PE/GD/60



### VK/03320/PE


Code	Model	Box
75169-049741	VK/03320/PE/GD/60 ● <b>Gold</b> . E27. Max 20W (LED). ø60cm	1pc
75169-050741	VK/03320/PE/NT/60 ● <b>Natural</b> . E27. Max 20W (LED) ø60cm	1pc
75169-051741	VK/03320/PE/B/60 ● <b>Black</b> . E27. Max 20W (LED). ø60cm	1pc
75169-046741	VK/03320/PE/GD/45 ● <b>Gold</b> . E27. Max 20W (LED). ø45cm	1pc
75169-047741	VK/03320/PE/NT/45 ● <b>Natural</b> . E27. Max 20W (LED). ø45cm	1pc
75169-048741	VK/03320/PE/B/45 ● <b>Black</b> . E27. Max 20W (LED). ø45cm	1pc
75169-043741	VK/03320/PE/GD/35 ● <b>Gold</b> . E27. Max 20W (LED). ø35cm	1pc
75169-044741	VK/03320/PE/NT/35 ● <b>Natural</b> . Max 20W (LED). ø35cm	1pc
75169-045741	VK/03320/PE/B/35 ● <b>Black</b> . E27. Max 20W (LED). ø35cm	1pc



#### Details

Input voltage **AC220-240V**  
Lampholder **E27**  
Material **Metal canopy, Rattan shade,**

**textile cable**  
Location **Ceiling**  
Cable length **1300mm**



**IP20**



# Pendant Lights

## Prei



VK/03314/PE/G



### VK/03314/PE

Code  
75169-029741


Model  
VK/03314/PE/G  
● Grey. GU10. Max. 12W. (LED)

Box  
8pcs

#### Details

Input voltage **AC220-240V**  
Lampholder **GU10 (included)**  
Included lamp **GU10, 5W, 3000K**

Material **Metal canopy, Concrete shade**  
Location **Ceiling**  
Cable length **1330mm**



**IP20**



# Pendant Lights

## Remy



VK/09066



VK/09063

### VK/09066


### VK/09063

Code <b>64174-295131</b>	Model <b>VK/09066</b> ○ White. E27. Max 20W (LED).	Box <b>4pcs</b>
<b>64174-292131</b>	<b>VK/09063</b> ● Grey. E27. Max 20W (LED).	<b>4pcs</b>

#### Details

Input voltage **AC220-240V**  
Lampholder **E27**  
Working temperature **-20°C ~ 40°C**.  
Cable **1.20 m + ceiling plate**.

Material **Gypsum (VK/09066),  
Concrete (VK/09063)**.  
Possibility to paint.





# Abel



VK/09067/W



VK/09067/AN


## VK/09067

Code	Model	Box
64174-296131	VK/09067/W ○ White. E27. Max 20W (LED).	4pcs
64174-297131	VK/09067/AN ● Anthracite. E27. Max 20W (LED).	4pcs

### Details

Input voltage **AC220-240V**  
Lampholder **E27**  
Working temperature **-20°C ~ 40°C.**

Cable **1.20 m + ceiling plate.**  
Material **Concrete.**  
Possibility to paint.



# Pendant Lights

## Noem



VK/03088/20/BR



VK/03088/24/BR

### VK/03088/20/BR


### VK/03088/24/BR

Code 64174-020108	Model VK/03088/20/BR ● Brown. E27. Max 20W (LED).	Box 1pc
64174-021108	VK/03088/24/BR ● Brown. E27. Max 20W (LED).	1pc

#### Details

Input voltage AC220-240V  
Lampholder E27  
Working temperature -20°C ~ 40°C.

Cable 1 m fabric cable + ceiling plate.  
Material Paper.



# Noem



VK/03092/50/BR



VK/03080/30/BR

**VK/03092/50/BR**


**VK/03080/30/BR**

Code	Model	Box
64174-022108	<b>VK/03092/50/BR</b> ● Brown. E27. Max 20W (LED).	<b>1pc</b>
64174-023108	<b>VK/03080/30/BR</b> ● Brown. E27. Max 20W (LED).	<b>1pc</b>

Details

Input voltage **AC220-240V**  
Lampholder **E27**  
Working temperature **-20°C ~ 40°C**.

Cable **1 m fabric cable + ceiling plate**.  
Material **Paper**.



# Pendant Lights

## Noem



VK/03079/35/BR



VK/03079/55/BR

### VK/03079/35/BR

### VK/03079/55/BR

Code  
64174-018108



Model  
**VK/03079/35/BR**  
● Brown. E27. Max 20W (LED).

Box  
1pc

64174-019108

**VK/03079/55/BR**  
● Brown. E27. Max 20W (LED).

1pc




#### Details

Input voltage **AC220-240V**  
Lampholder **E27**  
Working temperature **-20°C ~ 40°C.**

Cable **1 m fabric cable + ceiling plate.**  
Material **Paper.**





# Pendant Lights

## Woody



VK/03329/PE/NW/33




VK/03329/PE/DW/45



VK/03329/PE/NW/61

### VK/03329/PE

Code	Model	Box
64174-009775	VK/03329/PE/NW/33 ● Oak wood. E27. Max. 20W. (LED). ø33cm	1pc
64174-012775	VK/03329/PE/DW/33 ● Walnut wood. E27. Max. 20W. (LED). ø33cm	1pc
64174-010775	VK/03329/PE/NW/45 ● Oak wood. E27. Max. 20W. (LED). ø45cm	1pc
64174-013775	VK/03329/PE/DW/45 ● Walnut wood. E27. Max. 20W. (LED). ø45cm	1pc
64174-011775	VK/03329/PE/NW/61 ● Oak wood. E27. Max. 20W. (LED). ø61cm	1pc
64174-014775	VK/03329/PE/DW/61 ● Walnut wood. E27. Max. 20W. (LED). ø61cm	1pc



#### Details

Material **Oakwood/Walnut wood,**  
fabric cable, wood canopy  
Location **Ceiling**

Input voltage **AC220-240V**  
Lampholder **E27**  
Cable length **2000mm**



Oak wood



Walnut wood



**IP20**




# Pendant Lights

## Apro



VK/03330/PE/NW



### VK/03330/PE

Code  
64174-015775

Model  
VK/03330/PE/NW  
● Natural wood. GU10. Max. 12W. (LED)

Box  
1pc


#### Details

Material **Oak wood & fabric cord**  
Location **Ceiling**  
Input voltage **AC220-240V**

Lampholder **GU10**  
Cable length **2000mm**  
Guarantee **2 years**



Natural wood



**IP20**





# Pendant Lights

## Ada



VK/03325/PE/B

### VK/03325/PE

Code  
64174-003775

Model  
VK/03325/PE/NW  
● Natural wood. GU10. Max. 12W. (LED)

Box  
1pc

64174-004775


VK/03325/PE/B  
● Black. GU10. Max. 12W. (LED)

1pc


#### Details

Material **Ashwood & fabric cord**  
Location **Ceiling**  
Input voltage **AC220-240V**

Lampholder **GU10**  
Cable length **2000mm**  
Guarantee **2 years**



Natural wood



Black



IP20



# Pendant Lights

## Ada



VK/03324/PE/NW



### VK/03324/PE

Code 64174-001775	Model VK/03324/PE/NW ● Natural wood. GU10. Max. 12W. (LED)	Box 1pc
64174-002775	VK/03324/PE/B ● Black. GU10. Max. 12W. (LED)	1pc


#### Details

Material **Ashwood & fabric cord**  
Location **Ceiling**  
Input voltage **AC220-240V**

Lampholder **GU10**  
Cable length **2000mm**  
Guarantee **2 years**



Natural wood



Black



IP20



# Pendant Lights

## Alena



VK/03326/PE/NW/30



VK/03326/PE/NW/20



### VK/03326/PE

Code 64174-006775	Model VK/03326/PE/NW/30 ○ ● White/Wood. E27. Max. 20W. (LED)	Box 1pc
64174-005775	VK/03326/PE/NW/20 ○ ● White/Wood. E27. Max. 20W. (LED)	1pc

#### Details

Material **Glass shade, Ashwood, fabric cord, wood canopy**  
Location **Ceiling**  
Input voltage **AC220-240V**

Lampholder **E27**  
Cable length **2000mm**  
Guarantee **2 years**





# Pendant Lights

## Alena



VK/03327/PE/NW



VK/03328/PE/NW

### VK/03327/PE/NW

### VK/03328/PE/NW

Code	Model	Box
64174-007775	VK/03327/PE/NW	1pc

○ ● White/Wood. E27. Max. 20W. (LED)

64174-008775	VK/03328/PE/NW	1pc
--------------	----------------	-----

○ ● White/Wood. E27. Max. 20W. (LED)

#### Details

Material **Glass shade, Ashwood, fabric cord, wood canopy**



Location **Ceiling**

Input voltage **AC220-240V**

Lampholder **E27**  
Cable length **2000mm**  
Guarantee **2 years**



**IP20**







# Pendant Lights

## Icla



VK/03068/PE/BR



VK/03069/PE/BR

### VK/03068/PE/BR


### VK/03069/PE/BR

Code 64174-886697	Model VK/03068/PE/BR ● Brown+Grey glass. E27. Max 20W (LED).	Box 6pcs
64174-887697	VK/03069/PE/BR ● Brown+Grey glass. G9. Max 8W (LED).	18pcs

#### Details

Voltage 240V.  
E27. (VK/03068/PE/BR),  
G9. (VK/03069/PE/BR)

Working temperature -20°C ~ 40°C.  
Cable 1 m + ceiling plate.  
Material Metal, Glass.



IP20



# Pendant Lights

## Luc



VK/03117/PE

### VK/03117/PE

Code 64174-013126	Model <b>VK/03117/PE/15/GL</b> ○ Milky glass. E27. Max 20W (LED). <b>ø15cm</b>	Box <b>1pc</b>
----------------------	--	-------------------


64174-014126	<b>VK/03117/PE/30/GL</b> ○ Milky glass. E27. Max 20W (LED). <b>ø30cm</b>	<b>1pc</b>
--------------	---	------------

64174-015126	<b>VK/03117/PE/40/GL</b> ○ Milky glass. E27. Max 20W (LED). <b>ø40cm</b>	<b>1pc</b>
--------------	---	------------


#### Details

Voltage **240V**.  
**E27**.  
Working temperature **-20°C ~ 40°C**.

Cable **1.80 m + ceiling plate**.  
Material **Glass milky**.  
Guarantee **2 years**



**IP20**






# Pendant Lights

## Liam



VK/04387/CE/B



### VK/04387/CE/B

Code  
75169-010741

Model  
VK/04387/CE/B  
● Black. E27. Max 20W (LED)

Box  
1pc

#### Details

Ceiling Light 220-240V.  
Working temperature  $-20^{\circ}\text{C} \rightarrow 45^{\circ}\text{C}$ .

Material Matt Black painting metal lamp  
body, black fabric KD shade.





# Pendant Lights

## Enna



VK/03099PE/W



VK/03100PE/W

### VK/03099PE/W


### VK/03100PE/W

Code 71164-005108	Model VK/03099PE/W ○ White. E27x3. Max 3x20W (LED).	Box 1pc
71164-006108	VK/03100PE/W ○ White. E27. Max 20W (LED).	1pc

#### Details

Voltage 240V.  
E27x3 (VK/03099PE/W).  
E27 (VK/03100PE/W).

Working temperature -20°C ~ 40°C.  
Cable 1 m + ceiling plate.  
Material Fabric, metal, PMMA.







# Pendant Lights

## Ballo



VK/03319/PE/40



VK/03319/PE/30



### VK/03319/PE

Code  
75169-042741

Model  
VK/03319/PE/40  
● Natural. E27. Max 20W (LED).  $\varnothing$ 40cm

Box  
1pc

75169-041741


VK/03319/PE/30  
● Natural. E27. Max 20W (LED).  $\varnothing$ 30cm

1pc

#### Details

Material **Metal canopy, Nature rattan shade, textile cable**  
Location **Ceiling**  
Input voltage **AC220-240V**

Lampholder **E27**  
Cable length **1390mm**  
Guarantee **2 years**





# Pendant Lights


## Ballo



VK/03317/PE/BMB/50



VK/03317/PE/BMB/35



### VK/03317/PE

Code  
75169-040741

Model  
VK/03317/PE/BMB/50  
● Bamboo. E27. Max 20W (LED). ø50cm

Box  
1pc

75169-038741


VK/03317/PE/BMB/35  
● Bamboo. E27. Max 20W (LED). ø35cm

1pc

#### Details

Material **Metal canopy, Nature Bamboo shade, textile cable**  
Location **Ceiling**  
Input voltage **AC220-240V**

Lampholder **E27**  
Cable length **1370mm**  
Guarantee **2 years**





# Pendant Lights

## Rago



VK/03321/PE/B/36


### VK/03321/PE

Code 75169-052741	Model VK/03321/PE/Y/36 ● <b>Natural</b> . E27. Max 20W (LED).	Box 1pc
75169-053741	VK/03321/PE/B/36 ● <b>Black</b> . E27. Max 20W (LED).	1pc

#### Details

Material **Metal canopy, Rattan shade, textile cable**  
Location **Ceiling**  
Input voltage **AC220-240V**

Lampholder **E27**  
Cable length **1300mm**  
Guarantee **2 years**





# Pendant Lights

## Rago



VK/03322/PE/Y/50



VK/03322/PE/B/35

### VK/03322/PE

Code 75169-056741	Model VK/03322/PE/Y/50 ● <b>Natural.</b> E27. Max 20W (LED). <b>ø50cm</b>	Box 1pc
75169-057741	VK/03322/PE/B/50 ● <b>Black.</b> E27. Max 20W (LED). <b>ø50cm</b>	1pc
75169-054741	VK/03322/PE/Y/35 ● <b>Natural.</b> E27. Max 20W (LED). <b>ø35cm</b>	1pc
75169-055741	VK/03322/PE/B/35 ● <b>Black.</b> E27. Max 20W (LED). <b>ø35cm</b>	1pc


#### Details

Material **Metal canopy, Rattan shade, textile cable**  
Location **Ceiling**  
Input voltage **AC220-240V**


Lampholder **E27**  
Cable length **1300mm**  
Guarantee **2 years**



**IP20**







# Pendant Lights

## Ballo



VK/03318/PE/BMB/50

### VK/03318/PE

Code  
75169-039741


Model  
VK/03318/PE/BMB/50  
● **Bamboo.** E27. Max 20W (LED).

Box  
1pc

#### Details

Material **Metal canopy, Nature Bamboo shade, textile cable**  
Location **Ceiling**  
Input voltage **AC220-240V**

Lampholder **E27**  
Cable length **1365mm**  
Guarantee **2 years**





# Pendant Lights

## Rago



VK/03323/PE/B/50




### VK/03323/PE

Code 75169-058741	Model VK/03323/PE/Y/50 ● <b>Natural.</b> E27. Max 20W (LED).	Box 1pc
75169-059741	VK/03323/PE/B/50 ● <b>Black.</b> E27. Max 20W (LED).	1pc

#### Details

Material **Metal canopy, Rattan shade, textile cable**  
Location **Ceiling**  
Input voltage **AC220-240V**

Lampholder **E27**  
Cable length **1300mm**  
Guarantee **2 years**





# Pendant Lights

## Jan



VK/03125PE/30



VK/03125PE/35

### VK/03125PE/30

### VK/03125PE/35


Code 75169-234115	Model VK/03125PE/30 ○ White + wood. E27. Max 20W (LED).	Box 1pc
----------------------	---	------------

75169-235115	VK/03125PE/35 ○ White + wood. E27. Max 20W (LED).	1pc
--------------	--	-----

#### Details

Voltage **240V**.  
E27.  
Working temperature **-20°C ~ 40°C**.  
Cable **2 m white fabric cable + white**

**ceiling plate.**  
Material **Bamboo**.  
IP Rating **IP20**.  
Guarantee **2 years**



# Jan



VK/03126PE/30



VK/03126PE/45

**VK/03126PE/30**

**VK/03126PE/45**


Code 75169-236115	Model <b>VK/03126PE/30</b> ● Wood. E27. Max 20W (LED).	Box 1pc
----------------------	--	------------

75169-237115	<b>VK/03126PE/45</b> ● Black. E27. Max 20W (LED).	1pc
--------------	--	-----

Details

Voltage **240V**.  
E27.  
Working temperature **-20°C ~ 40°C**.  
Cable **2 m white fabric cable + white**

**ceiling plate.**  
Material **Bamboo**.  
IP Rating **IP20**.  
Guarantee **2 years**



# Pendant Lights

## Eliz



VK/03123PE/35



VK/03123PE/55

### VK/03123PE/35

### VK/03123PE/55


Code 75169-231115	Model <b>VK/03123PE/35/BMB</b> ● Bamboo. E27. Max 20W (LED).	Box <b>1pc</b>
----------------------	--	-------------------

75169-232115	<b>VK/03123PE/55/BMB</b> ● Bamboo. E27. Max 20W (LED).	<b>1pc</b>
--------------	---	------------

#### Details

Voltage **240V**.  
E27.  
Working temperature **-20°C ~ 40°C**.  
Cable **2 m white fabric cable + white**

**ceiling plate.**  
Material **Bamboo**.  
IP Rating **IP20**.  
Guarantee **2 years**





# Mart



VK/03124PE/70

## VK/03124PE/70

Code  
75169-233115


Model  
**VK/03124PE/70/BMB**  
● Bamboo. E27. Max 20W (LED).

Box  
1pc

### Details

Voltage **240V**.  
E27.  
Working temperature -20°C ~ 40°C.  
Cable 2 m white fabric cable + white

**ceiling plate.**  
Material **Bamboo**.  
IP Rating **IP20**.  
Guarantee 2 years



# Pendant Lights

## Fay



VK/03146PE/35



VK/03146PE/60

### VK/03146PE/35

### VK/03146PE/60


Code 75169-477724	Model VK/03146PE/35 ● Brown light. E27. Max 20W (LED).	Box 1pc
----------------------	--	------------

75169-478724	VK/03146PE/60 ● Brown light. E27. Max 20W (LED).	1pc
--------------	---	-----

#### Details

Voltage 240V.  
E27.  
Working temperature -20°C ~ 40°C.  
Cable 2 m white cable +

white ceiling plate.  
Material Rattan, metal.  
IP Rating IP20.  
Guarantee 2 years



# Fay



VK/03146PE/80

## VK/03146PE/80

Code  
75169-479724


Model  
**VK/03146PE/80**  
● Brown light. E27. Max 20W (LED).

Box  
1pc

### Details

Voltage **240V**.  
E27.  
Working temperature -20°C ~ 40°C.  
Cable 2 m white cable + white ceiling

plate.  
Material **Rattan, metal**.  
IP Rating **IP20**.  
Guarantee 2 years



# Pendant Lights

## Lis



VK/03148PE/73

### VK/03148PE/73

Code  
75169-481724


Model  
**VK/03148PE/73**  
● Black. E27. Max 20W (LED)

Box  
1pc

#### Details

Voltage **240V**.  
E27.  
Working temperature **-20°C ~ 40°C**.  
Cable **2 m black fabric cable + black**

**ceiling plate.**  
Material **PC Rattan, metal**.  
IP Rating **IP20**.  
Guarantee **2 years**





# Pendant Lights

## Lis



VK/03147PE/78

### VK/03147PE/78

Code  
75169-480724


Model  
**VK/03147PE/78**  
● Black. E27. Max 20W (LED)


Box  
1pc

#### Details

Voltage **240V**.  
E27.  
Working temperature **-20°C ~ 40°C**.  
Cable **2m black fabric cable + black**

**ceiling plate.**  
Material **PC Rattan, metal**.  
IP Rating **IP20**.  
Guarantee **2 years**





# Pendant Lights

## Rob



VK/03173/PE/B

### VK/03173/PE/B

Code  
75169-485730

Model  
VK/03173/PE/B  
● Black. E27. Max 20W (LED)

Box  
1pc


#### Details

Voltage 240V.  
E27.  
Working temperature -20°C ~ 40°C.  
Cable 1.24m black cable

+ black ceiling plate.  
Material Metal.  
IP Rating IP20.  
Guarantee 2 years



IP20







# Pendant Lights

## Alain



VK/03177/PE/B



VK/03175/PE/B

### VK/03177/PE/B

### VK/03175/PE/B


Code 75169-489730	Model VK/03177/PE/B ● Black. E27. Max 20W (LED).	Box 1pc
----------------------	--	------------

75169-487730	VK/03175/PE/B ● Black. E27. Max 20W (LED).	1pc
--------------	---	-----

#### Details

Voltage **240V**.  
E27.  
Working temperature **-20°C ~ 40°C**.  
Cable **1.2m cable + black ceiling plate**.

Material **Metal**.  
IP Rating **IP20**.  
Guarantee **2 years**





# Pendant Lights

## Alain



VK/03172/PE



VK/03176/PE

### VK/03172/PE

### VK/03176/PE


Code 75169-490730	Model <b>VK/03172/PE/B</b> ● Black. E27. Max 20W (LED).	Box <b>1pc</b>
----------------------	---	-------------------

75169-488730	<b>VK/03176/PE/B</b> ● Black. E27. Max 20W (LED).	<b>1pc</b>
--------------	--	------------

#### Details

Voltage **240V**.  
E27.  
Working temperature **-20°C ~ 40°C**.  
Cable **1.2m cable + black ceiling plate**.

Material **Metal**.  
IP Rating **IP20**.  
Guarantee **2 years**





# Pendant Lights

## Nina



VK/03171/PE/ABS/26



VK/03171/PE/ABS/34

### VK/03171/PE


Code 75169-483730	Model <b>VK/03171/PE/ABS/26</b> ● Bronze. E27. Max 20W (LED).	Box 1pc
----------------------	---	------------

75169-484730	<b>VK/03171/PE/ABS/34</b> ● Bronze. E27. Max 20W (LED).	1pc
--------------	--	-----

#### Details

Voltage **240V**.  
E27.  
Working temperature **-20°C ~ 40°C**.  
Cable **1.7m cable + black ceiling plate**.

Material **Metal**.  
IP Rating **IP20**.  
Guarantee **2 years**





## Pendant Lights

# Ines



VK/03170/PE

### VK/03170/PE

Code  
75169-482730


Model  
**VK/03170/PE/ABS**  
● Bronze. E27x3. Max 3x20W (LED)

Box  
1pc

#### Details

Voltage **240V**.  
E27.  
Working temperature **-20°C ~ 40°C**.  
Cable **1.6m black cable+chain**

**+ ceiling plate.**  
Material **Metal**.  
IP Rating **IP20**.  
Guarantee **2 years**







# Pendant Lights

## Abel



VK/03182PE

### VK/03182PE

Code  
75169-484724


Model  
**VK/03182PE/B**  
● **Black**. E27. Max 20W (LED)


Box  
1pc

#### Details

Voltage **240V**.  
E27.  
Working temperature **-20°C ~ 40°C**.  
Cable **2m black cable + black ceiling plate**.

Material **Iron**.  
IP Rating **IP20**.  
Guarantee **2 years**





# Pendant Lights

## Abel



VK/03181PE

### VK/03181PE

Code  
75169-483724


Model  
**VK/03181PE/B**  
● **Black.** E27. Max 20W (LED)

Box  
1pc

#### Details

Voltage **240V.**  
E27.  
Working temperature **-20°C ~ 40°C.**

Cable **2m black cable + black ceiling plate.**  
Material **Iron.**  
IP Rating **IP20.**





# Pendant Lights

## Abel



VK/03118PE


### VK/03118PE

Code 75169-222115	Model <b>VK/03118PE/B</b> ● <b>Black</b> . E27. Max 20W (LED).	Box 1pc
75169-223115	<b>VK/03118PE/GD</b> ● <b>Gold</b> . E27. Max 20W (LED).	1pc

#### Details

Voltage **240V**.  
E27.  
Working temperature **-20°C ~ 40°C**.  
Cable **2m black fabric cable + black**

**ceiling plate.**  
Material **Metal**.  
IP Rating **IP20**.  
Guarantee **2 years**



# Abel



VK/03119PE


## VK/03119PE

Code	Model	Box
75169-224115	VK/03119PE/B ● Black. E27. Max 20W (LED).	1pc
75169-225115	VK/03119PE/GD ● Gold. E27. Max 20W (LED).	1pc

### Details

Voltage **240V**.  
E27.  
Working temperature **-20°C ~ 40°C**.  
Cable **2m black fabric cable**

**+ black ceiling plate.**  
Material **Metal**.  
IP Rating **IP20**.  
Guarantee **2 years**



# Pendant Lights

## Abel



VK/03120PE

### VK/03120PE

Code  
75169-226115

Model  
**VK/03120PE/B**  
● **Black.** E27. Max 20W (LED).

Box  
1pc


#### Details

Voltage **240V.**  
E27.  
Working temperature **-20°C ~ 40°C.**  
Cable **2m black fabric cable + black**

**ceiling plate.**  
Material **Metal.**  
IP Rating **IP20.**  
Guarantee **2 years**



**IP20**





# Abel



VK/03121PE


## VK/03121PE

Code 75169-228115	Model <b>VK/03121PE/B</b> ● Black. E27. Max 20W (LED).	Box 1pc
75169-227115	<b>VK/03121PE/GD</b> ● Gold. E27. Max 20W (LED).	1pc

### Details

Voltage **240V**.  
E27.  
Working temperature **-20°C ~ 40°C**.  
Cable **2m black fabric cable + black**

**ceiling plate.**  
Material **Metal**.  
IP Rating **IP20**.  
Guarantee **2 years**



# Pendant Lights

## Abel



VK/03180PE

### VK/03180PE

Code  
75169-482724


Model  
**VK/03180PE/B**  
● **Black.** E27. Max 20W (LED)

Box  
1pc

#### Details

Voltage **240V.**  
E27.  
Working temperature **-20°C ~ 40°C.**  
Cable **2m black cable + black ceiling plate.**

Material **Iron.**  
IP Rating **IP20.**  
Guarantee **2 years**





# Pendant Lights

## Abel



VK/03122PE


### VK/03122PE

Code 75169-229115	Model <b>VK/03122PE/GD</b> ● <b>Gold.</b> E27. Max 20W (LED)	Box <b>1pc</b>
75169-230115	<b>VK/03122PE/W</b> ○ <b>White.</b> E27. Max 20W (LED)	<b>1pc</b>

#### Details

Voltage **240V**.  
E27.  
Working temperature **-20°C ~ 40°C**.  
Cable **2m white cable + white ceiling plate**.

Material **Metal**.  
IP Rating **IP20**.  
Guarantee **2 years**





# Pendant Lights

## Igi




VK/03105PE

VK/03105PE/2

### VK/03105PE

### VK/03105PE/2

Code	Model	Box
75169-252108	<b>VK/03105PE/W</b> ○ White sanded. GU10. Max 12W (LED).	20pcs
75169-253108	<b>VK/03105PE/B</b> ● Black sanded. GU10. Max 12W (LED).	20pcs
75169-254108	<b>VK/03105PE/2/W</b> ○ White sanded. GU10x2. Max 2x12W (LED).	10pcs
75169-255108	<b>VK/03105PE/2/B</b> ● Black sanded. GU10x2. Max 2x12W (LED).	10pcs



#### Details

Voltage 240V.  
GU10/Par16.  
Working temperature -20°C ~ 40°C.

Cable 1.20 m + ceiling plate.  
Material Aluminium, metal.  
Guarantee 2 years




Igi



VK/03105PE/3/B

**VK/03105PE/3**

Code <b>75169-256108</b>	Model <b>VK/03105PE/3/W</b> ○ White sanded. GU10x3. Max 3x12W (LED)	Box <b>6pcs</b>
<b>75169-257108</b>	<b>VK/03105PE/3/B</b> ● Black sanded. GU10x3. Max 3x12W (LED)	<b>6pcs</b>



Details


Voltage **240V**.  
GU10/Par16.  
Working temperature -20°C ~ 40°C.

Cable **1.20 m + ceiling plate**.  
Material **Aluminium, metal**.  
Guarantee **2 years**



# Pendant Lights

## Edelle



VK/03087/PE/20/B

VK/03087/PE/30/W

VK/03087/PE/50/DB

### VK/03087/PE/20

Code	Model	Box
75169-278108	VK/03087/PE/20/B ● Sanded black. GU10. Max. 12W. (LED)	25pcs
75169-277108	VK/03087/PE/20/W ○ Sanded white. GU10. Max. 12W. (LED)	25pcs
75169-279108	VK/03087/PE/20/DB ● Dark Bronze. GU10. Max. 12W. (LED)	25pcs

### VK/03087/PE/30

Code	Model	Box
75169-280108	VK/03087/PE/30/B ● Sanded black. GU10. Max. 12W. (LED)	20pcs
75169-281108	VK/03087/PE/30/W ○ Sanded white. GU10. Max. 12W. (LED)	20pcs
75169-282108	VK/03087/PE/30/DB ● Dark Bronze. GU10. Max. 12W. (LED)	20pcs





### VK/03087/PE/50

Code 75169-284108	Model VK/03087/PE/50/B ● Sanded black. GU10. Max. 12W. (LED)	Box 10pcs
75169-283108	VK/03087/PE/50/W ○ Sanded white. GU10. Max. 12W. (LED)	10pcs
75169-285108	VK/03087/PE/50/DB ● Dark Bronze. GU10. Max. 12W. (LED)	10pcs

#### Details

Material **aluminium+iron**  
Location **Ceiling**  
Input voltage **230V**

Lampholder **GU10**  
Cable length **1500mm**  
Guarantee **2 years**



**IP20**

# Pendant Lights

## Ozz

---



VK/03163/B

&



VK/05169

---

### VK/03163

Code  
75169-007733

Model  
**VK/03163/B**  
● **Black sanded**. E27. Max 20W (LED).


Box  
1pc

---

#### Details


Voltage **240V**.  
**E27**.  
Working temperature **-20°C ~ 40°C**.

Cable **1 m + ceiling plate**.  
Material **Metal**.  
Guarantee **2 years**







VK/05169  
Dark Grey




VK/05170  
Dark Grey



VK/05171  
Dark Grey



VK/05173  
Amber



VK/05174  
Dark Grey







**Plafo & Ceiling Lights**

# Plafo & Ceiling Lights Led

## Woody



VK/04580/CE/NW/W/27



VK/04580/CE/DW/W/33



VK/04580/CE/NW/W/42

Dimmable

### VK/04580/CE

Code	Model	Box
75169-007775	VK/04580/CE/NW/W/27 ● Natural wood. 3000K. 21W. 2190lm. CRI>90 ø27x7cm	1pc
75169-012775	VK/04580/CE/DW/W/27 ● Dark wood. 3000K. 21W. 2190lm. CRI>90 ø27x7cm	1pc
75169-008775	VK/04580/CE/NW/W/33 ● Natural wood. 3000K. 28W. 3130lm. CRI>90 ø33x8cm	1pc
75169-013775	VK/04580/CE/DW/W/33 ● Dark wood. 3000K. 28W. 3130lm. CRI>90 ø33x8cm	1pc
75169-009775	VK/04580/CE/NW/W/42 ● Natural wood. 3000K. 35W. 3900lm. CRI>90 ø42x8cm	1pc
75169-014775	VK/04580/PE/DW/W/42 ● Dark wood. 3000K. 35W. 3900lm. CRI>90 ø42x8cm	1pc



Natural wood



Dark wood


### Details

Material **Oakwood/Darkwalnutwood, metal, fabric cord, acrylic diffuser**  
 Type of Led **OSRAM**  
 Voltage **AC220-240V**  
 Location **Ceiling**

Beam angle **120°**  
 Working temperature **< 50°C**  
 Lifetime **25.000hrs**  
 Dimmable **Triac**  
 Guarantee **2 Years**



IP20





# Plafo & Ceiling Lights Led

## Woody



VK/04580/CE/NW/W/51



VK/04580/CE/DW/W/61

Dimmable

### VK/04580/CE

Code	Model	Box
75169-010775	VK/04580/CE/NW/W/51 ● Natural wood. 3000K. 40W. 4805lm. CRI>90 ø51cm	1pc
75169-015775	VK/04580/CE/DW/W/51 ● Dark wood. 3000K. 40W. 4805lm. CRI>90 ø51cm	1pc
75169-011775	VK/04580/CE/NW/W/61 ● Natural wood. 3000K. 50W. 6000lm. CRI>90 ø61cm	1pc
75169-016775	VK/04580/CE/DW/W/61 ● Dark wood. 3000K. 50W. 6000lm. CRI>90 ø61cm	1pc



Natural wood



Dark wood


### Details

Material **Oakwood/Darkwalnutwood, metal, fabric cord, acrylic diffuser**  
 Type of Led **OSRAM**  
 Voltage **AC220-240V**  
 Location **Ceiling**

Beam angle **120°**  
 Working temperature **< 50°C**  
 Lifetime **25.000hrs**  
 Dimmable **Triac**  
 Guarantee **2 Years**



IP20







# Plafond & Ceiling Lights Led

## Eleso



VK/04565/CE/WD/W/40



VK/04565/CE/B/W/60




VK/04565/CE/W/W/80


Dimmable

### VK/04565/CE

Code	Model	Box
71164-035702	VK/04565/CE/W/W/40 ○ White. 3000K. 33W Down+7W Up. 3.566lm. ø40cm	1pc
71164-036702	VK/04565/CE/B/W/40 ● Black. 3000K. 33W Down+7W Up. 3.566lm. ø40cm	1pc
71164-037702	VK/04565/CE/WD/W/40 ● Wood. 3000K. 33W Down+7W Up. 3.566lm. ø40cm	1pc
71164-038702	VK/04565/CE/W/W/60 ○ White. 3000K. 59W Down+10W Up. 5.967lm. ø60cm	1pc
71164-039702	VK/04565/CE/B/W/60 ● Black. 3000K. 59W Down+10W Up. 5.967lm. ø60cm	1pc
71164-040702	VK/04565/CE/WD/W/60 ● Wood. 3000K. 59W Down+10W Up. 5.967lm. ø60cm	1pc
71164-041702	VK/04565/CE/W/W/80 ○ White. 3000K. 80W Down 12W Up. 6.802lm. ø80cm	1pc
71164-042702	VK/04565/CE/B/W/80 ● Black. 3000K. 80W Down 12W Up. 6.802lm. ø80cm	1pc
71164-043702	VK/04565/CE/WD/W/80 ● Wood. 3000K. 80W Down 12W Up. 6.802lm. ø80cm	1pc



ø40/60/80cm



### Details

Material **Aluminum+Metal+Acrylic**  
 Diffuser **PC**  
 Location **Ceiling**  
 Color led **3000K**  
 Type of LED **LENS**

CRI **Ra>80**  
 Hours **30.000**  
 Beam angle **120°**  
 Working temperature **-20°C ~ 60°C**  
**Updown. Guarantee 3 Years**



**IP20**



## Hart




VK/04416CE/GD/W/46

Dimmable

### VK/04416CE

Code	Model	Box
71164-016755	VK/04416CE/W/W/46 ○ Sand White. 3000K. 4.232lm. 34W. CRI>80. Ø46.5cm	1pc
71164-017755	VK/04416CE/AN/W/46 ● Anthracite. 3000K. 4.232lm. 34W. CRI>80. Ø46.5cm	1pc
71164-020755	VK/04416CE/GD/W/46 ● Golden. 3000K. 4.232lm. 34W. CRI>80. Ø46.5cm	1pc
71164-018755	VK/04416CE/W/W/61 ○ Sand White. 3000K. 5.785lm. 52W. CRI>80. Ø61.5cm	1pc
71164-019755	VK/04416CE/AN/W/61 ● Anthracite. 3000K. 5.785lm. 52W. CRI>80. Ø61.5cm	1pc
71164-021755	VK/04416CE/GD/W/61 ● Golden. 3000K. 5.785lm. 52W. CRI>80. Ø61.5cm	1pc



### Details

Led Ceiling Light 220V.  
Type of Led Epistar.  
Driver Eaglerise.  
Dimmable triac.

Lifetime 50.000hrs.  
Working temperature -20°C → 60°C.  
Material Steel+acrylic.  
Guarantee 3 years.



IP20



# Plafond & Ceiling Lights Led

## Eleso



VK/04566/CE/WD/W/60




VK/04566/CE/B/W/80


Dimmable

### VK/04566/CE

Code	Model	Box
71164-044702	VK/04566/CE/W/W/60 ○ White. 3000K. 48W. 3.615lm. ø60cm	1pc
71164-045702	VK/04566/CE/B/W/60 ● Black. 3000K. 48W. 3.615lm. ø60cm	1pc
71164-046702	VK/04566/CE/WD/W/60 ○ ● Wood. 3000K. 48W. 3.615lm. ø60cm	1pc
71164-047702	VK/04566/CE/W/W/80 ○ White. 3000K. 74W. 5.106lm. ø80cm	1pc
71164-048702	VK/04566/CE/B/W/80 ● Black. 3000K. 74W. 5.106lm. ø80cm	1pc
71164-049702	VK/04566/CE/WD/W/80 ○ ● Wood. 3000K. 74W. 5.106lm. ø80cm	1pc



ø60/80cm



60/80cm

### Details

Material **Aluminum+Metal+Acrylic**  
Location **Ceiling**  
Type of LED **SMD 2835**  
CRI **Ra>80**

Hours **30.000**  
Beam angle **120°**  
Working temperature **-20°C ~ 60°C**  
Guarantee **2 years.**



**IP20**



# Plafond & Ceiling Lights Led

## Eleso



VK/04567/CE/B/W/60




VK/04567/CE/W/W/80

Dimmable

### VK/04567/CE

Code 71164-050702	Model VK/04567/CE/W/W/60 ○ White. 3000K. 52W. 3.328lm. ø60cm	Box 1pc
71164-051702	VK/04567/CE/B/W/60 ● Black. 3000K. 52W. 3.328lm. ø60cm	1pc
71164-052702	VK/04567/CE/W/W/80 ○ White. 3000K. 83W. 5.535lm. ø80cm	1pc
71164-053702	VK/04567/CE/B/W/80 ● Black. 3000K. 83W. 5.535lm. ø80cm	1pc



### Details

Material **Aluminum+Metal+Acrylic**  
Location **Ceiling**  
Type of LED **SMD 2835**  
CRI **Ra>80**

Hours **30.000**  
Beam angle **120°**  
Working temperature **-20°C ~ 60°C**  
Guarantee **2 years.**



**IP20**





# Kero



VK/04130CE/AN/W


**VK/04129CE**

**VK/04130CE**


Code	Model	Box
71164-001702	<b>VK/04129CE/W/W</b> ○ White sanded. 3000K. 1.600lm. 30W. CRI>80. <b>Ø45cm.</b>	<b>1pc</b>
71164-003702	<b>VK/04129CE/AN/W</b> ● Anthracite. 3000K. 1.600lm. 30W. CRI>80. <b>Ø45cm.</b>	<b>1pc</b>
71164-002702	<b>VK/04130CE/W/W</b> ○ White sanded. 3000K. 2.845lm. 42W. CRI>80. <b>Ø60cm.</b>	<b>1pc</b>
71164-004702	<b>VK/04130CE/AN/W</b> ● Anthracite. 3000K. 2.845lm. 42W. CRI>80. <b>Ø60cm.</b>	<b>1pc</b>



Ø45cm



Ø60cm



9 cm

Details

AC 220-240V Driver (Included).  
Beam Angle 120°.  
Type of Led SMD Epistar 2835.  
Dimmable No.

Working temperature -20°C ~ 60°C.  
Lifetime 50.000hrs.  
Material Aluminium, Acrylic.  
Guarantee 2 years.



**IP20**





# Sino



VK/04243CE/W/W/60

## VK/04243CE

Code	Model	Box
71164-013702	<b>VK/04243CE/W/W/60</b> ○ White sanded. 3000K. 2.800lm. 57W. CRI>80. <b>Ø60cm.</b>	<b>1pc</b>
71164-014702	<b>VK/04243CE/AN/W/60</b> ● Anthracite. 3000K. 2.800lm. 57W. CRI>80. <b>Ø60cm.</b>	<b>1pc</b>
71164-015702	<b>VK/04243CE/W/W/80</b> ○ White sanded. 3000K. 4.000lm. 80W. CRI>80. <b>Ø80cm.</b>	<b>1pc</b>
71164-016702	<b>VK/04243CE/AN/W/80</b> ● Anthracite. 3000K. 4.000lm. 80W. CRI>80. <b>Ø80cm.</b>	<b>1pc</b>



### Details

AC 220-240V Driver (Included).  
Beam Angle 120°.  
Type of Led SMD Epistar 2835.  
Dimmable No.

Working temperature -20°C ~ 60°C.  
Lifetime 50.000hrs.  
Material Aluminium, Acrylic.  
Guarantee 2 years.



**IP20**




# Cloud





VK/04242CE/W/W/45

## VK/04242CE

Code 71164-009702	Model VK/04242CE/W/W/45 ○ White. 3000K. 1.900lm. 38W. CRI>80. <b>Ø45cm.</b>	Box 1pc
71164-010702	VK/04242CE/W/W/60 ○ White. 3000K. 2.500lm. 50W. CRI>80. <b>Ø60cm.</b>	1pc



Ø45cm



Ø60cm

### Details

AC 220-240V Driver (Included).  
Beam Angle 120°.  
Type of Led SMD Epistar 2835.  
Dimmable No.

Working temperature -20°C ~ 60°C.  
Lifetime 50.000hrs.  
Material PE.  
Guarantee 2 years.



IP20



# Elim




VK/04418CE/W/W/45

Dimmable

## VK/04418CE

Code	Model	Box
71164-022755	VK/04418CE/W/W/45 ○ Sand White. 3000K. 4.215lm. 34W. CRI>80. ø45cm.	1pc
71164-023755	VK/04418CE/AN/W/45 ● Anthracite. 3000K. 4.215lm. 34W. CRI>80. ø45cm.	1pc
71164-024755	VK/04418CE/W/W/60 ○ Sand White. 3000K. 4.979lm. 42W. CRI>80. ø60cm.	1pc
71164-025755	VK/04418CE/AN/W/60 ● Anthracite. 3000K. 4.979lm. 42W. CRI>80. ø60cm.	1pc



### Details

Led Pendant Light **220V**.  
Type of Led **Epistar**.  
Dimmable **triac**.  
Driver **HBL**.

Lifetime **50.000hrs**.  
Working temperature **-20°C → 60°C**  
Material **Steel+acrylic**.  
Guarantee **3 years**.



**IP20**





# Albie



VK/04253CE/B/W/58

## VK/04253CE


Code 71164-033702	Model VK/04253CE/B/W/45 ● Black sanded. 3000K. 2.100lm. 35W. CRI>80. Ø45xH10cm.	Box 1pc
----------------------	---	------------

71164-034702	VK/04253CE/B/W/58 ● Black sanded. 3000K. 3.000lm. 50W. CRI>80. Ø58xH12cm.	1pc
--------------	--	-----

### Details

AC 220-240V.  
Type of Led **SMD 2835**.  
Dimmable **No**.  
Working temperature -20°C ~ 60°C.

Material **Metal+Acrylic**.  
Lifetime **50.000hrs**.  
Material **Metal, Acrylic**.  
Guarantee **2 years**.






## Timo



VK/03316/CE/GR

### VK/03316/CE

Code	Model	Box
75169-034741	VK/03316/CE/G ● Grey. GU10. Max. 12W. (LED)	4pcs
75169-035741	VK/03316/CE/GR ● Green. GU10. Max. 12W. (LED)	4pcs
75169-036741	VK/03316/CE/BL ● Blue. GU10. Max. 12W. (LED)	4pcs
75169-037741	VK/03316/CE/B ● Black. GU10. Max. 12W. (LED)	4pcs



#### Details

Material **Metal canopy, Concrete shade**  
Location **Ceiling**  
Input voltage **AC220-240V**

Lampholder **GU10**  
Cable length **1330mm**  
Guarantee **2 years**



**IP20**




# Timo



VK/03315/CE/BL

## VK/03315/CE

Code	Model	Box
75169-030741	VK/03315/CE/G ● Grey. GU10. Max. 12W. (LED)	8pcs
75169-031741	VK/03315/CE/GR ● Green. GU10. Max. 12W. (LED)	8pcs
75169-032741	VK/03315/CE/BL ● Blue. GU10. Max. 12W. (LED)	8pcs
75169-033741	VK/03315/CE/B ● Black. GU10. Max. 12W. (LED)	8pcs



### Details

Material **Metal canopy, Concrete shade**  
Location **Ceiling**  
Input voltage **AC220-240V**

Lampholder **GU10**  
Cable length **1330mm**  
Guarantee **2 years**



**IP20**



# Plafó & Ceiling Lights Led

## Roto

---



VK/04578/CE/GD/W

Dimmable


---

### VK/04578/CE

Code  
71165-006741

Model  
VK/04578/CE/GD/W  
● Gold. 3000K. 1.200lm. 12W. CRI>80.

Box  
6pcs



### Details

Input voltage **AC220-240V**  
Beam Angle **120°**.  
Dimmable **Yes**  
Type of Led **SMD**

Lifetime **30.000hrs**.  
Working temperature **-20°C → 75°C**  
Material **Stainless steel/Opal glass**.  
Guarantee **3 years**.







# Roto




VK/04577/CE/MC/W



Dimmable

## VK/04577/CE


Code	Model	Box
71165-003741	VK/04577/CE/MC/W ● Nickel Matt. 3000K. 1.200lm. 12W. CRI>80.	6pcs
71165-004741	VK/04577/CE/WD/W ● Wood. 3000K. 1.200lm. 12W. CRI>80.	6pcs
71165-005741	VK/04577/CE/MRB/W ○ Sand White. 3000K. 1.200lm. 12W. CRI>80.	6pcs



### Details

Input voltage **AC220-240V**  
Beam Angle **120°**.  
Dimmable **Yes**  
Type of Led **SMD**

Lifetime **30.000hrs**.  
Working temperature **-20°C → 75°C**  
Material **Stainless steel/Opal glass**.  
Guarantee **3 years**.





# Bol





VK/03151/CE/50/B

## VK/03151/CE

## VK/03152/CE

Code	Model	Box
71164-001724	<b>VK/03151/CE/50/B</b> ● <b>Black.</b> E27x3. Max 3x20W (LED). <b>Ø50cm.</b>	<b>1pc</b>
71164-002724	<b>VK/03151/CE/50/W</b> ○ <b>White.</b> E27x3. Max 3x20W (LED). <b>Ø50cm.</b>	<b>1pc</b>
71164-003724	<b>VK/03152/CE/30/B</b> ● <b>Black.</b> E27x2. Max 2x20W (LED). <b>Ø30cm.</b>	<b>1pc</b>
71164-004724	<b>VK/03152/CE/30/W</b> ○ <b>White.</b> E27x2. Max 2x20W (LED). <b>Ø30cm.</b>	<b>1pc</b>



### Details

Voltage **240V.**  
E27.  
Working temperature **-20°C ~ 40°C.**

Material **Aluminium.**  
Guarantee **2 years**



**IP20**



# Reter



VK/04133CE/B/W




**VK/04134CE**

**VK/04133CE**


Code	Model	Box
71164-002108	<b>VK/04134CE/B/W</b>	<b>1pc</b>
	● Black shade. 2700K. 2.045lm. 20W. CRI>80. <b>Ø40cm.</b>	

71164-001108	<b>VK/04133CE/B/W</b>	<b>1pc</b>
	● Black shade. 2700K. 1.120lm. 10W. CRI>80. <b>Ø30cm.</b>	



Ø40cm

Ø40cm



Ø30cm

Ø30cm

Details

AC 175-265V Driver (Included).  
 Beam Angle 125°.  
 Type of Led SMD 2835.  
 Dimmable No.

Working temperature -25°C ~ 40°C.  
 Lifetime 30.000hrs.  
 Material Metal, Fabric, PMMA White.  
 Guarantee 2 years.



# Reter




VK/03098CE/W




## VK/03098CE

<p>Code <b>71164-003108</b></p>	<p>Model <b>VK/03098CE/W</b> ○ White shade+white plate. E27x4. Max 4x20W (LED).</p>	<p>Box <b>1pc</b></p>
<p><b>71164-004108</b></p>	<p><b>VK/03098CE/B</b> ● Black shade+ white plate. E27x4. Max 4x20W (LED).</p>	<p><b>1pc</b></p>



Ø50cm



15  
cm

Ø50cm

### Details

Voltage **230V**.  
E27.

Material **Metal+Fabric+PMMA**.  
Guarantee **2 years**.



**IP20**

# Plafo & Ceiling Lights


## Play



VK/03001/DB

### VK/03001

Code	Model	Box
75169-181108	<b>VK/03001/W</b> ○ White. GU10. Max 12W (LED).	10pcs
75169-176108	<b>VK/03001/B</b> ● Black. GU10. Max 12W (LED).	10pcs
75169-182108	<b>VK/03001/C</b> ● Chrome. GU10. Max 12W (LED).	10pcs
75169-197108	<b>VK/03001/AL</b> ● Aluminium. GU10. Max 12W (LED).	10pcs
75169-175108	<b>VK/03001/R</b> ● Red. GU10. Max 12W (LED).	10pcs
75169-177108	<b>VK/03001/GR</b> ● Green. GU10. Max 12W (LED).	10pcs
75169-178108	<b>VK/03001/Y</b> ● Yellow. GU10. Max 12W (LED).	10pcs
75169-198108	<b>VK/03001/OR</b> ● Orange. GU10. Max 12W (LED).	10pcs
75169-193108	<b>VK/03001/DB</b> ● Deep Blue. GU10. Max 12W (LED).	10pcs
75169-179108	<b>VK/03001/LB</b> ● Light Blue. GU10. Max 12W (LED).	10pcs



### Details

Voltage **240V**.  
GU10/Par16.

Working temperature **-20°C ~ 40°C**.  
Material **Aluminium**.







# Plafo & Ceiling Lights


## Play



VK/03002/R

### VK/03002

Code	Model	Box
75169-200108	VK/03002/W ○ White. GU10. Max 12W (LED).	10pcs
75169-202108	VK/03002/B ● Black. GU10. Max 12W (LED).	10pcs
75169-185108	VK/03002/C ● Chrome. GU10. Max 12W (LED).	10pcs
75169-199108	VK/03002/AL ● Aluminium. GU10. Max 12W (LED).	10pcs
75169-184108	VK/03002/R ● Red. GU10. Max 12W (LED).	10pcs
75169-188108	VK/03002/GR ● Green. GU10. Max 12W (LED).	10pcs
75169-201108	VK/03002/Y ● Yellow. GU10. Max 12W (LED).	10pcs
75169-187108	VK/03002/OR ● Orange. GU10. Max 12W (LED).	10pcs
75169-203108	VK/03002/DB ● Deep Blue. GU10. Max 12W (LED).	10pcs
75169-186108	VK/03002/LB ● Light Blue. GU10. Max 12W (LED).	10pcs



### Details


Voltage 240V.  
GU10/Par16.

Working temperature -20°C ~ 40°C.  
Material **Aluminium**.









**Ceiling Fans**

# Ceiling Fans

## Air

---



VK/04241/AIR/W



VK/04235/AIR/WOOD

---

### VK/04241/AIR

### VK/04235/AIR

Code 77161-476724	Model VK/04241/AIR/W White. 65W.	Box 1pc
77161-474724	VK/04235/AIR/WOOD Wood. 65W.	1pc
77161-477724	VK/04235/AIR/L-WOOD Light Wood. 65W.	1pc


#### Details

Voltage 220-240V.  
Material Aluminium + Wood.

IP Rating IP20.



Included Remote  
& wall control











**Reading Lights**

# Reading Lights Led

## Aira





VK/04575/WA/W



Recessed

### VK/04575/WA

Code 64171-282727	Model VK/04575/WA/W/W ○ White. 3000K. 6W. 545lm. CRI>80	Box 20pcs
64171-283727	VK/04575/WA/B/W ● Black. 3000K. 6W. 545lm. CRI>80	20pcs



### Details


Material **Aluminium & iron**  
Lighting source **CREE COB**  
Led driver **EAGLERISE 6W500mA**,  
Driver output **2.8-12V**  
Voltage **AC220-240V**  
Location **Wall recessed**

Color led **3000K**  
Beam angle **25°**  
Working temperature **-20°C - 50°C**  
Lifetime **50.000hrs**  
Dimmable **No**  
Guarantee **3 Years**

### Cut hole



IP20



# Aira




VK/04573/WA/W



## VK/04573/WA

Code	Model	Box
64171-278727	VK/04573/WA/W/W ○ <b>White.</b> 3000K. 6W. 545lm. CRI>80	20pcs
64171-279727	VK/04573/WA/B/W ● <b>Black.</b> 3000K. 6W. 545lm. CRI>80	20pcs



### Details

Material **Aluminium & iron**  
 Lighting source **CREE COB**  
 Led driver **EAGLERISE 6W500mA,**  
 Driver output **2.8-12V**  
 Voltage **AC220-240V**  
 Location **Wall**

Color led **3000K**  
 Beam angle **25°**  
 Working temperature **-20°C - 50°C**  
 Lifetime **50.000hrs**  
 Dimmable **No**  
 Guarantee **3 Years**



**IP20**



# Aira



VK/04576/WA/W/W




## VK/04576/WA

Code	Model	Box
64171-284727	VK/04576/WA/W/W ○ White. 3000K. 6W+6W. 767lm. CRI>80	20pcs
64171-285727	VK/04576/WA/B/W ● Black. 3000K. 6W+6W. 767lm. CRI>80	20pcs


### Details

Material **Aluminium & iron & glass**  
 Lighting source **CREE COB + EDISON 0.5x16**  
 Led driver **EAGLERISE 6W500mA + 6W350mA**  
 Driver **output 5-18V**  
 Voltage **AC220-240V**  
 Location **Wall**

Color led **3000K**  
 Beam angle **120° + 25°**  
 Working temperature **-20°C - 50°C**  
 Lifetime **50.000hrs**  
 Dimmable **No**  
 Guarantee **3 Years**



**IP20**



# Reading Lights Led

## Aira



VK/04574/WA/B/W


### VK/04574/WA

Code 64171-280727	Model VK/04574/WA/W/W ○ White. 3000K. 6W. 545lm. CRI>80	Box 20pcs
64171-281727	VK/04574/WA/B/W ● Black. 3000K. 6W. 545lm. CRI>80	20pcs

#### Details


Material **Aluminium & iron**  
Lighting source **CREE COB**  
Led driver **EAGLERISE 6W500mA**,  
Driver output **2.8-12V**  
Voltage **AC220-240V**  
Location **Wall**

Color led **3000K**  
Beam angle **25°**  
Working temperature **-20°C - 50°C**  
Lifetime **50.000hrs**  
Dimmable **No**  
Guarantee **3 Years**



**IP20**





# Reading Lights Led

## Owl



VK/04236/W/W

### VK/04236

Code  
64174-944724


Model  
**VK/04236/W/W**  
○ White. 3000K. 78lm. 7W.

Box  
3pcs

#### Details

AC 220-240V Driver (Included).  
CRI>82.  
Type of Led SMD 5730.  
Working temperature -20°C → 30°C.

Lifetime 50.000hrs.  
Clicks 30.000.  
Material Aluminium.  
Guarantee 2 years.





# Reading Lights Led

## Jak



VK/04233/B/W


### VK/04233

Code <b>64171-270727</b>	Model <b>VK/04233/W/W</b> ○ <b>White.</b> 3200K. 480lm. 3W & 6W.	Box <b>10pcs</b>
<b>64171-271727</b>	<b>VK/04233/B/W</b> ● <b>Black.</b> 3200K. 480lm. 3W & 6W.	<b>10pcs</b>

#### Details

Voltage **220-240V.**  
CRI>**70.**  
Type of LED **SMD Samsung 3535/ Edison 2835.**  
Beam angle **25°.**

**No dimmable.**  
Lifetime **30.000hrs.**  
Working temperature **-20°C → 45°C.**  
Material **Aluminium, iron, acrylic.**  
Guarantee **2 years.**





# Reading Lights Led

## Jak



VK/04229/B/W


### VK/04229 with USB


Code	Model	Box
64171-258727	<b>VK/04229/W/W</b> ○ White. 3200K. 480lm. 3W & 6W.	12pcs
64171-259727	<b>VK/04229/B/W</b> ● Black. 3200K. 480lm. 3W & 6W.	12pcs

#### Details

Voltage **220-240V**.  
CRI>**70**.  
Type of LED **SMD Samsung 3535/ Edison 2835**.  
Beam angle **25°**.  
**No dimmable**.

Lifetime **30.000hrs**.  
Working temperature **-20°C → 45°C**.  
Material **Aluminium, iron, acrylic**.  
**USB charger**.  
Guarantee **2 years**.





# Reading Lights Led

## Jak



VK/04110/B/W  
(With switch)





VK/04110NS/W/W  
(No switch)

### VK/04110 (With Switch)

### VK/04110NS (No Switch)

Code	Model	Box
64171-053126	VK/04110/W/W ○ White. 3000K. 100lm. 3W. With Switch	50pcs
64171-054126	VK/04110/B/W ● Black. 3000K. 100lm. 3W. With Switch	50pcs
64171-073126	VK/04110NS/W/W ○ White. 3000K. 100lm. 3W. NO switch.	50pcs
64171-072126	VK/04110NS/B/W ● Black. 3000K. 100lm. 3W. NO switch.	50pcs




#### Details

AC 100-240V Driver (Included).  
CRI>80.  
Beam Angle 25°.  
Type of Led CREE.  
Working temperature -20°C→ 45°C.

Lifetime 50.000hrs.  
Clicks 50.000.  
Material Aluminium, spiral.  
Guarantee 2 years.







# Reading Lights Led

## Olo



VK/04231/W/W/40/L







VK/04231/W/W/40/R

### LEFT

### RIGHT

#### VK/04231/40/L VK/04231/40/R

Code	Model	Box
64171-264727	VK/04231/W/W/40/L ○ White. 3200K. 690lm. 3W & 2x6W.	20pcs
64171-265727	VK/04231/B/W/40/L ● Black. 3200K. 690lm. 3W & 2x6W.	20pcs
64171-276727	VK/04231/W/W/40/R ○ White. 3200K. 690lm. 3W & 2x6W.	20pcs
64171-277727	VK/04231/B/W/40/R ● Black. 3200K. 690lm. 3W & 2x6W.	20pcs



#### Details

Voltage 220-240V.  
CRI>70.  
Type of LED SMD Samsung 3535/Edison 2835. Beam angle 25°.  
No dimmable.

Lifetime 30.000hrs.  
Working temperature -20°C→ 45°C.  
Material Aluminium, iron, acrylic.  
Guarantee 2 years.





# Reading Lights Led

## Olo



VK/04230/B/W/30/L




VK/04230/B/W/60/L

### LEFT

#### VK/04230/30/L

#### VK/04230/60/L


Code	Model	Box
64171-260727	VK/04230/W/W/30/L ○ White. 3200K. 480lm. 3W & 6W.	20pcs
64171-261727	VK/04230/B/W/30/L ● Black. 3200K. 480lm. 3W & 6W.	20pcs
64171-262727	VK/04230/W/W/60/L ○ White. 3200K. 690lm. 3W & 12W.	20pcs
64171-263727	VK/04230/B/W/60/L ● Black. 3200K. 690lm. 3W & 12W.	20pcs



#### Details

Voltage 220-240V.  
CRI>70.  
Type of LED SMD Samsung 3535/  
Edison 2835.  
Beam angle 25°.

**No dimmable.**  
Lifetime **30.000hrs.**  
Working temperature -20°C→ 45°C.  
Material **Aluminium, iron, acrylic.**  
Guarantee **2 years.**



IP20

# Olo



VK/04230/B/W/30/R





VK/04230/B/W/60/R

## RIGHT

### VK/04230/30/R

### VK/04230/60/R

Code	Model	Box
64171-272727	VK/04230/W/W/30/R ○ White. 3200K. 480lm. 3W & 6W.	20pcs
64171-273727	VK/04230/B/W/30/R ● Black. 3200K. 480lm. 3W & 6W.	20pcs
64171-274727	VK/04230/W/W/60/R ○ White. 3200K. 690lm. 3W & 12W.	20pcs
64171-275727	VK/04230/B/W/60/R ● Black. 3200K. 690lm. 3W & 12W.	20pcs



# Reading Lights Led


## Archie



VK/04178/WA/AN

### VK/04178

Code	Model	Box
64174-021126	<b>VK/04178/WA/W/W</b> ○ White. 3000K. 120lm. 2W.	10pcs
64174-022126	<b>VK/04178/WA/W/C</b> ○ White. 4000K. 120lm. 2W.	10pcs
64174-023126	<b>VK/04178/WA/AN/W</b> ● Anthracite. 3000K. 120lm. 2W.	10pcs
64174-024126	<b>VK/04178/WA/AN/C</b> ● Anthracite. 4000K. 120lm. 2W.	10pcs



### Details

AC 100-265V Driver (Included).  
CRI>80.  
Beam Angle 24°.  
Type of Led CREE High power.

Working temperature -20°C → 40°C.  
Lifetime 50.000hrs.  
Material Aluminium.  
Guarantee 2 years.




# Ellis



VK/04155/WA/W

## VK/04155

Code	Model	Box
64171-064126	VK/04155/WA/B/W ● Black matt. 3000K. 110lm. 3W.	36pcs
64171-065126	VK/04155/WA/W/W ○ White. 3000K. 110lm. 3W.	36pcs



### Details

AC 100-265V Driver (Included).  
CRI>80.  
Beam Angle 30°.  
Type of Led CREE.

Working temperature -20°C→ 40°C.  
Lifetime 50.000hrs.  
Material Aluminium.  
Guarantee 2 years.



# Reading Lights Led

## Milo



VK/04177/WA/B/W



VK/04175/WA/B/W

with USB

### VK/04177


### VK/04175

Code	Model	Box
64171-071126	<b>VK/04177/WA/B/W</b> ● Black matt. 3000K. 175lm. 3W.	10pcs
64171-070126	<b>VK/04177/WA/W/W</b> ○ White. 3000K. 175lm. 3W.	10pcs
64171-067126	<b>VK/04175/WA/B/W</b> ● Black matt. 3000K. 110lm. 3W.	10pcs
64171-066126	<b>VK/04175/WA/W/W</b> ○ White. 3000K. 110lm. 3W.	10pcs

### Details

AC 100-265V Driver (Included).  
CRI>80. Beam Angle 30°.  
Type of Led 3535.  
Working temperature -20°C → 40°C.

Lifetime 30.000hrs.  
Material Aluminium.  
USB charger.  
Guarantee 3 years.



IP20



# Milo



VK/04154/WA/W/W

## VK/04154

Code  
64171-062126

Model  
VK/04154/WA/B/W  
● Black matt. 3000K. 110lm. 3W.

Box  
40pcs



64171-063126

VK/04154/WA/W/W  
○ White. 3000K. 110lm. 3W.

40pcs

Cut hole  
5x16cm


3cm



### Details

AC 100-265V Driver (Included).  
CRI>80.  
Beam Angle 30°.  
Type of Led 3535.

Working temperature -20°C → 40°C.  
Lifetime 30.000hrs.  
Material Aluminium.  
Guarantee 3 years.



IP20



# Reading Lights Led

## Obo



VK/04151/WA/W/W



VK/04153/WA/B/W





### VK/04151

### VK/04153

Code	Model	Box
64171-055126	<b>VK/04151/WA/B/W</b> ● Black matt. 3000K. 110lm. 3W.	24pcs
64171-056126	<b>VK/04151/WA/W/W</b> ○ White. 3000K. 110lm. 3W.	24pcs
64171-060126	<b>VK/04153/WA/B/W</b> ● Black matt. 3000K. 110lm. 3W.	40pcs
64171-061126	<b>VK/04153/WA/W/W</b> ○ White. 3000K. 110lm. 3W.	40pcs

Cut hole  
12x4cm



#### Details

AC 100-265V Driver (Included).  
CRI>80.  
Beam Angle 30°.  
Type of Led 3535.

Working temperature -20°C→ 40°C.  
Lifetime 30.000hrs.  
Material Aluminium.  
Guarantee 3 years.




# Obo



VK/04152/WA/BS/W

## VK/04152

Code	Model	Box
64171-057126	VK/04152/WA/B/W ● Black matt. 3000K. 110lm. 3W.	40pcs
64171-058126	VK/04152/WA/BS/W ● Brushed brass. 3000K. 110lm. 3W.	40pcs
64171-059126	VK/04152/WA/W/W ○ White. 3000K. 110lm. 3W.	40pcs



### Details

AC 100-265V Driver (Included).  
CRI>80.  
Beam Angle 30°.  
Type of Led CREE.

Working temperature -20°C→ 40°C.  
Lifetime 50.000hrs.  
Material Aluminium.  
Guarantee 2 years.



# Reading Lights Led

## Obo




VK/04176/WA/W/W

with USB

### VK/04176

Code	Model	Box
64171-069126	<b>VK/04176/WA/B/W</b> ● <b>Black matt.</b> 3000K. 110lm. 3W.	<b>10pcs</b>
64171-068126	<b>VK/04176/WA/W/W</b> ○ <b>White.</b> 3000K. 110lm. 3W.	<b>10pcs</b>



#### Details

AC 100-265V Driver (Included).  
CRI>80. Beam Angle 30°.  
Type of Led CREE.  
Working temperature -20°C→ 40°C.

Lifetime 50.000hrs.  
Material Aluminium.  
USB charger.  
Guarantee 2 years.



IP20

# Theo



VK/04232/B/W


with USB

**VK/04232**

Code	Model	Box
64171-268727	<b>VK/04232/W/W</b> ○ White. 3200K. 205lm. 3W.	20pcs
64171-269727	<b>VK/04232/B/W</b> ● Black. 3200K. 205lm. 3W.	20pcs

Details

AC 220-240V Driver (Included). CRI>70. Beam Angle 25°. Type of Led SMD 3535.	Working temperature -20°C→ 45°C. Lifetime 30.000hrs. Material Aluminium, iron. USB charger. Guarantee 2 years.
---	---



# Night lights Led


## Square



VK/04224/W

### VK/04224


Code <b>75169-042721</b>	Model <b>VK/04224/W/W</b> ○ White matt. 3000K. 40lm. 3W.	Box <b>50pcs</b>
<b>75169-044721</b>	<b>VK/04224/W/C</b> ○ White matt. 4000K. 40lm. 3W.	<b>50pcs</b>



### Details

AC Driver **100-240V (Included)**.  
CRI>**80**.  
Beam Angle **Diffuser light**.  
Type of Led **CREE XPE**.

Lifetime **50.000hrs**.  
Working temperature < **45°C**.  
Material **Aluminium**.  
Guarantee **3 years**.



# Round




VK/04225/W

**VK/04225**

Code  
75169-043721

Model  
**VK/04225/W/W**  
○ White matt. 3000K. 110lm. 1W. CRI>80

Box  
50pcs




Details

AC 100-240V Driver (Included).  
Type of Led Edison.  
Lifetime 50.000hrs.  
Clicks 20.000.

Working temperature < 45°C.  
Material Aluminium.  
Guarantee 3 years.



IP20




# Sign Lights Led


## Sino

### VK/04245, VK/04244, VK/04246


Code	Model	Color	Kelvin	Lumen	Watt	Degrees	CRI	Box
64174-029126	VK/04245/MC/W	● Matt Nickel	3000K	300lm	2W	120°	CRI>70	30pcs
64174-028126	VK/04245/MC/D	● Matt Nickel	6000K	300lm	2W	120°	CRI>70	30pcs
64174-032126	VK/04245/MC/BL	● Matt Nickel	Blue	300lm	2W	120°	CRI>70	30pcs
64174-027126	VK/04244/MC/W	● Matt Nickel	3000K	300lm	2W	120°	CRI>70	30pcs
64174-026126	VK/04244/MC/D	● Matt Nickel	6000K	300lm	2W	120°	CRI>70	30pcs
64174-033126	VK/04244/MC/BL	● Matt Nickel	Blue	300lm	2W	120°	CRI>70	30pcs
64174-031126	VK/04246/MC/W	● Matt Nickel	3000K	300lm	2W	120°	CRI>70	30pcs
64174-030126	VK/04246/MC/D	● Matt Nickel	6000K	300lm	2W	120°	CRI>70	30pcs
64174-034126	VK/04246/MC/BL	● Matt Nickel	Blue	300lm	2W	120°	CRI>70	30pcs



VK/04245



VK/04244



VK/04246

#### Details

Voltage **230V**.  
 Type of LED **SMD 5730**.  
 CRI**>70**.  
 Beam angle **120°**.  
**No dimmable**.

Lifetime **30.000hrs**.  
 Working temperature **-20°C → 45°C**.  
 Material **Acrylic, iron base**.  
 Guarantee **2 years**.



IP20





# Reading Lights

## Hat



VK/04034/MC/B


### VK/04034

Code	Model	Box
64171-029171	<b>VK/04034/MC/W</b> ○ <b>White shade.</b> Nickel. E27. Max. 20W (LED).	<b>10pcs</b>
64171-028171	<b>VK/04034/MC/B</b> ● <b>Black shade.</b> Nickel. E27. Max. 20W (LED).	<b>10pcs</b>

#### Details

Voltage **240V.**  
Lampholder **E27.**  
Led light **1W.**

Working temperature **-20°C → 45°C.**  
Material **Aluminium, metal,**  
**TC shade (included).**



# Hat



VK/04032/MC/B





VK/04033/MC/W

## VK/04032

## VK/04033

Code	Model	Box
64171-025171	VK/04032/MC/W ○ White shade. Nickel. E14. Max. 9W (LED).	10pcs
64171-024171	VK/04032/MC/B ● Black shade. Nickel. E14. Max. 9W (LED).	10pcs
64171-027171	VK/04033/MC/W ○ White shade. Nickel mat. E14. Max. 9W (LED).	10pcs
64171-026171	VK/04033/MC/B ● Black shade. Nickel mat. E14. Max. 9W (LED).	10pcs



### Details

Voltage 240V.  
Lampholder E14.  
Led light 1W.  
Working temperature -20°C → 45°C.

Material Aluminium, metal,  
TC shade (included).  
IP Rating IP20.



# Wall Lights


## Wally



VK/03312/WA/MCW

### VK/03312/WA

Code	Model	Box
75169-292108	VK/03312/WA/MCB ●● Metal/Black. E27. Max. 20W (LED).	10pcs
75169-293108	VK/03312/WA/MCW ●○ Metal/White. E27. Max. 20W (LED).	10pcs
75169-294108	VK/03312/WA/WW ○ White. E27. Max. 20W (LED).	10pcs
75169-295108	VK/03312/WA/BB ● Black. E27. Max. 20W (LED).	10pcs



#### Details

Material **iron+cotton shade**  
Location **Wall**  
Input voltage **220-240V**

Lampholder **E27**  
**With switch**






## Adair



VK/04023/BS

### VK/04023

Code	Model	Box
64171-011171	<b>VK/04023/C</b> ● <b>Chrome.</b> 50lm. 1W.	10pcs
64171-021171	<b>VK/04023/MC</b> ● <b>Brushed Chrome.</b> 50lm. 1W.	10pcs
64171-022171	<b>VK/04023/BS</b> ● <b>Brass.</b> 50lm. 1W.	10pcs



#### Details

AC 240V Driver **(Included)**.  
CRI>**80**.  
Beam Angle **25°**.  
Type of Led **CREE**.

Working temperature **-20°C → 45°C**.  
Lifetime **50.000hrs**.  
Material **Aluminium**.  
Guarantee **2 years**.



**IP20**



VK/04031/SPIRAL/H5

**VK/04031/SPIRAL**

Code 64171-024126	Model VK/04031/SPIRAL/H5 ● Chrome.	Box 10pcs
----------------------	--	--------------

Details

Spiral 30x0.8cm. Head 5cm.



VK/04031/CREE

**VK/04031/CREE**

Code 64171-026126	Model VK/04031/CREE 1W.	Box 10pcs
----------------------	-------------------------------	--------------

Details

Led CREE. Watt 1W.



VK/04031/LENS

**VK/04031/LENS**

Code 64171-027126	Model VK/04031/LENS	Box 10pcs
----------------------	------------------------	--------------

Details

Lens.



VK/04031/DRIVER

1.8cm | 1.8cm  
1.8cm | 3.6cm

**VK/04031/DRIVER**

Code 64171-028126	Model VK/04031/DRIVER 300mA. 1W. DC300mA. L3.6xW1.8xH1.8cm	Box 10pcs
----------------------	---	--------------

Details

Voltage 100-240V. Watt 1W. Material Plastic.  
Guarantee 2 years.




**IP20**


# Reading Lights Led Accessories



VK/SW1/1



VK/SW1/2



## VK/SW1/1

Code  
64171-031126

Model  
VK/SW1/1  
Switch On-Off.

Box  
10pcs

Details

Material **Metal**. Guarantee **3 years**.

**IP20**

## VK/SW1/2

Code  
64171-032126

Model  
VK/SW1/2  
Switch On-Off-On.

Box  
10pcs


Details

Material **Metal**. Guarantee **3 years**.

**IP20**



VK/SW2/1



## VK/SW2/1

Code  
64171-033126

Model  
VK/SW2/1  
Switch On-Off.

Box  
10pcs


Details

Material **Plastic**. Guarantee **3 years**.

**IP20**









**Step Lights Led**

# Step Lights Led

## Fune



+



VK/04571/BASE/W


VK/04571/FRAME/CH

### VK/04571/BASE/W

Code  
75169-246115

Model  
VK/04571/BASE/W  
3000K. 1.5W. 80lm. CRI>80

Box  
50pcs



8.6cm

Cut hole



### VK/04571/FRAME

Code  
75169-247115

Model  
VK/04571/FRAME/W  
○ White. Led Light Frame

Box  
250pcs

75169-248115

VK/04571/FRAME/B  
● Black. Led Light Frame

250pcs

75169-249115



VK/04571/FRAME/CG  
● Champagne gold. Led Light Frame

250pcs

75169-250115

VK/04571/FRAME/CH  
● Nickel Led Light Frame

250pcs



8.6cm

White



Black



Champagne gold



### Details

Material **Steel+PC+Plastic**  
Type of Led **SMD**  
Lighting source **3535**  
Voltage **AC220-240V**  
Location **Recessed Wall**

Beam angle **10°**  
Working temperature **≤35°C**  
Lifetime **20.000hrs**  
Guarantee **2 years**



installation box

IP20



# Step Lights Led


## Fune



VK/04584/B/W

### VK/04584


Code	Model	Box
75169-255115	VK/04584/W/W ○ White. 3000K. 1W. 90lm. CRI>80	100pcs
75169-254115	VK/04584/B/W ● Black. 3000K. 1W. 90lm. CRI>80	100pcs
75169-256115	VK/04584/AN/W ● Anthracite. 3000K. 1W. 90lm. CRI>80	100pcs



#### Details

Material **Aluminium**  
Type of Led **SMD**  
Lighting source **3535**  
Voltage **AC220-240V**  
Location **Recessed Wall**


Beam angle **40°**  
Working temperature **≤35°C**  
Lifetime **20.000hrs**  
Guarantee **2 years**





# Step Lights Led

## Fune




VK/04585/AN/W

VK/02249/S/W

### VK/04585

### VK/02249

Code	Model	Box
75169-258115	VK/04585/W/W ○ White. 3000K. 1W. 90lm. CRI>80. IP20	100pcs
75169-257115	VK/04585/B/W ● Black. 3000K. 1W. 90lm. CRI>80. IP20	100pcs
75169-259115	VK/04585/AN/W ● Anthracite. 3000K. 1W. 90lm. CRI>80. IP20	100pcs
75169-260115	VK/02249/S/W ○ White. 3000K. 1W. 88lm. CRI>80. IP67	100pcs
75169-261115	VK/02249/B/W ● Black. 3000K. 1W. 88lm. CRI>80. IP67	100pcs




#### Details

Material **Aluminium**  
 Type of Led **SMD**  
 Lighting source **3535**  
 Voltage **AC220-240V**  
 Location **Recessed Wall**


Beam angle **40°**  
 Working temperature **≤35°C**  
 Lifetime **20.000hrs**  
 Guarantee **2 years**













## Wall Decorative Lights

# Wall Decorative Lights Led

## Noa



VK/04458



Dimmable

### VK/04458

Code  
75169-123721


Model  
**VK/04458/WA/B/W**  
● Black sand. 3000K. 6W. 258lm. CRI>85

Box  
1pc

#### Details

Input current **0.0340mA**.  
Input Voltage **DC218.9V**.  
Type of Led **COB with driver**.  
Input AC 220-240V 50/60Hz  
Output **DC20V 0.075mA**.  
Angle **95°**.  
Rotation Angle **350°**.

**Dimmable.**  
Lifetime **50.000 hrs**.  
Clicks **10.000 clicks**.  
Working temperature **< 75°C**.  
Material **Metal**.  
Guarantee **2 years**.



Detail of the LED shade and the signature junction



# Wall led lights

## Oscar




VK/04455/WA/B/W/60


### VK/04455/WA/.../60


Code	Model	Box
75169-100721	<b>VK/04455/WA/B/W/60</b> ● Black sand. 3000K. 5W. 716lm. CRI>90. 60cm	12pcs
75169-101721	<b>VK/04455/WA/B/C/60</b> ● Black sand. 4000K. 5W. 865lm. CRI>90. 60cm	12pcs
75169-102721	<b>VK/04455/WA/W/W/60</b> ○ White sand. 3000K. 5W. 716lm. CRI>90. 60cm	12pcs
75169-103721	<b>VK/04455/WA/W/C/60</b> ○ White sand. 4000K. 5W. 865lm. CRI>90. 60cm	12pcs

#### Details

**5W:** Input current **600mA**.  
Input Voltage **DC9V**.  
Type of Led  **SMD with driver**.  
Driver input **AC200-240V 50/60Hz**  
output **DC 6-10V 600mA**.  
Angle **110°**.  
Rotation angle **350°**.

**No Dimmable.**  
Lifetime **20.000 hrs**.  
Working temperature **-20°C~45°C**.  
Material **Aluminium**.  
Installation **Surface-Mounted**.  
Guarantee **3 years**.






**VK/04455/WA/.../90**

Code	Model	Box
75169-104721	VK/04455/WA/B/W/90 ● Black sand. 3000K. 8W. 1208lm. CRI>90. 90cm	8pcs
75169-105721	VK/04455/WA/B/C/90 ● Black sand. 4000K. 8W. 1163lm. CRI>90. 90cm	8pcs
75169-106721	VK/04455/WA/W/W/90 ○ White sand. 3000K. 8W. 1208lm. CRI>90. 90cm	8pcs
75169-107721	VK/04455/WA/W/C/90 ○ White sand. 4000K. 8W. 1163lm. CRI>90. 90cm	8pcs

Details

8W: Input current 700mA.  
 Input Voltage DC12V.  
 Type of Led ~~bridgeled~~ SMD with driver.  
 Driver input AC200-240V 50/60Hz  
 output DC 5-12V 700mA.  
 Angle 110°.  
 Rotation angle 350°.




**IP20**

# Wall Decorative Lights

## Liv



VK/04386/WA/B



### VK/04386/WA/B

Code  
75169-009741

Model  
VK/04386/WA/B  
● Black. E27. Max 20W (LED).

Box  
1pc

#### Details

Wall Light 220-240V.  
Working temperature -20°C → 45°C.  
Material **Matt Black painting metal lamp body,**

**black fabric KD shade,**  
**black textile cable.**  
Guarantee 2 years.







# Wall Decorative Lights

## Eino

---



VK/03174/WA/B

---

### VK/03174/WA

Code  
75169-486730

Model  
VK/03174/WA/B  
● Black. E27. Max 20W (LED).


Box  
1pc

---

#### Details

Voltage 240V.  
E27.

Material **Metal, glass.**  
Guarantee **2 years.**





# Wall/Ceiling Decorative Lights

## Apro

---



VK/03330/WA/NW

---

### VK/03330/WA

Code  
64174-016775


Model  
VK/03330/WA/NW  
● Natural wood. GU10. Max. 12W. (LED)

Box  
1pc

#### Details

Material **Oak wood & fabric cord**  
Location **Wall**

Input voltage **AC220-240V**  
Lampholder **GU10**



Natural wood



**IP20**



# Wall/Ceiling Decorative Lights

## Game



VK/03296/CE/W  
With ON/OFF switch







VK/03295/CE/B  
Without switch

### VK/03296/CE With ON/OFF switch

### VK/03295/CE Without switch

Code 64174-964121	Model VK/03296/CE/W ○ White. GU10. Max. 12W. (LED)	Box 1pc
64174-965121	VK/03296/CE/B ● Black. GU10. Max. 12W. (LED)	1pc
64174-958121	VK/03295/CE/W ○ White. GU10. Max. 12W. (LED)	1pc
64174-959121	VK/03295/CE/B ● Black. GU10. Max. 12W. (LED)	1pc



#### Details

Material **Pure aluminium**  
Input voltage **230V**

Location **Ceiling**  
Lampholder **GU10**



# Game




VK/03295/CE/2/W



VK/03295/CE/3/B

**VK/03295/CE/2**  
**VK/03295/CE/3**

Code 64174-960121	Model VK/03295/CE/2/W ○ White. 2xGU10. Max. 2x12W. (LED)
64174-961121	VK/03295/CE/2/B ● Black. 2xGU10. Max. 2x12W. (LED)
64174-962121	VK/03295/CE/3/W ○ White. 3xGU10. Max. 3x12W. (LED)
64174-963121	VK/03295/CE/3/B ● Black. 3xGU10. Max. 3x12W. (LED)



Details

Material Pure aluminium  
Input voltage 230V

Location Ceiling  
Lampholder 2xGU10

# Wall/Ceiling Decorative Lights

## Game





VK/03297/CE/BGD



VK/03297/CE/2/BGD

### VK/03297/CE/BGD VK/03297/CE/2/BGD

Code 64174-966121	Model VK/03297/CE/BGD ● ● Black-Gold. GU10. Max. 12W. (LED)	Box 1pc
64174-967121	VK/03297/CE/2/BGD ● ● Black-Gold. 2xGU10. Max. 2x12W. (LED)	1pc



#### Details

Material **Pure aluminium**  
Input voltage **230V**

Location **Ceiling**  
Lampholder **GU10/ 2xGU10**



**IP20**



# Game





VK/03297/CE/3/BGD

## VK/03297/CE/3/BGD

Code  
64174-968121

Model  
VK/03297/CE/3/BGD  
● **Black-Gold.** 3xGU10. Max. 3x12W. (LED)

Box  
1pc



### Details

Material **Pure aluminium**  
Input voltage **230V**

Location **Ceiling**  
Lampholder **2xGU10**

  **IP20**

# Wall/Ceiling Decorative Lights



## Trina



VK/03078CE/W



VK/03078CE/2/B



### VK/03078CE

Code	Model	Box
64174-001108	VK/03078CE/W ○ White sanded. GU10. Max. 12W. (LED)	36pcs
64174-002108	VK/03078CE/B ● Black sanded. GU10. Max. 12W. (LED)	36pcs

#### Details

Voltage **240V**.  
GU10/Par16.  
Guarantee **2 years**.

Working temperature **-20°C ~ 40°C**.  
Material **Aluminium, metal**.



### VK/03078CE/2

Code	Model	Box
64174-003108	VK/03078CE/2/W ○ White sanded. GU10x2. Max 2x12W. (LED)	18pcs
64174-004108	VK/03078CE/2/B ● Black sanded. GU10x2. Max 2x12W. (LED)	18pcs

#### Details

Voltage **240V**.  
GU10/Par16.  
Guarantee **2 years**.


Working temperature **-20°C ~ 40°C**.  
Material **Aluminium, metal**.



# Trina



VK/03078CE/3/W



## VK/03078CE/3

Code	Model	Box
64174-005108	VK/03078CE/3/W ○ White sanded. GU10x3. Max 3x12W. (LED)	15pcs
64174-006108	VK/03078CE/3/B ● Black sanded. GU10x3. Max 3x12W. (LED)	15pcs

### Details

Voltage **240V**.  
GU10/Par16.  
Guarantee **2 years**.

Working temperature **-20°C ~ 40°C**.  
Material **Aluminium, metal**.



**IP20**

# Wall/Ceiling Decorative Lights



## Aina



VK/03106CE/COP



VK/03106CE/2/B



### VK/03106CE

Code	Model	Box
64174-029108	VK/03106CE/COP ● Copper+Black. GU10. Max. 12W. (LED)	24pcs
64174-030108	VK/03106CE/B ● Black. GU10. Max. 12W. (LED)	24pcs

#### Details

Voltage **240V**.  
GU10/Par16.

Working temperature **-20°C ~ 40°C**.  
Material **Aluminium, iron**.



### VK/03106CE/2

Code	Model	Box
64174-031108	VK/03106CE/2/COP ● Copper+Black. GU10x2. Max 2x12W. (LED)	12pcs
64174-032108	VK/03106CE/2/B ● Black. GU10x2. Max 2x12W. (LED)	12pcs

#### Details

Voltage **240V**.  
GU10/Par16.

Working temperature **-20°C ~ 40°C**.  
Material **Aluminium, iron**.





# Wall Decorative Lights

## Inga




VK/03096WA/B

### VK/03096WA

Code  
64174-015108

Model  
VK/03096WA/B  
● Black sanded. GU10. Max. 12W. (LED)

Box  
8pcs



#### Details

Voltage 240V.  
Working temperature -20°C → 45°C.

Material Aluminium.  
IP Rating IP20. Guarantee 2 years.



# Gro




VK/03161/WA/B

## VK/03161/WA

Code  
71164-014724

Model  
**VK/03161/WA/B**  
● Black. E27. Max. 20W. (LED)

Box  
1pc



### Details

Voltage 240V.  
E27.

Material Metal.  
Guarantee 2 years.

  IP20

# Wall Decorative Lights

## Hana

---



VK/03310/WA/W



VK/03310/WA/B

### Updown

---

#### **VK/03310/WA**

Code  
75169-288108


Model  
VK/03310/WA/W  
○ Sanded white. GU10x2. Max. 2x12W. (LED)

Box  
20pcs

75169-289108

VK/03310/WA/B  
● Sanded black. GU10x2. Max. 2x12W. (LED)

20pcs



#### Details

Material **aluminium**  
Location **Wall**  
Input voltage **230V**

Lampholder **2xGU10**  
Guarantee **2 years**.







# Wall Decorative Lights

## Hana

---



VK/03311/WA/W



VK/03311/WA/B

### Updown

---

#### VK/03311/WA

Code  
75169-290108


Model  
VK/03311/WA/W  
○ Sanded white. GU10x2. Max. 2x12W. (LED)

Box  
20pcs

75169-291108

VK/03311/WA/B  
● Sanded black. GU10x2. Max. 2x12W. (LED)

20pcs




#### Details

Material **aluminium**  
Location **Wall**  
Input voltage **230V**

Lampholder **2xGU10**  
Guarantee **2 years.**





# Wall Decorative Lights

## Mia

---



VK/03077WA/AL



VK/03077WA/COP

### Updown

---

#### VK/03077WA

Code  
75169-225108


Model  
VK/03077WA/AL  
● Aluminium+Frosted glass. G9. Max 8W. (LED)

Box  
20pcs

75169-226108

VK/03077WA/COP  
● Copper+Frosted glass. G9. Max 8W. (LED)

20pcs



#### Details

Voltage 220-240V.  
G9.

Material Aluminium.  
Guarantee 2 years.





# Wall Decorative Lights

## Ase

---



VK/03072WA/BGD

Updown


---

### **VK/03072WA**

Code  
75169-220108

Model  
**VK/03072WA/BGD**  
● **Black+Gold sanded.** G9. Max 8W. (LED)

Box  
20pcs



Details

Voltage 220-240V.  
G9.

Material **Aluminium.**





# Wall Decorative Lights

## Kub

---



VK/03073WA/BGD

Updown


---

### VK/03073WA

Code  
75169-221108

Model  
VK/03073WA/BGD  
● Black+Gold sanded. G9. Max 8W. (LED)

Box  
20pcs



Details

Voltage 220-240V.  
G9.

Material Aluminium.







# Wall Decorative Lights

## Frey

---



VK/03074WA/BGD

Updown


---

### **VK/03074WA**

Code  
75169-222108

Model  
**VK/03074WA/BGD**  
● Black+Gold sanded. G9. Max 8W. (LED)

Box  
20pcs



Details

Voltage 220-240V.  
G9.

Material **Aluminium.**





# Wall Decorative Lights

## Slot

---



VK/03075WA/BGD

Updown

---

### **VK/03075WA**

Code  
75169-223108


Model  
VK/03075WA/BGD  
● Black+Gold sanded. G9. Max 8W. (LED)

Box  
20pcs

Details

Voltage 220-240V.  
G9.

Material Aluminium.





# Wall Decorative Lights

## Nor

---



VK/03076WA/BGD

Updown

---

### VK/03076WA

Code  
75169-224108


Model  
VK/03076WA/BGD  
● Black+Gold sanded. G9. Max 8W. (LED)

Box  
20pcs

Details

Voltage 220-240V.  
G9.

Material Aluminium.





# Wall Decorative Lights

## Olia

---



VK/03128WA/BGD



VK/03127WA/BGD

Updown

---


### VK/03128WA

### VK/03127WA

Code  
75169-276108

Model  
VK/03128WA/BGD  
● Black+Gold. G9. Max 8W. (LED)


Box  
20pcs



75169-275108

VK/03127WA/BGD  
● Black+Gold. G9. Max 8W. (LED)

20pcs



Details

Voltage 220-240V.  
G9.

Material Aluminium.







# Wall Decorative Lights

## Lynea



VK/04223/W/15



VK/04223/W/25






VK/04223/W/35

### VK/04223/W/15

### VK/04223/W/25

### VK/04223/.../35

Code	Model	Box
75169-039721	VK/04223/W/15/W ○ White sand. 3000K. 305lm. 5W. 15cm	50pcs
75169-040721	VK/04223/W/25/W ○ White sand. 3000K. 493lm. 7W. 25cm	30pcs
75169-041721	VK/04223/W/35/W ○ White sand. 3000K. 1502lm. 10W. 35cm	20pcs
75169-140721	VK/04223/B/35/W ● Black sand. 3000K. 1502lm. 10W. 35cm	20pcs



#### Details

AC 220-240V Driver (Included).  
Beam Angle Diffuse light.  
Type of Led Bridgelux 2835.  
Lifetime 50.000hrs.

Working temperature <45°C.  
Material Aluminium.  
CRI>80  
Guarantee 3 years.





# Wall Decorative Lights

## Ray

---




VK/04133WA/B/W

Updown

---

### VK/04133WA

Code <b>75169-258108</b>	Model <b>VK/04133WA/W/W</b> ○ <b>White sanded.</b> 3000K. 685lm. 6W. CRI>80.	Box <b>10pcs</b>
<b>75169-259108</b>	<b>VK/04133WA/B/W</b> ● <b>Black sanded.</b> 3000K. 685lm. 6W. CRI>80.	<b>10pcs</b>




### Details

AC 220-240V Driver (Included).  
Beam Angle 120°.  
Type of Led **SMD Edison**.  
Lifetime **50.000hrs**.


Working temperature **-20°C → 45°C**.  
Material **Aluminium**.  
Guarantee **2 years**.





# Wall Decorative Lights


## Eli



VK/04180/WA/GD/W

### VK/04180/WA

Code	Model	Box
75169-356695	<b>VK/04180/WA/W/W</b> ○ <b>White.</b> 3000K. 213lm. 2W. CRI>80.	<b>5pcs</b>
75169-357695	<b>VK/04180/WA/B/W</b> ● <b>Black.</b> 3000K. 213lm. 2W. CRI>80.	<b>5pcs</b>
75169-358695	<b>VK/04180/WA/GD/W</b> ● <b>Gold.</b> 3000K. 213lm. 2W. CRI>80.	<b>5pcs</b>



### Details

AC 220-240V Driver **(Included)**.  
Beam Angle **120°**.  
Type of Led **CREE**.  
Lifetime **30.000hrs**.

Working temperature **-20°C → 40°C**.  
Material **Iron**.  
Guarantee **2 years**.





# Wall Decorative Lights

## Thora



VK/03069/WA/BR



VK/03069/2/WA/BR

### VK/03069/WA VK/03069/2/WA

Code  
64171-055697


Model  
**VK/03069/WA/BR**  
● **Brown.** G9. Max 8W. (LED)

Box  
**8pcs**

64171-056697

**VK/03069/2/WA/BR**  
● **Brown.** G9. Max 8W. (LED)

**6pcs**



#### Details

Voltage 230V.  
G9.

Material **Metal, glass.**  
IP Rating **IP20.**

 **IP20**





# Wall Decorative Lights

## Kam

---



VK/04009/AL



VK/04010/AL

### Updown



---

#### VK/04009

#### VK/04010

Code 75169-209108	Model VK/04009/AL ■ Aluminium. 3000K. 180lm (90lmx2). 2W (2x1W).	Box 10pcs
----------------------	--	--------------

75169-204108	VK/04010/AL ■ Aluminium. 3000K. 360lm (90lmx4). 4W (4x1W).	10pcs
--------------	---	-------



#### Details

AC 100-240V Driver (Included).  
Beam Angle 60°.  
Type of Led High Power Led Edison.  
Lifetime 20.000hrs.

Working temperature -20°C → 45°C.  
Material Aluminium.  
CRI>80.  
Guarantee 2 years.



# Kam

---



VK/04008/AL

Updown


---

## VK/04008

Code  
75169-210108

Model  
**VK/04008/AL**  
■ Aluminium. 3000K. 540lm (90lmx6). 6W (6x1W).

Box  
10pcs



Details

AC 100-240V Driver (Included).  
Beam Angle 60°.  
Type of Led High Power Led Edison.  
Lifetime 20.000hrs.

Working temperature -20°C → 45°C.  
Material Aluminium.  
CRI>80.  
Guarantee 2 years.



# Wall Decorative Gypsum Lights

## Frame



VK/09017



VK/09015



VK/09016

### VK/09017


### VK/09015

### VK/09016

Code  
64174-236131

Model  
**VK/09017**  
○ White. 3000K. 5W. 220lm. CRI>80


Box  
**8pcs**



64174-234131

**VK/09015**  
○ White. 3000K. 12W. 598lm. CRI>80


**8pcs**



64174-235131

**VK/09016**  
○ White. 3000K. 17W. 891lm. CRI>80

**5pcs**



#### Details

AC Driver **220-240V (Included)**.  
Beam Angle **Diffuser light**.  
Type of Led **SMD 5050**.  
**No Dimmable**.  
Lifetime **30.000 hrs**.

Working temperature **< 45°C**.  
Material **Gypsum**.  
**Possibility to paint**.  
Guarantee **2 years**.



**IP20**

# Anne

---



VK/09010


---

## VK/09010

Code  
64174-229131

Model  
VK/09010  
○ White. E14. Max 9W. (LED)

Box  
6pcs



---

### Details

Voltage 240V.  
E14.

Material Gypsum.  
Possibility to paint.



# Wall Decorative Gypsum Lights

## Eclipse



VK/09068



VK/09069


### VK/09068

### VK/09069

Code  
64174-298131

Model  
**VK/09068**  
○ White. 3000K. 4W. 206lm. CRI>80


Box  
**16pcs**



64174-299131

**VK/09069**  
○ White. 3000K. 10W. 550lm. CRI>80

**8pcs**



#### Details

AC Driver **220-240V (Included)**.  
Beam Angle **Diffuser light perimeter**.  
Type of Led **SMD Hongli 5050**.  
**No Dimmable**.

Lifetime **30.000 hrs**.  
Working temperature **< 45°C**.  
Material **Gypsum**. Possibility to paint.  
Guarantee **2 years**.



**IP20**



# Wall Decorative Gypsum Lights

## Bod

---



VK/09043



VK/09044

---


### VK/09043

### VK/09044

Code  
64174-262131

Model  
VK/09043  
○ White. G9. Max 8W. (LED)

Box  
18pcs




---

64174-263131

Model  
VK/09044  
○ White. G9. Max 8W. (LED)

24pcs



---

#### Details

Voltage 240V.  
G9.

Material Gypsum.  
Possibility to paint.





# Konta



VK/09018



VK/09019

**VK/09018**

**VK/09019**


Code  
64174-237131

Model  
**VK/09018**  
○ White. GU10. Max 2x12W. (LED)

Box  
9pcs



10  
cm



7.5  
cm

25.5  
cm




64174-238131

Model  
**VK/09019**  
○ White. GU10. Max 2x12W. (LED)

9pcs



10  
cm



7.5  
cm

25.5  
cm



Details

Voltage 240V.  
GU10x2.

Material Gypsum.  
Possibility to paint.



IP20

# Wall Decorative Gypsum Lights

## Kare

---



VK/09013


---

### **VK/09013**

Code  
**64174-232131**

Model  
**VK/09013**  
○ White. E14. Max 9W. (LED)

Box  
**6pcs**



---

#### Details

Voltage **240V.**  
E14.

Material **Gypsum.**  
Possibility to paint.



# Dag

---



VK/09011


---

## **VK/09011**

Code  
**64174-230131**

Model  
**VK/09011**  
○ White. E14. Max 9W. (LED)

Box  
**12pcs**



---

### Details

Voltage **240V.**  
E14.

Material **Gypsum.**  
**Possibility to paint.**



**IP20**



# Wall Decorative Gypsum Lights

## Hol

---



VK/09014

---

### **VK/09014**

Code  
**64174-233131**

Model  
**VK/09014**  
○ **White.** E14. Max 9W (LED).

Box  
**9pcs**


---

#### Details

Voltage **240V.**  
E14.

Material **Gypsum.**  
**Possibility to paint.**

11.5  
cm



24  
cm

11.5cm



**IP20**



# Nele

---



VK/09040



---

## VK/09040

Code  
64174-259131

Model  
VK/09040  
○ White. G9. Max 8W (LED).

Box  
9pcs



Details

Voltage 240V.  
G9.

Material Gypsum.  
Possibility to paint.



IP20

# Wall Decorative Gypsum Lights

## Nest



VK/09026



VK/09027



VK/09028



### VK/09026

### VK/09027



### VK/09028

Code	Model	Box
64174-245131	VK/09026 ○ White. 3000K. 1W. CRI>80	8pcs
64174-339131	VK/09026/MR11 ○ White. GU10/MR11. Max 6W. (LED)	8pcs
64174-246131	VK/09027 ○ White. GU10. Max 12W. (LED)	4pcs
64174-247131	VK/09028 ○ White. GU10. Max 12W. (LED)	3pcs


Cut hole



Cut hole



Cut hole



#### Details

Voltage 240V.  
Material Gypsum.

Possibility to paint.



# Randi



VK/09024



VK/09025


**VK/09024**

**VK/09025**

Code  
64174-243131

Model  
**VK/09024**  
○ White. 3000K. 1W. CRI>80


Box  
12pcs



64174-244131

**VK/09025**  
○ White. 3000K. 1W. CRI>80

8pcs



Details

AC Driver 220-240V (Included).  
Beam Angle Diffuser light.  
Type of Led CREE.  
No Dimmable.  
Lifetime 30.000 hrs.

Working temperature < 45°C.  
Material Gypsum.  
Possibility to paint.  
Guarantee 2 years.



# Wall Decorative Gypsum Lights

## Kopp

---



VK/09012


---

### **VK/09012**

Code  
**64174-231131**

Model  
**VK/09012**  
○ **White**. G9. Max 8W. (LED)

Box  
**6pcs**



#### Details

Voltage **240V**.  
G9.

Material **Gypsum**.  
**Possibility to paint.**





# Lobe

---



VK/09064


---

## **VK/09064**

Code  
**64174-293131**

Model  
**VK/09064**  
○ **White**. 3000K. 7W. 401lm. CRI>80

Box  
**12pcs**



---

### Details

AC Driver **220-240V (Included)**.  
CRI>**80**.  
Beam Angle **Diffuser light**.  
Type of Led **COB**.  
**No Dimmable**.

Lifetime **30.000 hrs**.  
Working temperature < **45°C**.  
Material **Gypsum**.  
**Possibility to paint**.  
Guarantee **2 years**.



# Wall Decorative Gypsum Lights

## Toke

---



VK/09045

---

### VK/09045

Code  
**64174-264131**

Model  
**VK/09045**  
○ **White**. 3000K. 6W. 502lm. CRI>80


Box  
**6pcs**

---

#### Details

AC Driver **220-240V (Included)**.  
Beam Angle **Diffuser light**.  
Type of Led **COB Edison**.  
**No Dimmable**.  
Lifetime **30.000 hrs**.

Working temperature **< 45°C**.  
Material **Gypsum**.  
**Possibility to paint**.  
Guarantee **2 years**.



# Viggo

---



VK/09065


---

## VK/09065

Code  
**64174-294131**

Model  
**VK/09065**  
○ White. 3000K. 5W. CRI>80

Box  
**12pcs**



---

### Details

AC Driver **220-240V (Included)**.  
Beam Angle **Diffuser light**.  
Type of Led **COB**.  
**No Dimmable**.  
Lifetime **30.000 hrs**.

Working temperature < **45°C**.  
Material **Gypsum**.  
**Possibility to paint**.  
Guarantee **2 years**.



# Wall Decorative Gypsum Lights

## Sofo

---



VK/09070



VK/09071

---


### VK/09070

### VK/09071

Code  
64174-300131

Model  
**VK/09070**  
○ White. G9. Max 8W. (LED)


Box  
8pcs



64174-301131

Model  
**VK/09071**  
○ White. E14. Max 9W. (LED)

8pcs



---

#### Details

Voltage 240V.  
Material Gypsum.

Possibility to paint.



# Don



VK/09021



VK/09020

**VK/09021**


**VK/09020**

Code  
64174-240131

Model  
**VK/09021**  
○ White. G9. Max 8W. (LED)

Box  
3pcs

Cut hole




64174-239131

Model  
**VK/09020**  
○ White. E14. Max 9W. (LED)

4pcs

Cut hole



Details

Voltage 240V.  
Material Gypsum.

Possibility to paint.



IP20

# Wall Decorative Gypsum Lights

## Sil



VK/09023



VK/09022

### VK/09023



### VK/09022

Code  
64174-242131

Model  
**VK/09023**  
○ White. 3000K. 1W. CRI>80

Box  
12pcs

Cut hole





64174-241131

Model  
**VK/09022**  
○ White. 3000K. 1W. CRI>80

12pcs

Cut hole



### Details

AC Driver 220-240V (Included).  
Beam Angle Diffuser light.  
Type of Led CREE.  
No Dimmable.  
Lifetime 30.000 hrs.

Working temperature < 45°C.  
Material Gypsum.  
Possibility to paint.  
2 years guarantee.



IP20

## Gate



VK/09042



VK/04227

### VK/09042

### VK/04227

Code <b>64174-261131</b>	Model <b>VK/09042</b> ○ White. 3000K. 1W. 153lm.	Box <b>20pcs</b>
-----------------------------	--	---------------------



#### Details

AC Driver <b>220-240V (Included).</b> Beam Angle <b>Diffuser light.</b> Type of Led <b>CREE. CRI&gt;80</b> <b>No Dimmable.</b> Lifetime <b>30.000 hrs.</b>	Working temperature <b>&lt; 45°C.</b> Material <b>Gypsum.</b> <b>Possibility to paint.</b> 2 years guarantee.
---	--

Code <b>64174-314131</b>	Model <b>VK/04227</b> ○ White. GU10. Max 12W. (LED)	Box <b>4pcs</b>
-----------------------------	---	--------------------

#### Details

Voltage <b>240V.</b> GU10.	Material <b>Gypsum.</b> <b>Possibility to paint.</b>
-------------------------------	---









## Floor & Table Lights

# Floor & Table Lights Led

## Pac



VK/03248/W/W



White



Black



Dusty pink



Sage green



Rusty brown

Portable

### VK/03248

Code  
61171-258694

Model  
**VK/03248/W/W**  
○ White. 3000K. 2.2W. 150lm. CRI>80


Box  
8pcs

ø12cm

61171-259694

**VK/03248/B/W**  
● Black. 3000K. 2.2W. 150lm. CRI>80

8pcs



61171-260694

**VK/03248/P/W**  
● Dusty Pink. 3000K. 2.2W. 150lm. CRI>80

8pcs

61171-261694

**VK/03248/G/W**  
● Sage Green. 3000K. 2.2W. 150lm. CRI>80


8pcs

ø12cm

61171-262694

**VK/03248/RB/W**  
● Rusty Brown. 3000K. 2.2W. 150lm. CRI>80

8pcs



### Details

LED Indoor Portable Light  
2x2200mAh lithium battery.  
Beam angle 115°.  
Location **Indoor table.**  
Charge 6-8 hours.  
Work time 12 hours.

With Open switch.  
Working temperature 0-40°C.  
Material **Aluminium.**  
**The battery can be charged and discharged 300 times.**  
Guarantee 2 years.

### Included



USB type-C



IP20



# Floor & Table Lights

## Una



VK/03313/W



### VK/03313

Code  
61171-293741

Model  
VK/03313/W  
○ **White.** E27. Max. 20W. (LED)

Box  
1pc

61171-294741

VK/03313/B  
● **Black.** E27. Max. 20W. (LED)

1pc

61171-295741

VK/03313/GD  
● **Gold.** E27. Max. 20W. (LED)

1pc


#### Details

Material **Metal**  
Location **Table**  
Input voltage **AC220-240V**

Lampholder **E27**  
Cable length **1600mm**  
Guarantee **2 years**



**IP20**



VK/03313/B




VK/03313/GD



# Floor & Table Lights

## Dia




### VK/04385/B

Code  
75169-008741

Model  
**VK/04385/B**  
● Black. E27. Max. 20W. (LED)

Box  
1pc

### Base



### Details

Floor Light 220-240V.  
Working temperature -20°C → 45°C.  
Material **Matt Black painting metal lamp**



**body, black fabric KD shade,**  
**black textile cable with foot on/off switch,**  
**black marble base.**





# Floor & Table Lights Led

## Dia




### VK/04258/B

Code  
75169-007741

Model  
**VK/04258/B/W**  
● **Black.** 3000K. 11W. 244lm. CRI>80.

Box  
**1pc**

#### Base



#### Details

AC 220-240V.  
Color **Black metal body & base.**  
Material **Metal body & marble base.**

**Cable Black textile.**  
Guarantee **2 years.**








# Floor & Table led lights

## Lin



### VK/04456

### VK/04457

Code	Model	Box
75169-121721	<b>VK/04456/B/W</b> ● Black sand. 3000K. 12W. 129lm. CRI>80	1pc
75169-122721	<b>VK/04457/B/W</b> ● Black sand. 3000K. 24W. 481lm. CRI>80	1pc



Rotation of the horizontal beam

#### Details

Input current **0.1040mA**.  
 Input Voltage **DC218.9V**.  
 Type of Led **SMD with driver**.  
 Input AC 220-240V 50/60Hz  
 Output **DC24V 0.5mA**.  
 Angle **90°, 180°**.  
 Rotation Angle **350°**.

**Dimmable**.  
 Lifetime **50.000 hrs**.  
 Clicks **10.000 clicks**.  
 Working temperature **< 75°C**.  
 Material **Metal**.  
 Guarantee **2 years**.



**IP20**



Connection of the wire



# Floor & Table Lights


## Elle



VK/03158/WD/W



VK/03157/WD/W



40cm

150  
cm

50  
cm

28cm

### VK/03158/WD

Code  
61171-011724

Model  
VK/03158/WD/W  
○ White & wood. E27. Max. 20W. (LED)

Box  
1pc

#### Details

Voltage 240V.  
Lampholder E27.

Material Wood, metal, TC shade.



IP20

### VK/03157/WD

Code  
61171-010724

Model  
VK/03157/WD/W  
○ White & wood. E27. Max. 20W. (LED)

Box  
1pc

#### Details

Voltage 240V.  
Lampholder E27.

Material Wood, metal, TC shade.




IP20

# Elle

---



VK/03159/W



---

## VK/03159

Code  
61171-012724

Model  
VK/03159/W  
○ White & wood. E27. Max. 20W. (LED)

Box  
6pcs

---

### Details

Voltage 240V.  
Lampholder E27.

Material Wood, metal, TC shade.




## Floor & Table Lights

# Elle

---



VK/03131/WD/RD40W



---

### VK/03131

Code  
61171-230747

Model  
VK/03131/WD/RD40W  
● **Wooden.** E27. Max. 20W. (LED)

Box  
1pc

---

#### Details

Voltage **240V.**  
Lampholder **E27.**

Material **Wood, fabric.**



**IP20**



# Elle



VK/03169/G



VK/03168/G



**VK/03169**

**VK/03168**

Code	Model	Box
61171-023733	VK/03169/G	1pc
	● Dark grey. E27. Max. 20W. (LED)	

61171-022733	VK/03168/G	1pc
	● Dark grey. E27. Max. 20W. (LED)	

Details

Voltage 240V.

Material **Metal**.



**IP20**




# Floor & Table Lights Led

## Nia



VK/04238/B/WCD



### VK/04238

Code <b>58610-115728</b>	Model <b>VK/04238/W/WCD</b> ○ White. 3000K-6000K. 650lm. 7W. CRI>80.	Box <b>8pcs</b>
<b>58610-116728</b>	<b>VK/04238/B/WCD</b> ● Black. 3000K-6000K. 650lm. 7W. CRI>80.	<b>8pcs</b>

#### Details

Voltage **220-240V**.  
Type of LED **SMD**.  
Working temperature **-25°C → 45°C**.  
Lifetime **25.000hrs**.

Clicks **25.000**.  
Material **Aluminium, ABS, PC**.  
Guarantee **2 years**.






# Nia



VK/04239/B/C



## VK/04239

Code	Model	Box
58610-117728	VK/04239/W/C ○ White. 4000K. 600lm. 7W. CRI>80.	8pcs
58610-118728	VK/04239/B/C ● Black. 4000K. 600lm. 7W. CRI>80.	8pcs

### Details

Voltage 220-240V.  
Type of LED SMD.  
Working temperature -25°C → 45°C.  
Lifetime 25.000hrs.

Clicks 25.000.  
Material ABS, PC.  
Guarantee 2 years.




# Floor & Table Lights

## Nia



VK/03096/B



### VK/03096

Code  
64174-028108

Model  
VK/03096/B  
● Black sanded. GU10. Max. 12W. (LED)

Box  
6pcs

#### Details

Voltage 230V.  
Lampholder GU10.


Material Aluminium, metal.



# Nia



VK/04234/B/W



## VK/04234

Code <b>64171-267727</b>	Model <b>VK/04234/B/W</b> ● <b>Black.</b> 3200K. 480lm. 3W & 6W. CRI>70.	Box <b>4pc</b>
<b>64171-266727</b>	<b>VK/04234/W/W</b> ○ <b>White.</b> 3200K. 480lm. 3W & 6W. CRI>70.	<b>4pc</b>

### Details

Voltage **220-240V.**  
Type of LED **SMD Samsung 3535, Edison 3014.**  
Beam angle **25°.**

Lifetime **30.000hrs.**  
Working temperature **-20°C → 45°C.**  
Material **Aluminium, iron & acrylic.**  
Guarantee **2 years.**




**IP20**



# Floor & Table Lights Led

## Nia



VK/04240/B/D

### VK/04240

Code <b>58610-119728</b>	Model <b>VK/04240/W/D</b> ○ White. 5000K. 350lm. 4W. CRI>80.	Box <b>8pcs</b>
<b>58610-120728</b>	<b>VK/04240/B/D</b> ● Black. 5000K. 350lm. 4W. CRI>80.	<b>8pcs</b>

#### Details

Voltage **220-240V**.

Type of LED **SMD**.

Working temperature **-25°C → 45°C**.

Lifetime **25.000hrs**.

Clicks **25.000**.

Material **ABS, PC**.


Guarantee **2 years**.



**IP20**



# Nia



VK/04237/B/D

## VK/04237

Code <b>58610-113728</b>	Model <b>VK/04237/W/D</b> ○ White. 5000K. 280lm. 5W. CRI>80.	Box <b>24pcs</b>
<b>58610-114728</b>	<b>VK/04237/B/D</b> ● Black. 5000K. 280lm. 5W. CRI>80.	<b>24pcs</b>

### Details

Input **5V 1A**.  
Type of LED **SMD**.  
Working temperature **-25°C → 45°C**.  
Lifetime **25.000hrs**.

Clicks **25.000**.  
Material **ABS, PC**.  
Guarantee **2 years**.

Only USB cable




IP20



# Floor & Table Lights

## Sky



### VK/03242

### VK/03243

Code	Model	Box
75169-125721	VK/03242/B ● Black sand. 2xE27. Max 2x20W (LED).	8pcs
75169-126721	VK/03243/B ● Black sand. 2xE27. Max 2x20W (LED).	8pcs
75169-141721	VK/03243/GM ● Gun metal. 2xE27. Max 2x20W (LED).	8pcs

#### Details

Voltage 220-240V.  
Lampholder 2xE27.  
Working temperature < 45°C.

Material Iron.  
Installation Desk/Floor.  
With metal pull switch.

Gun metal



Side view of the shade and its ventilation holes

Detail of the metal pull switch




# Floor & Table Lights Led

## Sky



VK/04459/B/W



### VK/04459

Code  
75169-124721


Model  
**VK/04459/B/W**  
● Black sand. 3000K. 6W. 207lm. CRI>85

Box  
1pc

#### Details

Input current **0.0350mA**.  
Input Voltage **DC218.9V**.  
Type of Led **COB with driver**.  
Input AC 220-240V 50/60Hz  
Output **DC12V 0.12mA**.  
Angle **95°**.  
Rotation Angle **350°**.


**Dimmable.**  
Lifetime **50.000 hrs**.  
Clicks **10.000 clicks**.  
Working temperature **< 75°C**.  
Material **Metal**.  
Guarantee **2 years**.



Detail of the LED shade and the signature junction









**Cabinet Lights**

## Cabinet lights LED



# Cab



## VK/04308



Code 64174-960115	Model VK/04308/W/30	○ White	3000K	230lm	3W	120°	CRI>80	Box 1pc
----------------------	------------------------	---------	-------	-------	----	------	--------	------------

Details

Voltage **12V (Required driver 12V, not included)**. Watt **3W**. CRI>80. IP Rating **IP20**. Type of Led **SMD2835 x 12pcs**. **No Dimmable**, Lifetime **30.000 hrs**, Working temperature **-20 ~ 45°C**. Material **Aluminum + PMMA**. **Total length should be no longer than 2m**. Guarantee **2 years**.



**IP20**



## VK/04308/.../PIR


Code 64174-961115	Model VK/04308/W/30/PIR	○ White	3000K	230lm	3W	120°	CRI>80	Box 1pc
----------------------	----------------------------	---------	-------	-------	----	------	--------	------------

Details

Voltage **12V (Required driver 12V, not included)**. Watt **3W**. CRI>80. IP Rating **IP20**. Type of Led **SMD2835 x 12pcs**. **No Dimmable**, Lifetime **30.000 hrs**, Working temperature **-20 ~ 45°C**. Material **Aluminum + PMMA**. **Total length should be no longer than 2m**. **With sensor PIR**. Guarantee **2 years**.



**IP20**



# Cabinet lights LED


## Cab



### VK/04309/.../PIR

Code	Model	Color	Temp	Lum	Power	Beam	CR	Box
64174-962115	VK/04309/W/50/PIR	White	3000K	425lm	5.5W	120°	CRI>80	1pc


Details  
Voltage 12V (Required driver 12V, not included). Watt 5.5W. CRI>80. IP Rating IP20. Type of Led SMD2835 x 24pcs. No Dimmable. Lifetime 30.000 hrs. Working temperature -20 ~ 45°C. Material Aluminum + PMMA. Total length should be no longer than 2m. With sensor PIR. Guarantee 2 years.



### VK/04310/.../PIR

Code	Model	Color	Temp	Lum	Power	Beam	CR	Box
64174-963115	VK/04310/W/100/PIR	White	3000K	815lm	5.5W	120°	CRI>80	1pc

Details  
Voltage 12V (Required driver 12V, not included). Watt 5.5W. CRI>80. IP Rating IP20. Type of Led SMD2835x48pcs. No Dimmable. Lifetime 30.000 hrs. Working temperature -20 ~ 45°C. Material Aluminum + PMMA. Total length should be no longer than 2m. With sensor PIR. Guarantee 2 years.



## Cabinet lights LED



### VK/04311/CON



Code  
64174-964115

Model  
**VK/04311/CON**  
● Grey. Inter connector for led cabinet lights.

Box  
1pc

#### Details

Inter-connectors for LED cabinet lights (**VK/04308**, **VK/04309**, **VK/04310**).

### VK/04312/CON



Code  
64174-965115

Model  
**VK/04312/CON**  
● Black. Connectors for led cabinet lights 3.5DC.

Box  
1pc

#### Details

Connectors for LED cabinet lights 3.5DC double male headline 3.5x1.35 L: 1m (**VK/04308**, **VK/04309**, **VK/04310**).







**Mirror Wall Lights**

# Mirror Wall Lights Led


## Blou



VK/04555/B/W/40

### VK/04555/.../40

Code	Model	Box
57610-158774	VK/04555/B/W/40 ● <b>Black.</b> 3000K. 8W. 720lm. CRI>80	10pcs
57610-159774	VK/04555/B/C/40 ● <b>Black.</b> 4000K. 8W. 740lm. CRI>80	10pcs
57610-160774	VK/04555/W/W/40 ○ <b>White.</b> 3000K. 8W. 740lm. CRI>80	10pcs
57610-161774	VK/04555/W/C/40 ○ <b>White.</b> 4000K. 8W. 760lm. CRI>80	10pcs



#### Details

Material **Iron & plastic**  
Type of Led **SMD**  
Lighting source **2835**  
Voltage **AC220-240V**  
Location **Wall**

Beam angle **108°**  
Working temperature **-10 - 40°C**  
Lifetime **30.000hrs**  
Guarantee **3 years**





# Mirror Wall Lights Led


## Blou



VK/04555/W/W/60

### VK/04555/.../60

Code	Model	Box
57610-162774	VK/04555/B/W/60 ● Black. 3000K. 12W. 1320lm. CRI>80	10pcs
57610-163774	VK/04555/B/C/60 ● Black. 4000K. 12W. 1340lm. CRI>80	10pcs
57610-164774	VK/04555/W/W/60 ○ White. 3000K. 12W. 1340lm. CRI>80	10pcs
57610-165774	VK/04555/W/C/60 ○ White. 4000K. 12W. 1380lm. CRI>80	10pcs



#### Details

Material **Iron & plastic**  
Type of Led **SMD**  
Lighting source **2835**  
Voltage **AC220-240V**  
Location **Wall**

Beam angle **108°**  
Working temperature **-10 - 40°C**  
Lifetime **30.000hrs**  
Guarantee **3 years**




# Blou



VK/04555/B/W/80

## VK/04555/.../80

Code	Model	Box
57610-166774	VK/04555/B/W/80 ● Black. 3000K. 16W. 1760lm. CRI>80	10pcs
57610-167774	VK/04555/B/C/80 ● Black. 4000K. 16W. 1800lm. CRI>80	10pcs
57610-168774	VK/04555/W/W/80 ○ White. 3000K. 16W. 1800lm. CRI>80	10pcs
57610-169774	VK/04555/W/C/80 ○ White. 4000K. 16W. 1830lm. CRI>80	10pcs



### Details

Material **Iron & plastic**  
 Type of Led **SMD**  
 Lighting source **2835**  
 Voltage **AC220-240V**  
 Location **Wall**

Beam angle **108°**  
 Working temperature **-10 - 40°C**  
 Lifetime **30.000hrs**  
 Guarantee **3 years**



# Mirror Wall Lights Led


## Blou



VK/04554/B/W/57

### VK/04554/.../57

Code	Model	Box
57610-154774	VK/04554/B/W/57 ● Black. 3000K. 11W. 1220lm. CRI>80	10pcs
57610-155774	VK/04554/B/C/57 ● Black. 4000K. 11W. 1240lm. CRI>80	10pcs
57610-156774	VK/04554/W/W/57 ○ White. 3000K. 11W. 1250lm. CRI>80	10pcs
57610-157774	VK/04554/W/C/57 ○ White. 4000K. 11W. 1290lm. CRI>80	10pcs



### Details

Material **Iron & plastic**  
Type of Led **SMD**  
Lighting source **2835**  
Voltage **AC220-240V**  
Location **Wall**

Beam angle **108°**  
Working temperature **-10 - 40°C**  
Lifetime **30.000hrs**  
Guarantee **3 years**



IP20



# Mirror Wall Lights Led


## Blou



VK/04554/B/W/43

### VK/04554/.../43

Code	Model	Box
57610-150774	<b>VK/04554/B/W/43</b> ● Black. 3000K. 8W. 690lm. CRI>80	10pcs
57610-151774	<b>VK/04554/B/C/43</b> ● Black. 4000K. 8W. 710lm. CRI>80	10pcs
57610-152774	<b>VK/04554/W/W/43</b> ○ White. 3000K. 8W. 710lm. CRI>80	10pcs
57610-153774	<b>VK/04554/W/C/43</b> ○ White. 4000K. 8W. 730lm. CRI>80	10pcs




### Details

Material **Iron & plastic**  
Type of Led **SMD**  
Lighting source **2835**  
Voltage **AC220-240V**  
Location **Wall**

Beam angle **108°**  
Working temperature **-10 - 40°C**  
Lifetime **30.000hrs**  
Guarantee **3 years**







# Mirror Wall Lights Led

## Tub



### VK/04163



Code	Model	● Aluminium	3000K	800lm	8W	180°	CRI>80	Box 25pcs
57610-139115	VK/04163/AL/W							
57610-140115	VK/04163/AL/C	● Aluminium	4000K	800lm	8W	180°	CRI>80	25pcs

#### Details

Voltage **85-265V**. Watt **8W**. CRI>**Ra80**. Type of LED **SMD 2835**. Beam angle **180°**. Lifetime **30.000hrs**. Working temperature **-20°C→ 45°C**.  
Material **Aluminium, acrylic**. Guarantee **2 years**.



**IP44**



### VK/04164


Code	Model	● Aluminium	3000K	800lm	8W	180°	CRI>80	Box 25pcs
57610-141115	VK/04164/AL/W							
57610-142115	VK/04164/AL/C	● Aluminium	4000K	800lm	8W	180°	CRI>80	25pcs

#### Details

Voltage **85-265V**. Watt **8W**. CRI>**Ra80**. Type of LED **SMD 2835**. Beam angle **180°**. Lifetime **30.000hrs**. Working temperature **-20°C→ 45°C**.  
Material **Aluminium, acrylic**. Guarantee **2 years**.



**IP44**



# Tub




## VK/04165


Code	Model								Box
57610-143115	VK/04165/AL/W	● Aluminium	3000K	1.400lm	14W	180°	CRI>80		25pcs
57610-144115	VK/04165/AL/C	● Aluminium	4000K	1.400lm	14W	180°	CRI>80		25pcs

Details

Voltage **85-265V**. Watt **14W**. CRI>**Ra80**. Type of LED **SMD 2835**. Beam angle **180°**. Lifetime **30.000hrs**. Working temperature **-20°C→ 45°C**.  
 Material **Aluminium, acrylic**. Guarantee **2 years**.



**IP44**




## VK/04162


Code	Model								Box
57610-136115	VK/04162/AL/W	● Aluminium	3000K	1.400lm	14W	180°	CRI>80		25pcs
57610-137115	VK/04162/AL/C	● Aluminium	4000K	1.400lm	14W	180°	CRI>80		25pcs

Details

Voltage **85-265V**. Watt **14W**. CRI>**Ra80**. Type of LED **SMD 2835**. Beam angle **180°**. Lifetime **30.000hrs**. Working temperature **-20°C→ 45°C**.  
 Material **Aluminium, acrylic**. Guarantee **2 years**.



**IP44**








## Outdoor Decorative Lights

# Outdoor Decorative Lights

## Keli



VK/01119/FL/LG/35



### VK/01119/FL

Code  
61171-297741

Model  
VK/01119/FL/LG/35  
● Light Grey. E27. Max. 20W. (LED)

Box  
1pc

#### Details

Material **Metal canopy, Rattan+PC shade, rubber cable**  
Location **Floor**  
Input voltage **AC220-240V**

Lampholder **E27**  
Cable length **3000mm**  
Guarantee **2 years**



**IP44**





# Outdoor Decorative Lights

## Keli



VK/01119/TL/LG/30



### VK/01119/TL

Code  
61171-296741


Model  
VK/01119/TL/LG/30  
● Light Grey. E27. Max. 20W. (LED)

Box  
1pc

#### Details

Material **Metal canopy, Rattan+PC shade, rubber cable**  
Location **Table**  
Input voltage **AC220-240V**

Lampholder **E27**  
Cable length **3000mm**  
Guarantee **2 years**







# Outdoor Decorative Lights

## Keli



VK/01119/PE/LG/35

### VK/01119/PE

Code  
75169-064741


Model  
VK/01119/PE/LG/35  
● Light Grey. E27. Max. 20W. (LED)

Box  
1pc

#### Details

Material **Metal canopy, Rattan+PC shade, rubber cable**  
Location **Ceiling**  
Input voltage **AC220-240V**

Lampholder **E27**  
Cable length **1030mm**  
Guarantee **2 years**





# Outdoor Decorative Lights

## Berd






VK/01126/PE/B/40



VK/01126/PE/B/30



VK/01127/PE/B/40



### VK/01126/PE/B/40

### VK/01126/PE/B/30

### VK/01127/PE/B/40

Code	Model	Box
75169-072741	VK/01126/PE/B/40 ● Black. E27. Max. 20W. (LED)	1pc
75169-071741	VK/01126/PE/B/30 ● Black. E27. Max. 20W. (LED)	1pc
75169-073741	VK/01127/PE/B/40 ● Black. E27. Max. 20W. (LED)	1pc

#### Details

Material **Metal body, Plastic rattan shade,**  
Clear glass cover for the lamp, rubber cable  
Location **Ceiling**

Input voltage **AC220-240V**  
Lampholder **E27**  
Cable length **3000mm**



**IP44**



# Outdoor Decorative Lights

## Berd




VK/01125/TL/B




VK/01126/TL/B/30




VK/01127/TL/B/40



ø25.5cm



ø30cm



ø40cm

### VK/01125/TL/B

### VK/01126/TL/B/30

### VK/01127/TL/B/40

Code	Model	Box
61171-298741	VK/01125/TL/B ● Black. E27. Max. 20W. (LED)	1pc
61171-299741	VK/01126/TL/B/30 ● Black. E27. Max. 20W. (LED)	1pc
61171-300741	VK/01127/TL/B/40 ● Black. E27. Max. 20W. (LED)	1pc

#### Details

Material Plastic rattan shade, clear glass cover for the lamp rubber cable Location Table

Input voltage AC220-240V  
Lampholder E27  
Cable length 3000mm



IP44



# Outdoor Decorative Lights

## Amot



VK/01123/PE/B



VK/01124/PE/GR



### VK/01123/PE VK/01124/PE

Code	Model	Box
75169-068741	VK/01123/PE/B ● Black. E27. Max. 20W. (LED)	1pc
75169-067741	VK/01123/PE/GR ● Green. E27. Max. 20W. (LED)	1pc
75169-070741	VK/01124/PE/B ● Black. E27. Max. 20W. (LED)	1pc
75169-069741	VK/01124/PE/GR ● Green. E27. Max. 20W. (LED)	1pc


#### Details

Material **Metal canopy, Metal shade, rubber cable**  
Location **Ceiling**  
Input voltage **AC220-240V**

Lampholder **E27**  
Cable length **1320mm**  
Guarantee **2 years**



**IP44**







# Outdoor Decorative Lights

## Vant



VK/01122/PE/GR



VK/01122/WA/B




### VK/01122/PE VK/01122/WA

Code	Model	Box
75169-065741	VK/01122/PE/B ● Black. E27. Max. 20W. (LED)	1pc
75169-066741	VK/01122/PE/GR ● Green. E27. Max. 20W. (LED)	1pc
64171-300741	VK/01122/WA/B ● Black. E27. Max. 20W. (LED)	1pc
64171-301741	VK/01122/WA/GR ● Green. E27. Max. 20W. (LED)	1pc

#### Details

Material **Metal canopy, Metal shade, glass inner cover, rubber cable**  
Location **Ceiling/Wall**  
Input voltage **AC220-240V**

Lampholder **E27**  
Cable length **1530mm**  
Guarantee **2 years**





# Outdoor Decorative Lights


## Orance



VK/O1118/PE/GD/60



VK/O1118/PE/B/45



### VK/O1118/PE

Code	Model	Box
75169-062741	VK/O1118/PE/GD/60 ● Gold. GU10. Max. 12W. (LED). ø60cm	1pc
75169-063741	VK/O1118/PE/B/60 ● Black. GU10. Max. 12W. (LED). ø60cm	1pc
75169-060741	VK/O1118/PE/GD/45 ● Gold. GU10. Max. 12W. (LED). ø45cm	1pc
75169-061741	VK/O1118/PE/B/45 ● Black. GU10. Max. 12W. (LED). ø45cm	1pc


#### Details


Material **Metal canopy, Metal shade, stainless steel wire rope, rubber cable**  
Location **Ceiling**

Input voltage **AC220-240V**  
Lampholder **GU10**  
Cable length **1536mm**  
Guarantee **2 years**



**IP44**





# Outdoor Decorative Lights


## Tes



VK/03203/100/B



VK/03203/60/B



### VK/03203/100

Code	Model	Box
75169-385694	VK/03203/100/B ● Black. E27. Max 20W (LED). L101cm	1pc

#### Details

Voltage **230V**.  
Lampholder **E27**.  
Material **Aluminium + clear glass**.  
Guarantee **2 years**.



### VK/03203

Code	Model	Box
75169-380694	VK/03203/30/W ○ White. E27. Max 20W (LED). L29.4cm	1pc
75169-379694	VK/03203/30/B ● Black. E27. Max 20W (LED). L29.4cm	1pc
75169-382694	VK/03203/60/W ○ White. E27. Max 20W (LED). L60cm	1pc
75169-381694	VK/03203/60/B ● Black. E27. Max 20W (LED). L60cm	1pc
75169-384694	VK/03203/80/W ○ White. E27. Max 20W (LED). L80cm	1pc
75169-383694	VK/03203/80/B ● Black. E27. Max 20W (LED). L80cm	1pc

#### Details

Voltage **230V**.  
Lampholder **E27**.  
Material **Aluminium + clear glass**.  
Guarantee **2 years**.





# Outdoor Decorative Lights


## Tes



VK/03203/PE/B



VK/03203/WA/W



### VK/03203/PE

Code	Model	Box
75169-378694	VK/03203/PE/W ○ White. E27. Max 20W (LED).	1pc
75169-377694	VK/03203/PE/B ● Black. E27. Max 20W (LED).	1pc

#### Details

Voltage 230V.  
Lampholder E27.  
Material Aluminium + clear glass.

Bottom open.  
Guarantee 2 years.



### VK/03203/WA

Code	Model	Box
75169-376694	VK/03203/WA/W ○ White. E27. Max 20W (LED).	1pc
75169-375694	VK/03203/WA/B ● Black. E27. Max 20W (LED).	1pc

#### Details

Voltage 230V.  
Lampholder E27.  
Material Aluminium + clear glass.

Bottom open.  
Guarantee 2 years.







# Outdoor Decorative Lights

## Ola






VK/03066/80/B



VK/03066/60/B



VK/03066/28/B



### VK/03066

Code	Model	Box
75169-278694	VK/03066/80/B ● Black. E27. Max 20W (LED). 80cm	6pcs
75169-277694	VK/03066/60/B ● Black. E27. Max 20W (LED). 60cm	6pcs
75169-275694	VK/03066/28/B ● Black. E27. Max 20W (LED). 27.9cm	6pcs

#### Details

Voltage 240V.  
E27.

Material Aluminium/Glass.



IP33


# Ola



VK/03066/PE/B



VK/03066/WA



## VK/03066/PE

Code  
75169-276694

Model  
VK/03066/PE/B  
● Black. E27. Max 20W (LED).

Box  
6pcs

### Details

Voltage 240V.  
E27.

Material Aluminium/Glass.



## VK/03066/WA

Code  
75169-274694

Model  
VK/03066/WA/B  
● Black. E27. Max 20W (LED).

Box  
6pcs

### Details

Voltage 240V.  
E27.

Material Aluminium/Glass.  
Bottom open.



# Outdoor Decorative Lights



## Fin



VK/03067/80/B



VK/03067/35/B



### VK/03067

Code	Model	Box
75169-282694	VK/03067/80/B ● Black. E27. Max 20W (LED).	4pcs
75169-280694	VK/03067/35/B ● Black. E27. Max 20W (LED).	6pcs

#### Details

Voltage 240V.  
E27.

Material Aluminium/Glass.



IP33


Fin



VK/03067/PE/B



VK/03067/WA



**VK/03067/PE**

Code 75169-281694      Model VK/03067/PE/B      Box 6pcs  
 ● Black. E27. Max 20W (LED).

Details

Voltage 240V.      Material Aluminium/Glass.  
 E27.



**VK/03067/WA**

Code 75169-279694      Model VK/03067/WA/B      Box 6pcs  
 ● Black. E27. Max 20W (LED).

Details

Voltage 240V.      Material Aluminium/Glass.  
 E27.




# Outdoor Decorative Lights

## Ivy



VK/03204/25/W



### VK/03204

Code	Model	Box
75169-391694	VK/03204/25/W ○ White. E27. Max 20W (LED). L24.8cm	1pc
75169-390694	VK/03204/25/B ● Black. E27. Max 20W (LED). L24.8cm	1pc
75169-393694	VK/03204/60/W ○ White. E27. Max 20W (LED). L60cm	1pc
75169-392694	VK/03204/60/B ● Black. E27. Max 20W (LED). L60cm	1pc
75169-395694	VK/03204/80/W ○ White. E27. Max 20W (LED). L80cm	1pc
75169-394694	VK/03204/80/B ● Black. E27. Max 20W (LED). L80cm	1pc

### Details

Voltage 230V.  
Lampholder E27.

Material Aluminium + clear glass.  
Guarantee 2 years.




Ivy



VK/03204/PE/W



VK/03204/WA/W



**VK/03204/PE**

Code 75169-389694	Model VK/03204/PE/W ○ White. E27. Max 20W (LED).	Box 1pc
75169-388694	VK/03204/PE/B ● Black. E27. Max 20W (LED).	1pc

Details

Voltage 230V.  
Lampholder E27.  
Material Aluminium + clear glass.

Bottom open.  
Guarantee 2 years.



**VK/03204/WA**

Code 75169-387694	Model VK/03204/WA/W ○ White. E27. Max 20W (LED).	Box 1pc
75169-386694	VK/03204/WA/B ● Black. E27. Max 20W (LED).	1pc

Details

Voltage 230V.  
Lampholder E27.  
Material Aluminium + clear glass.

Bottom open.  
Guarantee 2 years.




# Outdoor Decorative Lights


## Braso



VK/01093/NB



VK/01092/MC



Mini lamp MR11-GU10 is placed, not included

### VK/01093

Code	Model	Box
74168-253677	VK/01093/304/MC ● Brushed Chrome. Stainless 304. GU10x2. Max 2x12W (LED).	1pc
74168-293677	VK/01093/316/MC ● Brushed Chrome. Stainless 316. GU10x2. Max 2x12W (LED).	1pc
74168-255677	VK/01093/ABS ● Bronze. Brass/Glass. GU10x2. Max 2x12W (LED).	1pc
74168-254677	VK/01093/NB ● Natural Brass. Brass/Glass. GU10x2. Max 2x12W (LED).	1pc

#### Details

Voltage 240V.  
GU10x2.

Material **Stainless / Brass/Glass.**



### VK/01092

Code	Model	Box
74168-250677	VK/01092/304/MC ● Brushed Chrome. Stainless 304. GU10. Max 6W (LED).	1pc
74168-292677	VK/01092/316/MC ● Brushed Chrome. Stainless 316. GU10. Max 6W (LED).	1pc
74168-252677	VK/01092/ABS ● Bronze. Brass/Glass. GU10. Max 6W (LED).	1pc
74168-251677	VK/01092/NB ● Natural Brass. Brass/Glass. GU10. Max 6W (LED).	1pc

#### Details

Voltage 240V.  
GU10.

Material **Stainless / Brass/Glass.**







# Outdoor Decorative Lights



## Braso



VK/01046/TR



VK/01045/ABS



### VK/01046

Code	Model	Box
74168-200677	VK/01046/304/MC ● Brushed Chrome. Stainless 304. GU10x2. Max 2x12W (LED).	10pcs
74168-291677	VK/01046/316/MC ● Brushed Chrome. Stainless 316. GU10x2. Max 2x12W (LED).	10pcs
74168-199677	VK/01046/ABS ● Bronze. Brass/Glass. GU10x2. Max 2x12W (LED).	10pcs
74168-156677	VK/01046/NB ● Natural Brass. Brass/Glass. GU10x2. Max 2x12W (LED).	10pcs
74168-227677	VK/01046/TR ● Terracotta. Brass/Glass. GU10x2. Max 2x12W (LED).	10pcs

#### Details

Voltage 240V.  
GU10x2.

Material **Stainless / Brass/Glass.**



### VK/01045


Code	Model	Box
74168-201677	VK/01045/304/MC ● Brushed Chrome. Stainless 304. GU10. Max 12W (LED).	10pcs
74168-290677	VK/01045/316/MC ● Brushed Chrome. Stainless 316. GU10. Max 12W (LED).	10pcs
74168-202677	VK/01045/ABS ● Bronze. Brass/Glass. GU10. Max 12W (LED).	10pcs
74168-158677	VK/01045/NB ● Natural Brass. Brass/Glass. GU10. Max 12W (LED).	10pcs
74168-225677	VK/01045/TC ● Terracotta. Brass/Glass. GU10. Max 12W (LED).	10pcs

#### Details

Voltage 240V.  
GU10.

Material **Stainless / Brass/Glass.**






# Outdoor Decorative Lights

## Braso




VK/01094/ABS



Mini lamp MR11-GU10 is placed, not included



VK/01048/ABS



Lamp GX53 is placed, not included



### VK/01094

Code	Model	Box
74168-256677	VK/01094/304/MC ● Brushed Chrome. Stainless 304. GU10. Max 6W (LED).	1pc
74168-289677	VK/01094/316/MC ● Brushed Chrome. Stainless 316. GU10. Max 6W (LED).	1pc
74168-258677	VK/01094/ABS ● Bronze. Brass. GU10. Max 6W (LED).	1pc
74168-257677	VK/01094/NB ● Natural Brass. Brass. GU10. Max 6W (LED).	1pc

#### Details

Voltage 240V.  
GU10.

Material **Stainless / Brass.**



### VK/01048

Code	Model	Box
74168-205677	VK/01048/MC ● Brushed Chrome. GX53. Max 7W. (LED)	10pcs
74168-193677	VK/01048/ABS ● Bronze. GX53. Max 7W. (LED)	10pcs
74168-206677	VK/01048/NB ● Natural Brass. GX53. Max 7W. (LED)	10pcs

#### Details

Voltage 240V.  
GX53.


Material **Brass/Glass.**




# Braso



VK/01047/NB



VK/01047/SPIKE



Lamp GU10-PAR16 is placed, not included

## VK/01047

Code	Model	Box
74168-179677	VK/01047/304/MC ● Brushed Chrome. Stainless 304. GU10. Max 12W (LED).	10pcs
74168-288677	VK/01047/316/MC ● Brushed Chrome. Stainless 316. GU10. Max 12W (LED).	10pcs
74168-203677	VK/01047/ABS ● Bronze. Brass. GU10. Max 12W (LED).	10pcs
74168-196677	VK/01047/NB ● Natural Brass. Brass. GU10. Max 12W (LED).	10pcs

### Details

Voltage 240V.  
GU10.

Material **Stainless / Brass.**



**IP65**

## VK/01047/SPIKE

Code	Model	Box
74168-194677	VK/01047/SPIKE ● Bronze.	10pcs

### Details

Material **Brass.**

# Outdoor Decorative Lights


## Braso



VK/01075/MC



VK/01074/ABS



### VK/01075

Code	Model	Box
75169-237269	VK/01075/MC ● Brushed Chrome. E27. Max 20W (LED).	6pcs
75169-238269	VK/01075/ABS ● Bronze. E27. Max 20W (LED).	6pcs
75169-239269	VK/01075/NB ● Natural Brass. E27. Max 20W (LED).	6pcs
75169-244269	VK/01075/TC ● Terracotta. E27. Max 20W (LED).	6pcs

#### Details

Voltage 240V.  
E27.

Material Brass/Glass.




### VK/01074

Code	Model	Box
75169-234269	VK/01074/MC ● Brushed Chrome. E27. Max 20W (LED).	6pcs
75169-235269	VK/01074/ABS ● Bronze. E27. Max 20W (LED).	6pcs
75169-236269	VK/01074/NB ● Natural Brass. E27. Max 20W (LED).	6pcs
75169-242269	VK/01074/TC ● Terracotta. E27. Max 20W (LED).	6pcs

#### Details

Voltage 240V.  
E27.

Material Brass/Glass.











**Led Lamps**


## Led lamps E27. Spiral. Filament.



**VK/05169** Dark Grey

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-001733	VK/05169/D/E/TM/WW	E27	3W		2200K	50lm	1


Voltage 220-240	Filament Spiral	330° 	CRI Ra>90	25k hrs	15kclks	-20°C / 45°C	Glass	Alu	3W > 10W	IP20	2
--------------------	--------------------	----------	--------------	---------	---------	--------------	-------	-----	----------	------	---



**VK/05170** Dark Grey

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-002733	VK/05170/D/E/TM/WW	E27	4W		2700K	120lm	1


Voltage 220-240	Filament Deco	330° 	CRI Ra>80	25k hrs	15kclks	-20°C / 45°C	Glass	Alu	4W > 10W	IP20	2
--------------------	------------------	----------	--------------	---------	---------	--------------	-------	-----	----------	------	---



**VK/05171** Dark Grey

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-003733	VK/05171/D/E/TM/WW	E27	4W		2700K	120lm	1

Voltage 220-240	Filament Deco	330° 	CRI Ra>80	25k hrs	15kclks	-20°C / 45°C	Glass	Alu	4W > 10W	IP20	2
--------------------	------------------	----------	--------------	---------	---------	--------------	-------	-----	----------	------	---




## Led lamps E27. Spiral. Filament.

### VK/05172 Dark Grey

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-004733	VK/05172/D/E/TM/WW	E27	5W		2700K	200lm	1

Voltage 220-240	Filament Deco	330°	CRI Ra>90	25k hrs	15kclks	-20°C 45°C	Glass	Alu	5W > 20W	IP20	2
--------------------	------------------	------	--------------	---------	---------	---------------	-------	-----	----------	------	---



### VK/05173 Amber

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-005733	VK/05173/D/E/A/WW	E27	3W		2200K	140lm	1


Voltage 220-240	Filament Spiral	330°	CRI Ra>90	25k hrs	15kclks	-20°C 45°C	Glass	Alu	3W > 15W	IP20	2
--------------------	--------------------	------	--------------	---------	---------	---------------	-------	-----	----------	------	---



### VK/05174 Dark Grey

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-006733	VK/05174/D/E/TM/WW	E27	3W		2200K	60lm	1

Voltage 220-240	Filament Spiral	330°	CRI Ra>90	25k hrs	15kclks	-20°C 45°C	Glass	Alu	3W > 10W	IP20	2
--------------------	--------------------	------	--------------	---------	---------	---------------	-------	-----	----------	------	---



## Led lamps E27. Spiral. Filament.



### VK/05155 Amber A60

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-228664	VK/05155/D/E/SP/A	E27	4.5W		2200K	330lm	50

Voltage 220-240	Filament Spiral	360° 	CRI Ra>80	15k hrs 	30kclks 	-20°C 40°C 	Glass 	Alu 	5W > 28W 	IP20 	2 
--------------------	--------------------	----------	--------------	----------------	-------------	-------------------	-----------	---------	--------------	----------	-------

### VK/05160 Amber T45



Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-233664	VK/05160/D/E/SP/A	E27	4.5W		2200K	330lm	50

Voltage 220-240	Filament Spiral	360° 	CRI Ra>80	15k hrs 	30kclks 	-20°C 40°C 	Glass 	Alu 	5W > 25W 	IP20 	2 
--------------------	--------------------	----------	--------------	----------------	-------------	-------------------	-----------	---------	--------------	----------	-------

### VK/05156 Amber ST64



Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-229664	VK/05156/D/E/SP/A	E27	4.5W		2200K	330lm	50

Voltage 220-240	Filament Spiral	360° 	CRI Ra>80	15k hrs 	30kclks 	-20°C 40°C 	Glass 	Alu 	5W > 28W 	IP20 	2 
--------------------	--------------------	----------	--------------	----------------	-------------	-------------------	-----------	---------	--------------	----------	-------

## Led lamps E27. Spiral. Filament.

### VK/05157 Amber G80

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-230664	VK/05157/D/E/SP/A	E27	4.5W		2200K	330lm	50

Voltage 220-240	Filament Spiral	360°	CRI Ra>80				Glass	Alu	5W > 27W	IP20	
--------------------	--------------------	------	--------------	--	--	--	-------	-----	----------	------	--



### VK/05158 Amber G95

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-231664	VK/05158/D/E/SP/A	E27	4.5W		2200K	330lm	50

Voltage 220-240	Filament Spiral	360°	CRI Ra>80				Glass	Alu	5W > 28W	IP20	
--------------------	--------------------	------	--------------	--	--	--	-------	-----	----------	------	--



### VK/05159 Amber G125

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-232664	VK/05159/D/E/SP/A	E27	4.5W		2200K	330lm	50

Voltage 220-240	Filament Spiral	360°	CRI Ra>80				Glass	Alu	5W > 28W	IP20	
--------------------	--------------------	------	--------------	--	--	--	-------	-----	----------	------	--



# Led lamps E27-A60. Classic Filament.



## VK/05103 VK/05124 Clear

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-168664	VK/05103/E/CL/W	E27	6.5W		2700K	806lm	50
03045-208664	VK/05124/D/E/CL/W	E27	8.5W		2700K	1.055lm	50

Voltage 220-240	COB 1016/1030	360°	CRI Ra>80	15k hrs	30kclks	-20°C 40°C	Glass	Alu	6.5W > 60W 7.5W > 70W	IP20	2
-----------------	---------------	------	-----------	---------	---------	------------	-------	-----	-----------------------	------	---



## VK/05103 VK/05122 Milky

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-169664	VK/05103/E/MK/W	E27	6.5W		2700K	806lm	50
03045-170664	VK/05103/E/MK/D	E27	6.5W		6500K	700lm	50
03045-196664	VK/05122/E/MK/W	E27	9W		2700K	1050lm	50
03045-197664	VK/05122/E/MK/D	E27	8W		6500K	820lm	50

Voltage 220-240	COB 1016/1030	360°	CRI Ra>80	15k hrs	30kclks	-20°C 40°C	Glass	Alu	6.5W > 54W 8W > 61W	IP20	2
-----------------	---------------	------	-----------	---------	---------	------------	-------	-----	---------------------	------	---



## VK/05122 Silver

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-207664	VK/05122/D/E/ST/W	E27	7W		2700K	650lm	50

Voltage 220-240	COB 1030	360°	CRI Ra>80	15k hrs	30kclks	-20°C 40°C	Glass	Alu	7W > 51W	IP20	2
-----------------	----------	------	-----------	---------	---------	------------	-------	-----	----------	------	---



## VK/05122 Pink Copper

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-224664	VK/05122/D/E/PCT/W	E27	7W		2700K	650lm	50

Voltage 220-240	COB 1030	360°	CRI Ra>80	15k hrs	30kclks	-20°C 40°C	Glass	Alu	7W > 51W	IP20	2
-----------------	----------	------	-----------	---------	---------	------------	-------	-----	----------	------	---


## Led lamps E14-C37. Candle Filament.

### VK/05104 Clear

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-171664	VK/05104/EI/CL/W	E14	4.3W		2700K	470lm	50
03045-172664	VK/05104/EI/CL/D	E14	4.3W		6500K	470lm	50

Voltage 220-240	COB 1016	360° 	CRI Ra>80	15k hrs	30k clicks	-20°C 40°C	Glass	Alu	4.3W > 40W	IP20	2
--------------------	-------------	----------	--------------	---------	------------	---------------	-------	-----	------------	------	---



### VK/05120 Clear

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-202664	VK/05120/D/EI/CL/W	E14	5W		2700K	470lm	50

Voltage 220-240	COB 1018	360° 	CRI Ra>80	15k hrs	30k clicks	-20°C 40°C	Glass	Alu	5W > 40W	IP20	2
--------------------	-------------	----------	--------------	---------	------------	---------------	-------	-----	----------	------	---

### VK/05104 Milky

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-173664	VK/05104/EI/MK/W	E14	4W		2700K	470lm	50
03045-174664	VK/05104/EI/MK/D	E14	3.5W		6500K	350lm	50

Voltage 220-240	COB 1016	360° 	CRI Ra>80	15k hrs	30k clicks	-20°C 40°C	Glass	Alu	3.5W > 32W	IP20	2
--------------------	-------------	----------	--------------	---------	------------	---------------	-------	-----	------------	------	---



### VK/05120 Milky

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-190664	VK/05120/EI/MK/W	E14	4W		2700K	470lm	50
03045-191664	VK/05120/EI/MK/D	E14	4W		6500K	420lm	50

Voltage 220-240	COB 1030	360° 	CRI Ra>80	15k hrs	30k clicks	-20°C 40°C	Glass	Alu	4W > 40W 4.5W > 40W	IP20	2
--------------------	-------------	----------	--------------	---------	------------	---------------	-------	-----	------------------------	------	---

## Led lamps E14-G45. Mini globe Filament.



### VK/05105 VK/05121 Clear

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-175664	VK/05105/EI/CL/W	E14	4.3W		2700K	470lm	50
03045-176664	VK/05105/EI/CL/D	E14	4.3W		6500K	470lm	50
03045-203664	VK/05121/D/EI/CL/W	E14	5W		2700K	470lm	50

Voltage 220-240	COB 1016/ 1018	360°	CRI Ra>80	15k hrs	30kclk/s	-20°C 40°C	Glass	Alu	4W > 40W 4.5W > 40W 5W > 40W	IP20	2
--------------------	----------------------	------	--------------	------------	----------	---------------	-------	-----	------------------------------------	------	---



### VK/05105 VK/05121 Milky

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-177664	VK/05105/EI/MK/W	E14	4W		2700K	470lm	50
03045-178664	VK/05105/EI/MK/D	E14	3.5W		6500K	350lm	50
03045-192664	VK/05121/EI/MK/W	E14	4W		2700K	400lm	50
03045-193664	VK/05121/EI/MK/D	E14	4W		6500K	470lm	50

Voltage 220-240	COB 1016/ 1030	360°	CRI Ra>80	15k hrs	30kclk/s	-20°C 40°C	Glass	Alu	3.5W > 39W 4W > 39W	IP20	2
--------------------	----------------------	------	--------------	------------	----------	---------------	-------	-----	------------------------	------	---



### VK/05121 Silver

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-204664	VK/05121/D/EI/ST/W	E14	4.5W		2700K	330lm	50

Voltage 220-240	COB 1018	360°	CRI Ra>80	15k hrs	30kclk/s	-20°C 40°C	Glass	Alu	4W > 32W	IP20	2
--------------------	-------------	------	--------------	------------	----------	---------------	-------	-----	----------	------	---



### VK/05121 Pink Copper

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-222664	VK/05121/D/EI/PCT/W	E14	4.5W		2700K	330lm	50

Voltage 220-240	COB 1018	360°	CRI Ra>80	15k hrs	30kclk/s	-20°C 40°C	Glass	Alu	4W > 32W	IP20	2
--------------------	-------------	------	--------------	------------	----------	---------------	-------	-----	----------	------	---



## Led lamps E27-G45. Mini globe Filament.

VK/05106 VK/05121 Clear

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-179664	VK/05106/E/CL/W	E27	4.3W		2700K	470lm	50
03045-180664	VK/05106/E/CL/D	E27	4.3W		6500K	470lm	50
03045-206664	VK/05121/D/E/CL/W	E27	4.5W		2700K	450lm	50

Voltage 220-240	COB 1016/ 1018	360° 	CRI Ra>80	15k hrs	30k clicks	-20°C 40°C	Glass	Alu	4W > 40W 4.5W > 40W 5W > 40W	IP20	
--------------------	----------------------	----------	--------------	------------	---------------	---------------	-------	-----	------------------------------------	------	--



VK/05106 VK/05121 Milky

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-181664	VK/05106/E/MK/W	E27	4W		2700K	470lm	50
03045-182664	VK/05106/E/MK/D	E27	4W		6500K	490lm	50
03045-194664	VK/05121/E/MK/W	E27	4W		2700K	470lm	50
03045-195664	VK/05121/E/MK/D	E27	4W		6500K	420lm	50

Voltage 220-240	COB 1016/ 1030	360° 	CRI Ra>80	15k hrs	30k clicks	-20°C 40°C	Glass	Alu	4W > 40W	IP20	
--------------------	----------------------	----------	--------------	------------	---------------	---------------	-------	-----	----------	------	--



VK/05121 Silver

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-205664	VK/05121/D/E/ST/W	E27	4.5W		2700K	330lm	50

Voltage 220-240	COB 1018	360° 	CRI Ra>80	15k hrs	30k clicks	-20°C 40°C	Glass	Alu	4W > 32W	IP20	
--------------------	-------------	----------	--------------	------------	---------------	---------------	-------	-----	----------	------	--



VK/05121 Pink Copper

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-223664	VK/05121/D/E/PCT/W	E27	4.5W		2700K	330lm	50

Voltage 220-240	COB 1018	360° 	CRI Ra>80	15k hrs	30k clicks	-20°C 40°C	Glass	Alu	4W > 32W	IP20	
--------------------	-------------	----------	--------------	------------	---------------	---------------	-------	-----	----------	------	--



## Led lamps E27-ST64 Filament.



### VK/05107 Clear

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-183664	VK/05107/E/CL/W	E27	6.5W		2700K	806lm	50
03045-215664	VK/05107/D/E/CL/W	E27	7W		2700K	806lm	50

Voltage 220-240	COB 1016/ 1030	360° 	CRI Ra>80	15k hrs 	30kclks 	-20°C 40°C 	Glass 	Alu 	6.5W > 60W 7W > 60W	IP20 	2 
--------------------	----------------------	----------	--------------	----------------	-------------	-------------------	-----------	---------	------------------------	----------	-------



### VK/05126 Amber

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-225664	VK/05126/D/E/A/W	E27	7W		2200K	720lm	50


Voltage 220-240	COB 1030	360° 	CRI Ra>80	15k hrs 	30kclks 	-20°C 40°C 	Glass 	Alu 	8W > 60W	IP20 	2 
--------------------	-------------	----------	--------------	----------------	-------------	-------------------	-----------	---------	----------	----------	-------

## Led lamps E27-G80 Globo Filament.

VK/05109 VK/05110 Clear

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-187664	VK/05109/E/CL/W	E27	4.3W		2700K	470lm	50
03045-209664	VK/05110/D/E/CL/W	E27	7W		2700K	806lm	50


Voltage 220-240	COB 1016/ 1030	360° 	CRI Ra>80	15k hrs	30kclks	-20°C 40°C	Glass	Alu	4W > 39W 7W > 60W	IP20	
--------------------	----------------------	----------	--------------	------------	---------	---------------	-------	-----	----------------------	------	--



VK/05110 Milky

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-188664	VK/05110/E/MK/W	E27	6.5W		2700K	680lm	50
03045-198664	VK/05110/E/MK/D	E27	7W		6500K	670lm	50

Voltage 220-240	COB 1030	360° 	CRI Ra>80	15k hrs	30kclks	-20°C 40°C	Glass	Alu	7W > 52W	IP20	
--------------------	-------------	----------	--------------	------------	---------	---------------	-------	-----	----------	------	--



VK/05109 VK/05110 Silver

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-189664	VK/05109/E/ST/W	E27	4W		2700K	350lm	50
03045-210664	VK/05110/D/E/ST/W	E27	7W		2700K	650lm	50

Voltage 220-240	COB 1016/ 1030	360° 	CRI Ra>80	15k hrs	30kclks	-20°C 40°C	Glass	Alu	4W > 32W 7W > 51W	IP20	
--------------------	----------------------	----------	--------------	------------	---------	---------------	-------	-----	----------------------	------	--



# Led lamps E27-G95 Globo Filament.



## VK/05123 Clear

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-211664	VK/05123/D/E/CL/W	E27	7W		2700K	806lm	50

<b>Voltage</b> 220-240	<b>COB</b> 1030	360° 	<b>CRI</b> Ra>80	15k hrs	30k clicks	-20°C 40°C	Glass	Alu	8W > 60W	IP20	2
---------------------------	--------------------	----------	---------------------	---------	------------	---------------	-------	-----	----------	------	---



## VK/05123 Amber

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-217664	VK/05123/D/E/A/W	E27	7W		2200K	720lm	50

<b>Voltage</b> 220-240	<b>COB</b> 1030	360° 	<b>CRI</b> Ra>80	15k hrs	30k clicks	-20°C 40°C	Glass	Alu	7W > 51W	IP20	2
---------------------------	--------------------	----------	---------------------	---------	------------	---------------	-------	-----	----------	------	---



## VK/05123 Dark Grey

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-218664	VK/05123/D/E/DG/W	E27	7W		2700K	200lm	50

<b>Voltage</b> 220-240	<b>COB</b> 1030	360° 	<b>CRI</b> Ra>80	15k hrs	30k clicks	-20°C 40°C	Glass	Alu	8W > 24W	IP20	2
---------------------------	--------------------	----------	---------------------	---------	------------	---------------	-------	-----	----------	------	---

## Led lamps E27-G95 Globo Filament.

### VK/05123 Milky

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-199664	VK/05123/E/MK/W	E27	6.5W		2700K	806lm	50
03045-200664	VK/05123/E/MK/D	E27	7W		6500K	826lm	50

Voltage 220-240	COB 1030	360°	CRI Ra>80	15k hrs	30kclks	-20°C 40°C	Glass	Alu	7W > 60W	IP20	2
--------------------	-------------	------	--------------	------------	---------	---------------	-------	-----	----------	------	---



### VK/05123 Silver

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-212664	VK/05123/D/E/ST/W	E27	7W		2700K	650lm	50

Voltage 220-240	COB 1030	360°	CRI Ra>80	15k hrs	30kclks	-20°C 40°C	Glass	Alu	7W > 51W	IP20	2
--------------------	-------------	------	--------------	------------	---------	---------------	-------	-----	----------	------	---



### VK/05123 Pink Copper

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-216664	VK/05123/D/E/PCT/W	E27	7W		2700K	650lm	50

Voltage 220-240	COB 1030	360°	CRI Ra>80	15k hrs	30kclks	-20°C 40°C	Glass	Alu	7W > 51W	IP20	2
--------------------	-------------	------	--------------	------------	---------	---------------	-------	-----	----------	------	---



# Led lamps E27-G125 Globo Filament.



## VK/05108 Clear

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-184664	VK/05108/E/CL/W	E27	6.5W		2700K	806lm	50
03045-213664	VK/05108/D/E/CL/W	E27	7W		2700K	806lm	50

Voltage 220-240	COB 1016/ 1030	360° 	CRI Ra>80	15k hrs	30k clicks	-20°C 40°C	Glass	Alu	6.5W > 60W 8W > 60W	IP20	2
--------------------	----------------------	----------	--------------	---------	------------	---------------	-------	-----	------------------------	------	---



## VK/05108 Amber

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-220664	VK/05108/D/E/A/W	E27	7W		2200K	720lm	50

Voltage 220-240	COB 1030	360° 	CRI Ra>80	15k hrs	30k clicks	-20°C 40°C	Glass	Alu	7W > 51W	IP20	2
--------------------	-------------	----------	--------------	---------	------------	---------------	-------	-----	----------	------	---



## VK/05108 Dark Grey

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-221664	VK/05108/D/E/DG/W	E27	7W		2700K	200lm	50

Voltage 220-240	COB 1030	360° 	CRI Ra>80	15k hrs	30k clicks	-20°C 40°C	Glass	Alu	7W > 21W	IP20	2
--------------------	-------------	----------	--------------	---------	------------	---------------	-------	-----	----------	------	---



## Led lamps E27-G125 Globo Filament.

### VK/05108 Milky

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-185664	VK/05108/E/MK/W	E27	6.5W		2700K	806lm	50
03045-201664	VK/05108/E/MK/D	E27	7W		6500K	670lm	50

Voltage 220-240	COB 1030	360°	CRI Ra>80				Glass	Alu	7W > 51W		
--------------------	-------------	------	--------------	--	--	--	-------	-----	----------	--	--



### VK/05108 Silver

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-214664	VK/05108/D/E/ST/W	E27	7W		2700K	650lm	50

Voltage 220-240	COB 1030	360°	CRI Ra>80				Glass	Alu	7W > 51W		
--------------------	-------------	------	--------------	--	--	--	-------	-----	----------	--	--



### VK/05108 Pink Copper

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-219664	VK/05108/D/E/PCT/W	E27	7W		2700K	650lm	50

Voltage 220-240	COB 1030	360°	CRI Ra>80				Glass	Alu	7W > 51W		
--------------------	-------------	------	--------------	--	--	--	-------	-----	----------	--	--







product finder

# Product finder

CODE	PAGE
03045-001733	464
03045-002733	464
03045-003733	464
03045-004733	465
03045-005733	465
03045-006733	465
03045-168664	468
03045-169664	468
03045-170664	468
03045-171664	469
03045-172664	469
03045-173664	469
03045-174664	469
03045-175664	470
03045-176664	470
03045-177664	470
03045-178664	470
03045-179664	471
03045-180664	471
03045-181664	471
03045-182664	471
03045-183664	472
03045-184664	476
03045-185664	477
03045-187664	473
03045-188664	473
03045-189664	473
03045-190664	469
03045-191664	469
03045-192664	470
03045-193664	470
03045-194664	471
03045-195664	471
03045-196664	468
03045-197664	468
03045-198664	473
03045-199664	475
03045-200664	475
03045-201664	477
03045-202664	469
03045-203664	470
03045-204664	470
03045-205664	471
03045-206664	471
03045-207664	468
03045-208664	468
03045-209664	473
03045-210664	473
03045-211664	474
03045-212664	475
03045-213664	476
03045-214664	477

CODE	PAGE
03045-215664	472
03045-216664	475
03045-217664	474
03045-218664	474
03045-219664	477
03045-220664	476
03045-221664	476
03045-222664	470
03045-223664	471
03045-224664	468
03045-225664	472
03045-228664	466
03045-229664	466
03045-230664	467
03045-231664	467
03045-232664	467
03045-233664	466
57610-136115	425
57610-137115	425
57610-139115	424
57610-140115	424
57610-141115	424
57610-142115	424
57610-143115	425
57610-144115	425
57610-150774	422
57610-151774	422
57610-152774	422
57610-153774	422
57610-154774	420
57610-155774	420
57610-156774	420
57610-157774	420
57610-158774	416
57610-159774	416
57610-160774	416
57610-161774	416
57610-162774	418
57610-163774	418
57610-164774	418
57610-165774	418
57610-166774	419
57610-167774	419
57610-168774	419
57610-169774	419
58610-113728	403
58610-114728	403
58610-115728	398
58610-116728	398
58610-117728	399
58610-118728	399
58610-119728	402

CODE	PAGE
58610-120728	402
61171-010724	394
61171-011724	394
61171-012724	395
61171-022733	397
61171-023733	397
61171-230747	396
61171-258694	384
61171-259694	384
61171-260694	384
61171-261694	384
61171-262694	384
61171-293741	386
61171-294741	386
61171-295741	386
61171-296741	430
61171-297741	428
61171-298741	436
61171-299741	436
61171-300741	436
64171-011171	300
64171-021171	300
64171-022171	300
64171-024126	301
64171-024171	297
64171-025171	297
64171-026126	301
64171-026171	297
64171-027126	301
64171-027171	297
64171-028126	301
64171-028171	296
64171-029171	296
64171-031126	302
64171-032126	302
64171-033126	302
64171-053126	278
64171-054126	278
64171-055126	288
64171-055697	358
64171-056126	288
64171-056697	358
64171-057126	289
64171-058126	289
64171-059126	289
64171-060126	288
64171-061126	288
64171-062126	287
64171-063126	287
64171-064126	285
64171-065126	285
64171-066126	286

CODE	PAGE
64171-067126	286
64171-068126	290
64171-069126	290
64171-070126	286
64171-071126	286
64171-072126	278
64171-073126	278
64171-258727	276
64171-259727	276
64171-260727	282
64171-261727	282
64171-262727	282
64171-263727	282
64171-264727	280
64171-265727	280
64171-266727	401
64171-267727	401
64171-268727	291
64171-269727	291
64171-270727	274
64171-271727	274
64171-272727	283
64171-273727	283
64171-274727	283
64171-275727	283
64171-276727	280
64171-277727	280
64171-278727	266
64171-279727	266
64171-280727	270
64171-281727	270
64171-282727	264
64171-283727	264
64171-284727	268
64171-285727	268
64171-300741	440
64171-301741	440
64173-037118	104
64173-038118	104
64173-039118	104
64173-040118	104
64173-041118	104
64173-042118	104
64174-001108	328
64174-001775	154
64174-002108	328
64174-002775	154
64174-003108	328
64174-003775	152
64174-004108	328
64174-004775	152
64174-005108	329

# Product finder

CODE	PAGE
64174-005775	156
64174-006108	329
64174-006775	156
64174-007775	158
64174-008775	158
64174-009775	148
64174-010775	148
64174-011775	148
64174-012775	148
64174-013126	162
64174-013775	148
64174-014126	162
64174-014775	148
64174-015108	332
64174-015126	162
64174-015775	150
64174-016775	322
64174-018108	146
64174-019108	146
64174-020108	144
64174-021108	144
64174-021126	284
64174-022108	145
64174-022126	284
64174-023108	145
64174-023126	284
64174-024126	284
64174-026126	294
64174-027126	294
64174-028108	400
64174-028126	294
64174-029108	330
64174-029126	294
64174-030108	330
64174-030126	294
64174-031108	330
64174-031126	294
64174-032108	330
64174-032126	294
64174-033126	294
64174-034126	294
64174-043776	58
64174-044776	58
64174-045776	98
64174-046776	98
64174-047776	98
64174-048776	98
64174-115721	96
64174-116721	96
64174-229131	363
64174-230131	369
64174-231131	374

CODE	PAGE
64174-232131	368
64174-233131	370
64174-234131	362
64174-235131	362
64174-236131	362
64174-237131	367
64174-238131	367
64174-239131	379
64174-240131	379
64174-241131	380
64174-242131	380
64174-243131	373
64174-244131	373
64174-245131	372
64174-246131	372
64174-247131	372
64174-259131	371
64174-261131	381
64174-262131	366
64174-263131	366
64174-264131	376
64174-292131	142
64174-293131	375
64174-294131	377
64174-295131	142
64174-296131	143
64174-297131	143
64174-298131	364
64174-299131	364
64174-300131	378
64174-301131	378
64174-314131	381
64174-339131	372
64174-886697	160
64174-887697	160
64174-944724	272
64174-958121	324
64174-959121	324
64174-960115	411
64174-960121	325
64174-961115	411
64174-961121	325
64174-962115	412
64174-962121	325
64174-963115	412
64174-963121	325
64174-964115	413
64174-964121	324
64174-965115	413
64174-965121	324
64174-966121	326
64174-967121	326

CODE	PAGE
64174-968121	327
71164-001108	252
71164-001115	86
71164-001702	232
71164-001724	250
71164-001755	102
71164-002108	252
71164-002115	86
71164-002702	232
71164-002724	250
71164-002755	102
71164-003108	253
71164-003115	88
71164-003702	232
71164-003724	250
71164-003755	102
71164-004108	253
71164-004115	88
71164-004702	232
71164-004724	250
71164-004755	102
71164-005108	166
71164-005115	90
71164-005702	74
71164-005724	130
71164-005755	102
71164-006108	166
71164-006115	90
71164-006702	74
71164-006724	130
71164-006755	102
71164-007115	92
71164-007702	74
71164-007755	102
71164-008115	92
71164-008702	74
71164-008755	102
71164-009702	236
71164-009755	103
71164-010702	236
71164-010755	103
71164-011702	78
71164-011755	103
71164-012702	78
71164-012755	103
71164-013702	234
71164-013755	120
71164-014702	234
71164-014724	333
71164-014755	72
71164-015702	234
71164-015755	72

CODE	PAGE
71164-016702	234
71164-016755	226
71164-017702	76
71164-017724	116
71164-017755	226
71164-018702	76
71164-018724	118
71164-018755	226
71164-019702	76
71164-019755	226
71164-020702	76
71164-020755	226
71164-021702	82
71164-021755	226
71164-022702	82
71164-022755	238
71164-023702	82
71164-023755	238
71164-024702	82
71164-024755	238
71164-025702	82
71164-025755	238
71164-026702	82
71164-027702	82
71164-028702	82
71164-029702	82
71164-030702	84
71164-031702	84
71164-032702	84
71164-033702	240
71164-034702	240
71164-035702	224
71164-036702	224
71164-037702	224
71164-038702	224
71164-039702	224
71164-040702	224
71164-041702	224
71164-042702	224
71164-043702	224
71164-044702	228
71164-045702	228
71164-046702	228
71164-047702	228
71164-048702	228
71164-049702	228
71164-050702	230
71164-051702	230
71164-052702	230
71164-053702	230
71164-054702	80
71164-055702	80

# Product finder

CODE	PAGE
71164-056702	80
71164-057702	80
71164-058702	66
71164-059702	66
71164-060702	70
71164-061702	70
71164-062702	70
71164-063702	70
71164-064702	70
71164-065702	70
71164-178721	42
71164-179721	42
71165-003741	248
71165-004741	248
71165-005741	248
71165-006741	246
74168-156677	456
74168-158677	456
74168-179677	459
74168-193677	458
74168-194677	459
74168-196677	459
74168-199677	456
74168-200677	456
74168-201677	456
74168-202677	456
74168-203677	459
74168-205677	458
74168-206677	458
74168-225677	456
74168-227677	456
74168-250677	454
74168-251677	454
74168-252677	454
74168-253677	454
74168-254677	454
74168-255677	454
74168-256677	458
74168-257677	458
74168-258677	458
74168-288677	459
74168-289677	458
74168-290677	456
74168-291677	456
74168-292677	454
74168-293677	454
75169-001741	112
75169-001775	68
75169-002741	112
75169-002775	68
75169-003741	114
75169-003775	68

CODE	PAGE
75169-004741	114
75169-004775	68
75169-005741	132
75169-005775	68
75169-006741	132
75169-006775	68
75169-007733	216
75169-007741	390
75169-007775	220
75169-008741	388
75169-008775	220
75169-009741	318
75169-009775	220
75169-010741	164
75169-010775	222
75169-011741	110
75169-011775	222
75169-012741	110
75169-012775	220
75169-013741	108
75169-013775	220
75169-014741	108
75169-014775	220
75169-015741	108
75169-015775	222
75169-016741	108
75169-016775	222
75169-017741	128
75169-017775	64
75169-018733	134
75169-018741	128
75169-018775	64
75169-019733	136
75169-019741	124
75169-019775	64
75169-020733	134
75169-020741	124
75169-020775	64
75169-021733	136
75169-021741	124
75169-021775	64
75169-022741	124
75169-022775	64
75169-023741	126
75169-023775	62
75169-024741	126
75169-024775	62
75169-025741	126
75169-025775	62
75169-026741	126
75169-029741	140
75169-030741	244

CODE	PAGE
75169-031741	244
75169-032741	244
75169-033741	244
75169-034741	242
75169-035741	242
75169-036741	242
75169-037741	242
75169-038741	170
75169-039721	352
75169-039741	176
75169-040721	352
75169-040741	170
75169-041721	352
75169-041741	168
75169-042721	292
75169-042741	168
75169-043721	293
75169-043741	138
75169-044721	292
75169-044741	138
75169-045721	54
75169-045741	138
75169-046721	54
75169-046741	138
75169-047741	138
75169-048721	46
75169-048741	138
75169-049721	46
75169-049741	138
75169-050741	138
75169-051741	138
75169-052741	172
75169-053741	172
75169-054721	50
75169-054741	174
75169-055741	174
75169-056741	174
75169-057741	174
75169-058741	178
75169-059741	178
75169-060741	442
75169-061741	442
75169-062741	442
75169-063741	442
75169-064741	432
75169-065741	440
75169-066741	440
75169-067741	438
75169-068741	438
75169-069741	438
75169-070741	438
75169-071741	434

CODE	PAGE
75169-072741	434
75169-073741	434
75169-098721	100
75169-099721	100
75169-100721	316
75169-101721	316
75169-102721	316
75169-103721	316
75169-104721	317
75169-105721	317
75169-106721	317
75169-107721	317
75169-121721	392
75169-122721	392
75169-123721	314
75169-124721	406
75169-125721	404
75169-126721	404
75169-127721	94
75169-128721	94
75169-140721	352
75169-141721	404
75169-175108	254
75169-176108	254
75169-177108	254
75169-178108	254
75169-179108	254
75169-181108	254
75169-182108	254
75169-184108	256
75169-185108	256
75169-186108	256
75169-187108	256
75169-188108	256
75169-193108	254
75169-197108	254
75169-198108	254
75169-199108	256
75169-200108	256
75169-201108	256
75169-202108	256
75169-203108	256
75169-204108	360
75169-209108	360
75169-210108	361
75169-220108	340
75169-221108	342
75169-222108	344
75169-222115	204
75169-223108	346
75169-223115	204
75169-224108	348

## Product finder

CODE	PAGE
75169-224115	205
75169-225108	338
75169-225115	205
75169-226108	338
75169-226115	206
75169-227115	207
75169-228115	207
75169-229115	210
75169-230115	210
75169-231115	182
75169-232115	182
75169-233115	183
75169-234115	180
75169-234269	460
75169-235115	180
75169-235269	460
75169-236115	181
75169-236269	460
75169-237115	181
75169-237269	460
75169-238269	460
75169-239269	460
75169-242269	460
75169-244269	460
75169-246115	306
75169-247115	306
75169-248115	306
75169-249115	306
75169-250115	306
75169-252108	212
75169-253108	212
75169-254108	212
75169-254115	308
75169-255108	212
75169-255115	308
75169-256108	213
75169-256115	308
75169-257108	213
75169-257115	310
75169-258108	354
75169-258115	310
75169-259108	354
75169-259115	310
75169-260115	310
75169-261115	310
75169-274694	449
75169-275108	350
75169-275694	448
75169-276108	350
75169-276694	449
75169-277108	214
75169-277694	448

CODE	PAGE
75169-278108	214
75169-278694	448
75169-279108	214
75169-279694	451
75169-280108	214
75169-280694	450
75169-281108	214
75169-281694	451
75169-282108	214
75169-282694	450
75169-283108	215
75169-284108	215
75169-285108	215
75169-288108	334
75169-289108	334
75169-290108	336
75169-291108	336
75169-292108	298
75169-293108	298
75169-294108	298
75169-295108	298
75169-356695	356
75169-357695	356
75169-358695	356
75169-375694	446
75169-376694	446
75169-377694	446
75169-378694	446
75169-379694	444
75169-380694	444
75169-381694	444
75169-382694	444
75169-383694	444
75169-384694	444
75169-385694	444
75169-386694	453
75169-387694	453
75169-388694	453
75169-389694	453
75169-390694	452
75169-391694	452
75169-392694	452
75169-393694	452
75169-394694	452
75169-395694	452
75169-477724	184
75169-478724	184
75169-479724	185
75169-480724	188
75169-481724	186
75169-482724	208
75169-482730	198

CODE	PAGE
75169-483724	202
75169-483730	196
75169-484724	200
75169-484730	196
75169-485730	190
75169-486730	320
75169-487730	192
75169-488730	194
75169-489730	192
75169-490730	194
77161-474724	260
77161-476724	260
77161-477724	260
78000-050721	48
78000-051721	48
78000-052721	48



# Q-CERT

## ΠΙΣΤΟΠΟΙΗΤΙΚΟ/CERTIFICATE

QMSCERT, an accredited provider of third-party system certification organization for ISO 9001 quality management systems and acting in accordance with the requirements of ISO 17021 for registrars attests that:

**VK Hellas Electric S.A. - Vaios Karakostas S.A.**  
8, ARISTOTELOUS STR., GR-17778,  
TAVROS, ATHENS, GREECE

with a scope of:

*Elaboration of Illumination Studies. Wholesale & Retail Sale of  
Illumination & Electrical Equipment.*

has established a quality management system that is in conformance with the  
International Standard

**EN ISO 9001:2015**

June 20<sup>th</sup>, 2019

Certification Period Ending

June 21<sup>st</sup>, 2016

Initial Certification Date

June 21<sup>st</sup>, 2016

Certification Date

IAF/EA Subsector: 29.3, 34.1

For the QMSCERT Board

This certification is subject to Annual Surveillance Audits. The certification is valid (for three years) only if it is followed by the annual surveillance audits approval.

For information concerning the validity of the certificate, you can visit the site [www.qmscert.com](http://www.qmscert.com)



QMSCERT® No. 210616-1 Rev.1

MS Certification  
Cert. No. 110-6

QMSCERT 26<sup>th</sup> OCTOBER Str. 90 - GR 546 27 - THESSALONIKI - HELLAS

# Q-CERT

## ΠΙΣΤΟΠΟΙΗΤΙΚΟ/CERTIFICATE

QMSCERT, an accredited provider of third-party system certification organization for ISO 14001 environmental management systems and acting in accordance with the requirements of ISO 17021 for registrars attests that:

**VK Hellas Electric S.A. - Vaios Karakostas S.A.**

8, ARISTOTELOUS STR., GR-17778,  
TAVROS, ATHENS, GREECE

with a scope of:

*Elaboration of Illumination Studies. Wholesale & Retail Sale of  
Illumination & Electrical Equipment.*

has established an environmental management system that is in conformance with the  
International Standard

**EN ISO 14001:2015**

September 11<sup>th</sup>, 2020

Certification Period Ending

September 12<sup>th</sup>, 2017

Initial Certification Date

September 12<sup>th</sup>, 2017

Certification Date

NACE code: 46.69, 71.12

For the QMSCERT Board

This certification is subject to Annual Surveillance Audits. The certification is valid (for three years) only if it is followed by the annual surveillance audits approval.

For information concerning the validity of the certificate, you can visit the site [www.qmscert.com](http://www.qmscert.com)



QMSCERT® N. 120917-6 Rev.1

MS Certification  
Cert. No. 110-6





# CERTIFICATE

## Q-CERT

Q-CERT, an accredited provider of third-party system certification  
attests that:

**VK LEADING LIGHT - VAIOS I. KARAKOSTAS S.A.**  
8, ARISTOTELOUS STR., GR-17778, TAVROS, ATHENS, GREECE

with a scope of:

***Elaboration of Illumination Studies. Wholesale & Retail Sale  
of Illumination & Electrical Equipment***

*has established an  
OCCUPATIONAL HEALTH & SAFETY MANAGEMENT SYSTEM  
that is in conformance with the requirements of the International Standard*

**ISO 45001:2018**

August 31, 2023

Certification Period Ending

September 01, 2020

Initial Certification Date

September 01, 2020

Certification Date

IAF/EA Sector: 29, 34

For Q-CERT's Board

This certification is subject to Annual Surveillance Audits. The certification is valid (for three years) only if it is followed by the annual surveillance audits approval.

For information concerning the validity of the certificate, you can visit the site [www.qmscert.com](http://www.qmscert.com)

Q-CERT

Certificate No: 010920-3



MS Certification  
Cert. No. 110-6



VK Leading Light 2024 2025 DECORATIVE INDOOR + OUTDOOR

Inside this vessel there are creatures of light living and breathing, while travelling the world. This space is a field of practising the art of imagination, so take the time to test your skills. There are single travellers, couples, and entire families travelling all together, creating little communities, and awaiting for you to meet them. They come in all shapes and sizes and are all available and open for discussion with you, about the wonders you can achieve together.

A 8 Aristotelous St, Tavros, 177 78 Athens, Greece

T +30 210 99 69 610-11 +30 210 34 58 072 +30 210 34 58 075 F +30 210 99 58 374

E [info@vkleadinglight.gr](mailto:info@vkleadinglight.gr) W [vkleadinglight.gr](http://vkleadinglight.gr)

[vkleadinglight.gr](http://vkleadinglight.gr)